

平成13年3月測量

宇都宮都市計画事業

西茂呂土地地区画整理事業街区・画地出来形確認測量

街区出来形面積計算書


(二工区)

140-2 BL ~ 239 BL

計画機関  
作業機関

市 沼 鹿  
晃洋設計測量株式会社







\* \* 面積計算 (座標法) \* \* (Work No.413)

地 器械点	番 : 140-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
140-1	140-2	131-11-47	215-51-31	4.998	60863.552	-5311.785	-5.268	27984.388383
140-2	140-3	131-02-29	166-54-00	25.107	60859.502	-5314.712	-28.504	151492.439078
140-3	140-4	179-56-51	166-50-51	15.683	60835.048	-5309.022	-39.726	210904.697714
140-4	140-5	180-08-03	166-58-54	10.006	60819.776	-5305.453	-25.021	132747.986966
140-5	140-6	179-41-02	166-39-56	13.642	60810.027	-5303.199	-23.024	122099.856078
140-6	140-7	180-23-50	167-03-46	4.307	60796.752	-5300.053	-17.472	92601.671528
140-7	K.208	179-57-31	167-01-17	20.180	60792.555	-5299.089	-23.862	126444.785404
K.208	140-10	97-36-57	84-38-14	6.071	60772.891	-5294.557	-19.097	101109.541491
140-10	140-29	180-00-05	84-38-19	10.557	60773.458	-5288.512	1.554	-8217.505876
140-29	140-30	180-23-17	85-01-36	5.614	60774.445	-5278.001	1.473	-7775.238246
140-30	140-31	179-17-41	84-19-17	6.974	60774.931	-5272.408	1.177	-6204.393190
140-31	K.209	179-51-57	84-11-14	0.109	60775.621	-5265.468	0.701	-3691.733603
K.209	K.210	233-16-22	137-27-36	4.308	60775.632	-5265.360	-3.163	16654.779877
K.210	140-36	183-45-16	141-12-52	19.991	60772.458	-5262.447	-18.757	98708.986440
140-36	140-16	123-03-31	84-16-23	5.745	60756.875	-5249.924	-15.010	78800.526840
140-16	140-17	180-04-49	84-21-12	9.674	60757.448	-5244.208	1.525	-7997.926839
140-17	140-18	132-03-09	36-24-21	5.008	60758.400	-5234.581	4.982	-26080.849971
140-18	140-19	132-34-02	348-58-23	16.608	60762.431	-5231.609	20.332	-106367.457517
140-19	140-20	180-03-55	349-02-18	8.893	60778.732	-5234.786	25.032	-131035.711723
140-20	140-21	138-15-03	307-17-21	5.005	60787.463	-5236.477	11.763	-61594.942596
140-21	140-22	138-15-17	265-32-38	14.914	60790.495	-5240.458	1.873	-9817.344190
140-22	140-23	180-01-48	265-34-26	18.141	60789.336	-5255.327	-2.559	13446.848457
140-23	140-24	180-06-22	265-40-48	3.996	60787.936	-5273.414	-1.701	8970.270592
140-24	140-25	261-10-24	346-51-12	14.022	60787.635	-5277.399	13.354	-70473.756394
140-25	140-26	180-01-04	346-52-16	61.133	60801.290	-5280.588	73.190	-386486.439864
140-26	140-27	180-41-02	347-33-18	1.017	60860.825	-5294.474	60.528	-320466.253365
140-27	140-28	138-29-42	306-03-00	5.016	60861.818	-5294.693	3.945	-20889.163333
140-28	140-1	138-36-44	264-39-44	13.093	60864.770	-5298.749	1.734	-9188.209892
							倍面積	5679.852246
							面積	2839.926123
							坪數	859.07



I



\* \* 面積計算 (座標法) \* \* (Work No.439)

地番 : 141-2BL									
器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
141-10"	141-11	27-53-23	349-01-27	9.176	60725.157	-5224.377	-16.470	86042.922765	
141-11	141-12	179-57-34	348-59-01	15.663	60734.165	-5226.124	24.382	-127424.793654	
141-12	141-13	137-44-33	306-43-34	5.002	60749.540	-5229.117	18.366	-96036.531989	
141-13	141-14	137-22-42	264-06-16	7.697	60752.531	-5233.127	2.201	-11517.327309	
141-14	141-15"	180-04-42	264-10-58	4.660	60751.741	-5240.783	-1.263	6618.412885	
141-15"	K.211	57-01-54	141-12-52	0.813	60751.268	-5245.419	-1.106	5799.726122	
K.211	141-10"	179-55-12	141-08-04	32.721	60750.635	-5244.910	-26.111	136948.786239	
							倍面積	431.195058	
							面積	215.597529	
							坪數	65.21	



142-2B1



\* \* 面積計算 (座標法) \* \* (Work No.452)

地 器械点	番 : 142-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
142-68"	K.216	45-48-32	130-05-54	5.079	60710.623	-5209.328	-4.168	21713.889733
K.216	K.217	163-38-24	113-44-18	22.165	60707.351	-5205.443	-12.194	63474.151730
K.217	K.218	192-33-04	126-17-22	7.391	60698.429	-5185.154	-13.297	68945.911279
K.218	K.219	186-12-38	132-30-00	4.928	60694.055	-5179.197	-7.703	39897.222570
K.219	K.220	192-10-17	144-40-17	5.790	60690.725	-5175.564	-8.053	41677.276642
K.220	142-21"	215-26-39	180-06-56	6.463	60686.002	-5172.216	-11.187	57860.650082
142-21"	142-50	84-21-43	84-28-39	2.930	60679.539	-5172.229	-6.181	31970.808236
142-50	142-51	179-57-25	84-26-04	9.121	60679.821	-5169.312	1.167	-6030.633400
142-51	142-53	179-58-33	84-24-37	7.061	60680.705	-5160.234	1.572	-8113.745912
142-53	142-55	179-56-13	84-20-50	18.880	60681.393	-5153.207	2.547	-13127.096887
142-55	142-56	180-05-50	84-26-40	15.618	60683.253	-5134.419	3.372	-17311.212029
142-56	142-57	134-38-57	39-05-37	4.994	60684.765	-5118.874	5.388	-27581.987367
142-57	142-58	134-46-46	353-52-23	13.869	60688.641	-5115.725	17.666	-90374.925609
142-58	142-59	179-57-09	353-49-32	13.839	60702.431	-5117.205	27.549	-140972.700443
142-59	142-60	135-17-17	309-06-49	5.002	60716.190	-5118.694	16.915	-86581.151924
142-60	142-61	135-06-30	264-13-19	14.136	60719.345	-5122.575	1.733	-8875.026793
142-61	142-62	180-03-07	264-16-26	12.997	60717.922	-5136.639	-2.720	13971.269817
142-62	142-63	179-58-19	264-14-45	12.999	60716.625	-5149.571	-2.600	13388.742781
142-63	142-64	180-05-58	264-20-43	1.195	60715.322	-5162.504	-1.421	7335.771355
142-64	142-65	179-51-55	264-12-38	9.119	60715.205	-5163.693	-1.038	5357.965301
142-65	142-66	180-02-19	264-14-57	2.685	60714.285	-5172.766	-1.189	6150.027493
142-66	142-67	180-01-53	264-16-50	25.045	60714.016	-5175.437	-2.765	14309.892410
142-67	142-68"	180-00-32	264-17-22	9.015	60711.520	-5200.358	-3.393	17644.649151
							倍面積	4729.748219
							面積	2364.874109
							坪數	715.37

10





\* \* 面積計算 (座標法) \* \* (Work No.764)

地 器械点	番 : 視準点	144-1BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
144-1	144-2	137-36-44	221-56-27	5.015	60672.134	-5180.688	-4.569	23671.324177
144-2	K.223	131-20-44	173-17-11	8.831	60668.404	-5184.040	-12.501	64803.508270
K.223	K.222	53-54-49	47-12-00	4.983	60659.634	-5183.008	-5.385	27908.665632
K.222	K.221	232-26-36	99-38-36	7.189	60663.019	-5179.352	2.181	-11297.843294
K.221	144-18"	80-28-20	0-06-56	11.158	60661.815	-5172.264	9.954	-51483.649430
144-18"	144-1	84-12-47	264-19-43	8.488	60672.973	-5172.242	10.319	-53373.687460
							倍面積	228.317896
							面積	114.158948
							坪數	34.53

\* \* 面積計算 (座標法) \* \* (Work No.765)

地 器械点	番 : 視準点	144-2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K.223	144-3"	126-06-18	173-18-18	1.427	60659.634	-5183.008	-4.803	24894.057742
144-3"	144-4"	180-00-00	173-18-18	19.020	60658.216	-5182.841	-20.307	105249.826090
144-4"	144-5	137-01-54	130-20-12	4.996	60639.326	-5180.624	-22.124	114614.587915
144-5	144-6	133-44-38	84-04-50	30.343	60636.092	-5176.816	-0.104	540.965359
144-6	144-8	180-00-12	84-05-02	32.501	60639.222	-5146.635	6.479	-33345.740592
144-8	144-9	134-40-22	38-45-24	5.029	60642.572	-5114.308	7.271	-37187.094449
144-9	144-10	135-02-29	353-47-53	14.443	60646.493	-5111.160	18.280	-93430.430417
144-10	144-11	180-00-04	353-47-57	5.337	60660.851	-5112.720	19.665	-100539.315133
144-11	144-12	180-05-30	353-53-27	7.967	60666.157	-5113.297	13.228	-67638.151788
144-12	144-13	180-21-05	354-14-32	1.097	60674.079	-5114.144	9.013	-46094.434267
144-13	144-14	134-50-57	309-05-29	4.992	60675.171	-5114.254	4.239	-21680.798947
144-14	144-15	135-12-12	264-17-41	21.597	60678.318	-5118.129	1.001	-5122.366879
144-15	144-16	180-06-25	264-24-06	10.787	60676.171	-5139.619	-3.199	16443.750736
144-16	144-17	180-00-15	264-24-21	16.997	60675.119	-5150.355	-2.709	13953.309713
144-17	144-18"	179-58-23	264-22-44	4.995	60673.462	-5167.271	-2.146	11089.435286
144-18"	K.221	95-44-12	180-06-56	11.158	60672.973	-5172.242	-11.647	60242.727243
K.221	K.222	279-31-40	279-38-36	7.189	60661.815	-5172.264	-9.954	51483.649430
K.222	K.223	127-33-24	227-12-00	4.983	60663.019	-5179.352	-2.181	11297.843294
							倍面積	4771.820335
							面積	2385.910167
							坪數	721.73


1



\* \* 面積計算 (座標法) \* \* (Work No.771)

地 器械点	番 : 145-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
145-9"	145-17	92-01-07	84-20-23	24.303	60591.034	-5217.976	-32.016	167060.020904
145-17	145-18	179-58-01	84-18-24	17.945	60593.431	-5193.791	4.177	-21695.874438
145-18	145-19	180-01-30	84-19-54	32.214	60595.211	-5175.935	4.962	-25682.886669
145-19	145-20	180-01-45	84-21-39	34.148	60598.393	-5143.878	6.537	-33626.836352
145-20	145-21	134-50-17	39-11-56	5.010	60601.749	-5109.895	7.238	-36986.024728
145-21	145-22	134-36-36	353-48-32	27.985	60605.631	-5106.729	31.705	-161908.275307
145-22	145-23	135-23-14	309-11-46	5.016	60633.454	-5109.747	30.992	-158361.617031
145-23	145-24	134-52-24	264-04-10	36.825	60636.623	-5113.634	-0.635	3247.539053
145-24	145-25	180-04-05	264-08-15	9.988	60632.818	-5150.262	-4.825	24850.476885
145-25	145-26	179-54-32	264-02-47	19.256	60631.798	-5160.198	-3.017	15570.887803
145-26	K.224	178-16-30	262-19-17	0.156	60629.801	-5179.349	-2.018	10452.397927
K.224	K.225	181-56-23	264-15-40	43.329	60629.780	-5179.504	-4.354	22549.062587
K.225	145-9"	88-03-36	172-19-16	34.725	60625.447	-5222.616	-38.746	202355.766110
							倍面積	7824.636743
							面積	3912.318371
							坪數	1183.47







\* \* 面積計算 (座標法) \* \* (Work No.671)

地 器械点	番 : 視準点	146-2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
146-6	146-7	92-00-40	84-16-45	20.602	60553.390	-5212.896	-13.797	71922.225474
146-7	146-8	180-00-03	84-16-48	20.630	60555.444	-5192.396	4.110	-21339.082204
146-8	146-9	179-55-02	84-11-50	21.210	60557.500	-5171.870	4.200	-21724.252289
146-9	146-10	180-05-02	84-16-52	19.871	60559.644	-5150.768	4.124	-21244.200552
146-10	146-11	179-57-38	84-14-30	17.823	60561.624	-5130.996	3.768	-19334.972778
146-11	146-12	180-12-10	84-26-40	7.522	60563.413	-5113.263	2.516	-12867.251476
146-12	146-13	133-55-22	38-22-02	5.022	60564.141	-5105.776	4.666	-23821.922128
146-13	146-14	135-26-11	353-48-13	24.688	60568.078	-5102.659	28.481	-145328.057982
146-14	146-15	135-18-07	309-06-20	5.011	60592.622	-5105.324	27.704	-141437.165648
146-15	146-16	135-14-29	264-20-49	44.920	60595.782	-5109.212	-1.264	6459.617395
146-16	146-17	179-59-57	264-20-46	21.208	60591.357	-5153.914	-6.514	33573.392648
146-17	146-18	179-58-11	264-18-57	42.361	60589.268	-5175.019	-6.285	32524.640611
146-18	146-22	88-02-39	172-21-36	15.973	60585.072	-5217.172	-20.027	104485.006153
146-22	146-6	179-54-29	172-16-05	15.996	60569.241	-5215.048	-31.682	165224.224462
							倍面積	7092.201683
							面積	3546.100841
							坪數	1072.69



1



\* \* 面積計算 (座標法) \* \* (Work No.337)

地 器械点	番 : 148-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
148-1	148-2	130-59-03	215-15-56	4.985	60547.985	-5206.909	-5.635	29338.748434
148-2	148-4"	131-18-29	166-34-25	2.777	60543.915	-5209.788	-6.772	35280.205400
148-4"	K.227	91-23-51	77-58-16	18.598	60541.213	-5209.143	1.175	-6118.156838
K.227	K.228	258-44-39	156-42-55	12.749	60545.089	-5190.953	-7.834	40667.268048
K.228	K.229	180-01-11	156-44-06	2.233	60533.379	-5185.913	-13.761	71365.789123
K.229	K.230	119-48-33	96-32-39	16.425	60531.328	-5185.031	-3.923	20341.321432
K.230	148-14	252-07-41	168-40-20	26.635	60529.456	-5168.713	-27.988	144661.743307
148-14	148-15	88-32-51	77-13-11	21.506	60503.340	-5163.482	-21.359	110285.057221
148-15	148-54	180-07-08	77-20-19	19.433	60508.097	-5142.509	9.017	-46369.004948
148-54	148-20	179-54-35	77-14-54	13.322	60512.356	-5123.549	7.200	-36889.002656
148-20	148-21	180-06-16	77-21-10	10.278	60515.297	-5110.555	5.191	-26528.150898
148-21	148-22	138-11-38	35-32-48	5.003	60517.547	-5100.526	6.321	-32241.577745
148-22	148-23	138-12-14	353-45-02	18.117	60521.618	-5097.618	22.080	-112555.028072
148-23	148-30	180-08-08	353-53-10	15.510	60539.627	-5099.590	33.431	-170483.279662
148-30	148-31	135-31-51	309-25-01	4.993	60555.049	-5101.242	18.592	-94842.908422
148-31	148-32	134-35-37	264-00-38	3.489	60558.219	-5105.099	2.806	-14326.594717
148-32	148-33	180-16-43	264-17-21	9.479	60557.855	-5108.569	-1.307	6678.711505
148-33	148-34	179-56-39	264-14-00	6.957	60556.912	-5118.002	-1.642	8405.144589
148-34	148-35	180-00-35	264-14-35	3.518	60556.213	-5124.923	-1.052	5390.971682
148-35	148-37	180-08-07	264-22-42	9.086	60555.860	-5128.424	-1.243	6374.546394
148-37	148-39	179-49-12	264-11-54	12.102	60554.970	-5137.466	-2.113	10857.394244
148-39	148-41	180-00-37	264-12-31	18.908	60553.747	-5149.506	-3.131	16124.050077
148-41	148-42	180-05-46	264-18-17	6.480	60551.839	-5168.317	-2.551	13184.219869
148-42	148-25	180-00-16	264-18-33	16.606	60551.196	-5174.765	-2.290	11848.565986
148-25	148-1	179-58-20	264-16-53	15.698	60549.549	-5191.289	-3.211	16668.140447
							倍面積	7118.173803
							面積	3559.086901
							坪數	1076.62







\* \* 面積計算 (座標法) \* \* (Work No.528)

地 器械点	番 : 151-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
151-21"	K.236	79-42-56	130-23-37	5.067	60423.833	-5122.198	-8.422	43137.014662
K.236	K.237	180-09-21	130-32-58	14.894	60420.549	-5118.339	-12.966	66365.980079
K.237	K.238	182-31-49	133-04-47	12.205	60410.866	-5107.022	-18.019	92021.657326
K.238	K.239	181-02-58	134-07-45	9.987	60402.530	-5098.107	-15.289	77946.711976
K.239	151-51"	95-41-47	49-49-32	143.362	60395.577	-5090.939	85.531	-435435.508764
151-51"	151-53	90-47-10	320-36-42	28.212	60488.062	-4981.399	114.289	-569316.603118
151-53	151-54	180-08-58	320-45-40	9.328	60509.866	-4999.301	29.028	-145120.525181
151-54	151-55	133-27-53	274-13-33	2.979	60517.090	-5005.202	7.444	-37258.786909
151-55	151-56	136-24-55	230-38-28	25.086	60517.310	-5008.172	-15.690	78576.172617
151-56	151-58	180-00-52	230-39-20	20.395	60501.400	-5027.569	-28.839	144991.403026
151-58	151-59	180-02-51	230-42-11	8.072	60488.470	-5043.341	-18.042	90993.604068
151-59	151-61	179-57-09	230-39-20	14.943	60483.358	-5049.588	-14.586	73652.084209
151-61	151-62	180-03-24	230-42-44	18.026	60473.885	-5061.144	-20.888	105716.382910
151-62	151-63	179-56-59	230-39-43	30.014	60462.470	-5075.096	-30.440	154486.911002
151-63	151-64	179-55-52	230-35-35	22.799	60443.444	-5098.309	-33.500	170791.488079
151-64	151-21"	180-05-06	230-40-41	8.108	60428.971	-5115.925	-19.612	100331.635353
							倍面積	11879.621337
							面積	5939.810668
							坪數	1796.79

1


2



\* \* 面積計算 (座標法) \* \* (Work No.473)

地 器械点	番 : 視準点	151-3BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
151-1	151-2	136-01-24	186-39-54	2.963	60522.560	-5001.766	-15.534	77695.512732
151-2	151-3	134-01-26	140-41-20	13.312	60519.617	-5002.110	-13.242	66240.332010
151-3	151-5"	179-56-05	140-37-25	24.164	60509.318	-4993.676	-28.978	144708.016225
151-5"	151-6	89-12-07	49-49-32	81.589	60490.639	-4978.346	33.956	-169044.969523
151-6	151-7	83-59-12	313-48-44	31.989	60543.274	-4916.005	74.781	-367621.759258
151-7	151-8	180-10-00	313-58-44	3.336	60565.420	-4939.089	24.462	-120820.609655
151-8	151-9	137-57-44	271-56-28	5.010	60567.736	-4941.489	2.486	-12284.013991
151-9	151-11	138-40-53	230-37-21	11.200	60567.906	-4946.496	-6.936	34308.733688
151-11	151-13	179-59-30	230-36-51	8.995	60560.800	-4955.154	-12.814	63493.656661
151-13	151-14	180-01-37	230-38-28	29.891	60555.092	-4962.106	-24.664	122386.298964
151-14	151-15	179-54-56	230-33-24	1.550	60536.136	-4985.218	-19.941	99409.991710
151-15	151-1	180-05-06	230-38-30	19.854	60535.151	-4986.415	-13.576	67693.295587
							倍面積	6164.485152
							面積	3082.242576
							坪數	932.37



1



\* \* 面積計算 (座標法) \* \* (Work No.857)

地 器械点	番 : 152BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
152-1"	152-2	111-04-20	207-05-44	21.369	61335.664	-5333.779	-14.616	77960.316337
152-2	152-3	179-59-15	207-04-59	27.809	61316.640	-5343.512	-43.783	233956.743734
152-3	152-4	125-24-23	152-29-22	2.999	61291.881	-5356.173	-27.419	146859.893972
152-4	152-5	124-28-46	96-58-08	4.000	61289.222	-5354.788	-3.145	16839.959103
152-5	152-6	179-39-05	96-37-13	20.831	61288.736	-5350.817	-2.887	15446.889542
152-6	152-7	179-52-44	96-29-57	5.633	61286.335	-5330.125	-3.039	16198.988614
152-7	152-8	180-03-23	96-33-20	5.536	61285.697	-5324.528	-1.270	6760.161028
152-8	152-9	179-55-17	96-28-37	14.903	61285.065	-5319.029	-2.313	12303.669307
152-9	152-10	180-05-23	96-34-00	40.934	61283.384	-5304.221	-6.362	33746.670241
152-10	152-11	179-56-43	96-30-43	30.186	61278.703	-5263.556	-8.104	42658.438828
152-11	152-12	166-07-11	82-37-54	17.851	61275.280	-5233.565	-1.134	5935.104035
152-12	152-13	179-45-57	82-23-51	28.779	61277.569	-5215.861	6.097	-31800.187914
152-13	152-14	134-56-11	37-20-02	4.959	61281.376	-5187.334	7.750	-40202.848143
152-14	152-15	135-01-00	352-21-02	36.929	61285.319	-5184.327	40.543	-210188.607864
152-15	152-16"	136-27-46	308-48-48	4.757	61321.919	-5189.243	39.582	-205401.876108
152-16"	K.168	137-25-03	266-13-51	18.579	61324.901	-5192.950	1.761	-9142.698168
K.168	K.169	189-06-32	275-20-23	63.784	61323.680	-5211.489	4.715	-24569.686318
K.169	K.170	180-10-13	275-30-36	17.089	61329.616	-5274.996	7.577	-39967.250644
K.170	152-1"	180-30-48	276-01-24	42.005	61331.257	-5292.006	6.049	-32009.319009
							倍面積	15384.360575
							面積	7692.180287
							坪數	2326.88







\* \* 面積計算 (座標法) \* \* (Work No.208)

地 器械点	番 : 153BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
153-1	153-2	129-57-22	172-23-16	23.706	61321.993	-5182.643	-27.341	141696.474037	
153-2	153-3	180-03-06	172-26-22	12.429	61298.495	-5179.503	-35.818	185520.574549	
153-3	153-4	134-36-51	127-03-13	4.990	61286.174	-5177.868	-15.328	79364.969584	
153-4	153-5	135-56-22	82-59-35	0.902	61283.168	-5173.885	-2.897	14988.229748	
153-5	153-6	180-02-12	83-01-47	6.526	61283.278	-5172.990	0.902	-4665.881462	
153-6	153-7	179-38-03	82-39-50	11.044	61284.070	-5166.512	2.202	-11377.743284	
153-7	153-8	179-52-43	82-32-33	11.209	61285.480	-5155.559	2.865	-14770.867008	
153-8	153-10	180-06-51	82-39-24	9.635	61286.935	-5144.444	2.686	-13819.397335	
153-10	153-11	179-59-14	82-38-38	15.963	61288.166	-5134.888	3.275	-16818.631893	
153-11	153-12	153-34-40	56-13-18	4.983	61290.210	-5119.057	4.814	-24644.376106	
153-12	153-13	153-47-00	30-00-18	8.566	61292.980	-5114.915	10.188	-52111.292252	
153-13	153-14	177-37-07	27-37-25	20.519	61300.398	-5110.631	25.598	-130820.090330	
153-14	153-15"	124-52-05	332-29-30	4.991	61318.578	-5101.118	22.607	-115320.876738	
153-15"	K.163	124-20-47	276-50-17	9.570	61323.005	-5103.423	5.566	-28408.131216	
K.163	K.164	193-28-03	290-18-20	2.140	61324.144	-5112.925	1.882	-9623.351769	
K.164	153-16"	162-18-32	272-36-52	12.342	61324.887	-5114.932	1.306	-6679.045921	
153-16"	153-17	180-00-00	272-36-52	29.949	61325.450	-5127.261	1.929	-9891.455059	
153-17	K.165	180-00-00	272-36-52	8.664	61326.816	-5157.179	1.761	-9083.838703	
K.165	K.166	171-28-41	264-05-33	13.367	61327.212	-5165.834	-0.980	5065.085526	
K.166	153-1	138-20-21	222-25-54	5.207	61325.836	-5179.130	-5.219	27029.467824	
								倍面積	5629.822187
								面積	2814.911093
								坪數	851.51



11



\* \* 面積計算 (座標法) \* \* (Work No.682)

地 器械点	番 : 154-1BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
154-1	154-2	145-20-00	241-50-45	4.998	61283.375	-5356.887	1.234	-6613.002456
154-2	154-3	145-35-48	207-26-33	77.094	61281.016	-5361.294	-70.777	379457.168528
154-3	K.203	139-22-52	166-49-25	44.147	61212.598	-5396.823	-111.404	601225.769233
K.203	K.204	89-51-50	76-41-15	2.657	61169.613	-5386.760	-42.373	228252.769576
K.204	K.205	270-21-08	167-02-23	11.769	61170.225	-5384.174	-10.857	58455.821638
K.205	K.206	270-29-32	257-31-55	2.646	61158.756	-5381.535	-12.040	64793.387147
K.206	154-4"	89-24-52	166-56-47	34.950	61158.185	-5384.118	-34.618	186388.384547
154-4"	154-15	99-36-11	86-32-58	22.313	61124.138	-5376.224	-32.704	175824.575350
154-15	154-16	179-44-48	86-17-46	4.067	61125.481	-5353.952	1.606	-8596.588692
154-16	154-17	180-10-05	86-27-51	16.015	61125.743	-5349.894	1.250	-6689.531981
154-17	154-18	180-37-10	87-05-01	4.026	61126.731	-5333.909	1.193	-6360.916583
154-18	154-20	179-26-30	86-31-31	12.044	61126.936	-5329.887	0.935	-4982.390021
154-20	154-21	180-14-15	86-45-46	5.301	61127.666	-5317.866	1.029	-5473.750220
154-21	154-22	134-05-36	40-51-22	5.008	61127.965	-5312.573	4.087	-21713.142296
154-22	154-26	135-40-59	356-32-21	32.730	61131.753	-5309.297	36.458	-193567.632738
154-26	154-32	180-02-01	356-34-22	47.979	61164.423	-5311.273	80.564	-427896.735741
154-32	154-35	179-56-13	356-30-35	16.005	61212.317	-5314.141	63.869	-339408.924188
154-35	154-39	180-03-38	356-34-13	32.002	61228.292	-5315.115	47.920	-254700.770859
154-39	154-41	179-56-56	356-31-09	15.489	61260.237	-5317.030	47.405	-252053.332013
154-41	154-42	140-02-19	316-33-28	4.984	61275.697	-5317.970	19.079	-101462.815064
154-42	154-43	140-03-23	276-36-51	4.044	61279.316	-5321.398	4.085	-21736.031046
154-43	154-1	179-53-54	276-30-45	31.676	61279.782	-5325.415	4.059	-21613.800845
							倍面積	21528.511271
							面積	10764.255635
							坪數	3256.18



1



\* \* 面積計算 (座標法) \* \* (Work No.376)

地 器械点	番 : 154-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
154-4"	154-6"	80-23-49	166-56-47	41.747	61124.138	-5376.224	-42.012	225863.331695
154-6"	154-7	134-32-13	121-29-00	4.969	61083.469	-5366.795	-43.263	232186.228635
154-7	154-8	135-44-11	77-13-11	6.103	61080.874	-5362.557	-1.245	6675.060605
154-8	154-10	179-46-23	76-59-34	8.809	61082.224	-5356.605	3.333	-17852.741936
154-10	154-11	135-04-07	32-03-41	5.019	61084.207	-5348.022	6.237	-33353.123744
154-11	154-13	134-52-46	346-56-27	17.960	61088.461	-5345.358	21.749	-116255.707802
154-13	154-14	179-57-17	346-53-44	17.100	61105.956	-5349.416	34.149	-182678.925958
154-14	154-15	180-10-38	347-04-22	2.945	61122.610	-5353.293	19.525	-104521.228557
154-15	154-4"	99-28-36	266-32-58	22.313	61125.481	-5353.952	1.527	-8178.060647
							倍面積	1884.832290
							面積	942.416145
							坪数	285.08



155BL



\* \* 面積計算 (座標法) \* \* (Work No.130)

地 器械点	番 : 155BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
155-1	155-2	130-07-36	226-39-09	4.987	61277.794	-5308.243	-1.613	8562.098543	
155-2	155-3	129-52-52	176-32-01	26.434	61274.370	-5311.869	-29.809	158340.866698	
155-3	155-4	139-48-30	136-20-31	2.959	61247.985	-5310.271	-28.526	151482.443641	
155-4	155-5	137-57-05	94-17-36	13.503	61245.844	-5308.228	-3.151	16728.731301	
155-5	155-6	179-58-27	94-16-03	12.448	61244.833	-5294.763	-1.937	10256.840322	
155-6	155-7	179-58-29	94-14-32	12.462	61243.907	-5282.350	-1.848	9762.782499	
155-7	155-8	180-05-12	94-19-44	12.456	61242.985	-5269.922	-1.862	9812.789156	
155-8	155-9	179-59-59	94-19-43	12.446	61242.045	-5257.502	-1.879	9881.435781	
155-9	155-10	179-59-09	94-18-52	11.979	61241.106	-5245.091	-1.840	9653.491176	
155-10	155-11	180-08-28	94-27-20	6.596	61240.204	-5233.147	-1.414	7397.193710	
155-11	155-12	167-39-15	82-06-35	12.278	61239.692	-5226.571	1.173	-6131.107668	
155-12	155-13	179-59-24	82-05-59	4.439	61241.377	-5214.410	2.296	-11969.879283	
155-13	155-14	179-48-39	81-54-38	5.418	61241.988	-5210.013	1.373	-7151.094656	
155-14	155-16	180-36-42	82-31-20	11.624	61242.750	-5204.649	2.275	-11841.937147	
155-16	155-17	180-00-18	82-31-38	12.029	61244.263	-5193.123	3.077	-15980.521405	
155-17	155-18	134-53-58	37-25-36	2.968	61245.827	-5181.197	3.922	-20319.242417	
155-18	155-19	134-55-50	352-21-26	12.814	61248.185	-5179.393	15.058	-77989.749110	
155-19	155-20	180-01-53	352-23-19	11.505	61260.885	-5181.097	24.104	-124885.144743	
155-20	155-21	135-34-57	307-58-16	4.970	61272.289	-5182.621	14.462	-74948.718067	
155-21	155-22	134-41-38	262-39-54	8.382	61275.347	-5186.539	1.988	-10309.987436	
155-22	155-23	180-03-23	262-43-17	11.512	61274.276	-5194.852	-2.529	13135.768273	
155-23	155-24	180-00-51	262-44-08	10.138	61272.818	-5206.271	-2.740	14267.285518	
155-24	155-25	179-40-23	262-24-31	1.311	61271.536	-5216.328	-1.455	7590.390263	
155-25	155-26	179-58-27	262-22-58	16.028	61271.363	-5217.628	-2.298	11989.120028	
155-26	155-27	194-09-13	276-32-11	9.441	61269.238	-5233.515	-1.050	5494.723459	
155-27	155-28	179-57-24	276-29-35	12.471	61270.313	-5242.894	2.485	-13028.433187	
155-28	155-29	180-01-38	276-31-13	12.469	61271.723	-5255.285	2.826	-14852.132858	
155-29	155-30	180-01-25	276-32-38	12.458	61273.139	-5267.673	2.836	-14937.395601	
155-30	155-31	180-01-36	276-34-14	12.449	61274.559	-5280.050	2.844	-15018.374999	
155-31	155-1	179-57-19	276-31-33	15.928	61275.983	-5292.418	3.235	-17119.762433	
								倍面積	7872.479358
								面積	3936.239679
								坪數	1190.71



1



\* \* 面積計算 (座標法) \* \* (Work No.155)

地 器械点	番 : 156BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
156-1	156-2	131-11-22	225-30-04	2.987	61241.806	-5307.642	2.429	-12892.355297
156-2	156-3	131-06-27	176-36-31	26.788	61239.712	-5309.772	-28.835	153104.884784
156-3	156-4	138-45-19	135-21-50	4.995	61212.971	-5308.188	-30.295	160813.401036
156-4	156-5	138-56-02	94-17-52	54.771	61209.417	-5304.678	-7.659	40627.183128
156-5	156-6	179-57-46	94-15-38	11.562	61205.312	-5250.061	-4.964	26059.060712
156-6	156-7	170-24-53	84-40-31	0.422	61204.453	-5238.531	-0.820	4294.455868
156-7	156-8	179-08-13	83-48-44	19.736	61204.493	-5238.110	2.166	-11348.081617
156-8	156-9	179-58-45	83-47-29	24.890	61206.620	-5218.490	4.819	-25148.490430
156-9	156-10	179-59-55	83-47-24	15.802	61209.312	-5193.746	4.401	-22858.627448
156-10	156-11	134-19-04	38-06-28	5.021	61211.021	-5178.037	5.660	-29309.584818
156-11	156-12	134-14-41	352-21-09	11.641	61214.972	-5174.938	15.488	-80151.497068
156-12	156-13	180-06-22	352-27-31	13.700	61226.509	-5176.487	25.119	-130027.223724
156-13	156-14	134-17-12	306-44-43	2.967	61240.091	-5178.285	15.357	-79521.545498
156-14	156-15	136-13-10	262-57-53	2.804	61241.866	-5180.663	1.432	-7418.172795
156-15	156-16	179-32-54	262-30-47	9.340	61241.523	-5183.445	-1.560	8088.524610
156-16	156-17	180-27-46	262-58-33	1.754	61240.306	-5192.706	-1.432	7433.800945
156-17	156-19	179-20-43	262-19-16	13.504	61240.091	-5194.447	-2.019	10486.985741
156-19	156-21	179-26-55	261-46-11	12.767	61238.287	-5207.829	-3.632	18914.510205
156-21	156-22	180-59-50	262-46-01	1.283	61236.459	-5220.465	-1.989	10384.256886
156-22	156-23	180-08-36	262-54-37	4.777	61236.298	-5221.738	-0.751	3922.602766
156-23	156-32	191-15-31	274-10-08	8.432	61235.708	-5226.478	0.023	-122.031476
156-32	156-24	180-08-24	274-18-32	12.808	61236.321	-5234.888	1.575	-8246.283485
156-24	156-1	180-00-10	274-18-42	60.153	61237.283	-5247.659	5.485	-28781.494241
							倍面積	8304.278784
							面積	4152.139392
							坪数	1256.02







\* \* 面積計算 (座標法) \* \* (Work No.151)

地 器械点	番 : 157BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
157-1	157-2	130-13-40	224-59-53	5.023	61203.331	-5303.838	-3.260	17291.698090
157-2	157-3	131-18-44	176-18-37	11.100	61199.779	-5307.390	-14.629	77641.423890
157-3	157-4	180-22-08	176-40-45	12.254	61188.702	-5306.675	-23.310	123700.175858
157-4	157-5	135-16-17	131-57-02	5.027	61176.469	-5305.965	-15.594	82740.107106
157-5	157-6	134-33-38	86-30-40	22.045	61173.108	-5302.227	-2.019	10705.323826
157-6	157-7	180-01-32	86-32-12	11.304	61174.450	-5280.222	2.024	-10689.493204
157-7	157-8	180-06-44	86-38-56	14.442	61175.132	-5268.939	1.527	-8045.966901
157-8	157-9	179-54-21	86-33-17	10.792	61175.977	-5254.522	1.493	-7843.578514
157-9	157-10	179-59-36	86-32-53	25.654	61176.625	-5243.750	2.193	-11500.608816
157-10	157-11	179-58-57	86-31-50	34.359	61178.170	-5218.142	3.624	-18910.337520
157-11	157-12	180-05-55	86-37-45	9.188	61180.249	-5183.846	2.620	-13579.226938
157-12	157-13	107-44-40	14-22-25	11.229	61180.789	-5174.674	11.418	-59084.194322
157-13	157-14	158-05-39	352-28-04	10.380	61191.667	-5171.886	21.168	-109479.886205
157-14	157-15	142-56-28	315-24-32	4.522	61201.958	-5173.247	13.511	-69893.309865
157-15	157-16	128-17-09	263-41-41	8.917	61205.178	-5176.421	2.241	-11598.511349
157-16	157-17	180-03-40	263-45-21	34.399	61204.198	-5185.285	-4.721	24478.596888
157-17	157-18	180-05-14	263-50-35	19.000	61200.457	-5219.479	-5.779	30164.737178
157-18	157-19	190-19-56	274-10-31	6.738	61198.419	-5238.370	-1.547	8105.113580
157-19	157-20	180-05-10	274-15-41	10.883	61198.910	-5245.089	1.299	-6814.720140
157-20	157-21	180-02-26	274-18-07	14.671	61199.718	-5255.942	1.909	-10034.572269
157-21	157-22	179-56-58	274-15-05	11.415	61200.819	-5270.572	1.947	-10260.018091
157-22	157-23	180-01-21	274-16-26	18.440	61201.665	-5281.955	2.220	-11727.824977
157-23	157-1	180-29-47	274-46-13	3.506	61203.039	-5300.344	1.666	-8829.247165
							倍面積	6535.680135
							面積	3267.840067
							坪数	988.52



11-11-11



\* \* 面積計算 (座標法) \* \* (Work No.108)

地 器械点	番 : 158BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
158-1	158-2	135-04-58	221-40-26	5.002	61167.125	-5301.862	-5.187	27502.676435
158-2	158-3	134-53-30	176-33-56	31.352	61163.389	-5305.188	-35.032	185850.612077
158-3	158-4	134-48-39	131-22-35	5.006	61132.093	-5303.310	-34.605	183519.055999
158-4	158-6	135-15-23	86-37-58	10.855	61128.784	-5299.553	-2.672	14158.436860
158-6	158-7	179-59-33	86-37-31	7.996	61129.422	-5288.717	1.108	-5861.551795
158-7	158-9	179-50-25	86-27-56	9.503	61129.893	-5280.734	1.057	-5579.388926
158-9	158-10	180-04-46	86-32-42	14.640	61130.478	-5271.249	1.468	-7738.881483
158-10	158-11	180-29-07	87-01-49	0.871	61131.361	-5256.636	0.927	-4874.962760
158-11	158-12	179-36-40	86-38-29	7.132	61131.406	-5255.766	0.463	-2433.138626
158-12	158-13	179-49-08	86-27-37	8.553	61131.824	-5248.647	0.946	-4964.480238
158-13	158-14	180-00-19	86-27-56	3.473	61132.352	-5240.110	0.742	-3888.861007
158-14	158-15	180-07-54	86-35-50	12.796	61132.566	-5236.644	0.974	-5098.425534
158-15	158-17	179-54-43	86-30-33	14.855	61133.325	-5223.870	1.664	-8692.394697
158-17	158-18	180-09-16	86-39-49	8.112	61134.230	-5209.043	1.377	-7170.586048
158-18	158-19	150-00-42	56-40-31	5.015	61134.702	-5200.945	3.227	-16785.267370
158-19	158-20	150-22-37	27-03-08	5.014	61137.457	-5196.754	7.221	-37523.942168
158-20	158-21	180-07-17	27-10-25	7.416	61141.922	-5194.474	11.063	-57466.625186
158-21	158-24	179-50-30	27-00-55	13.359	61148.520	-5191.087	18.499	-96030.321879
158-24	158-25	180-01-20	27-02-15	4.120	61160.422	-5185.019	15.572	-80738.958141
158-25	158-26	180-09-14	27-11-29	6.758	61164.092	-5183.146	9.681	-50177.804547
158-26	158-27	119-30-39	326-42-08	5.011	61170.103	-5180.058	10.199	-52833.720767
158-27	158-28	119-50-37	266-32-45	12.679	61174.291	-5182.809	3.425	-17749.618228
158-28	158-30	179-58-03	266-30-48	12.881	61173.527	-5195.465	-1.547	8038.934884
158-30	158-32	180-00-45	266-31-33	25.263	61172.744	-5208.323	-2.314	12053.354990
158-32	158-33	180-01-42	266-33-15	25.814	61171.213	-5233.540	-3.082	16131.622929
158-33	158-35	180-01-59	266-35-14	18.230	61169.661	-5259.307	-2.637	13867.469500
158-35	158-1	180-00-14	266-35-28	24.400	61168.576	-5277.505	-2.536	13384.555202
							倍面積	8897.789474
							面積	4448.894737
							坪數	1345.79

www.ck12.com




平成13年1月19日作成

56

\* \* 面積計算 (座標法) \* \* (Work No. 7)

地 器械点	番 : 159BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
159-1	159-2	135-10-28	217-40-43	5.010	61277.156	-5173.088	-4.994	25832.608804
159-2	159-3	134-45-06	172-25-49	11.536	61273.190	-5176.150	-15.401	79715.644576
159-3	159-4	180-02-13	172-28-02	12.837	61261.755	-5174.630	-24.162	125027.315261
159-4	159-5	134-04-45	126-32-47	2.990	61249.029	-5172.948	-14.507	75042.202818
159-5	159-6	136-04-13	82-37-00	20.845	61247.249	-5170.546	0.898	-4645.371902
159-6	159-7	270-00-37	172-37-37	4.015	61249.927	-5149.874	-1.303	6708.452585
159-7	159-8	269-56-39	262-34-16	10.994	61245.946	-5149.359	-5.403	27821.034600
159-8	159-9	179-57-31	262-31-47	9.877	61244.525	-5160.261	-2.706	13961.188546
159-9	159-10	133-36-00	216-07-47	3.030	61243.240	-5170.053	-3.732	19293.086193
159-10	159-11	136-18-29	172-26-16	13.781	61240.793	-5171.840	-16.109	83314.513894
159-11	159-12	179-59-08	172-25-24	28.524	61227.131	-5170.027	-41.937	216813.956342
159-12	159-13	180-00-21	172-25-45	13.732	61198.856	-5166.266	-41.888	216402.400318
159-13	159-14	136-37-58	129-03-43	4.980	61185.244	-5164.456	-16.751	86509.371883
159-14	159-15	136-31-14	85-34-57	18.159	61182.105	-5160.589	-1.740	8978.112294
159-15	159-16	179-57-51	85-32-48	15.031	61183.504	-5142.484	2.566	-13194.724562
159-16	159-17	133-24-39	38-57-27	4.995	61184.671	-5127.498	5.052	-25901.713663
159-17	159-18	133-28-14	352-25-41	29.998	61188.555	-5124.357	33.621	-172285.017784
159-18	159-19	179-55-51	352-21-32	14.157	61218.292	-5128.310	43.767	-224452.019347
159-19	159-20	180-04-30	352-26-02	16.075	61232.323	-5130.192	29.966	-153731.951582
159-20	159-21	179-55-02	352-21-04	10.698	61248.258	-5132.309	26.539	-136204.034856
159-21	159-40	215-54-54	28-15-58	10.250	61258.861	-5133.733	19.631	-100782.655866
159-40	159-23	180-02-25	28-18-23	12.834	61267.889	-5128.879	20.327	-104257.127771
159-23	159-24	117-10-25	325-28-48	5.000	61279.189	-5122.793	15.419	-78987.409966
159-24	159-25	117-10-03	262-38-51	17.072	61283.308	-5125.626	1.935	-9917.003521
159-25	159-26	179-59-30	262-38-21	11.428	61281.123	-5142.558	-3.649	18764.577034
159-26	159-27	179-58-32	262-36-53	11.476	61279.659	-5153.892	-2.939	15148.947363
159-27	159-1	179-53-22	262-30-15	7.882	61278.184	-5165.273	-2.503	12931.042156
							倍面積	7905.423847
							面積	3952.711923
							坪數	1195.69







\* \* 面積計算 (座標法) \* \* (Work No.364)

地 器械点	番 : 160BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
160-1	160-2"	135-00-02	211-55-48	4.982	61074.987	-5361.213	-7.608	40790.391971
160-2"	160-7"	135-00-59	166-56-47	96.141	61070.758	-5363.848	-97.885	525039.047790
160-7"	160-8	134-43-34	121-40-21	3.010	60977.102	-5342.133	-95.237	508767.715354
160-8	160-9	135-17-48	76-58-09	17.751	60975.522	-5339.571	2.422	-12931.746472
160-9	160-10	134-34-55	31-33-04	2.259	60979.524	-5322.277	5.927	-31547.681676
160-10	160-11	181-03-41	32-36-45	0.727	60981.449	-5321.095	2.537	-13501.287797
160-11	160-12	134-19-54	346-56-39	34.524	60982.061	-5320.703	34.244	-182200.175477
160-12	160-13	180-00-12	346-56-51	10.715	61015.693	-5328.502	44.069	-234823.651102
160-13	160-14	179-52-46	346-49-37	6.701	61026.131	-5330.922	16.962	-90425.146953
160-14	160-15	180-14-38	347-04-15	7.514	61032.655	-5332.449	13.848	-73844.723047
160-15	160-16	179-52-30	346-56-45	7.516	61039.979	-5334.131	14.646	-78122.252214
160-16	160-17	180-00-53	346-57-38	26.289	61047.301	-5335.828	32.933	-175722.573990
160-17	160-18	180-07-43	347-05-21	2.900	61072.911	-5341.759	28.438	-151907.475484
160-18	160-19	134-39-42	301-45-03	4.995	61075.739	-5342.408	5.455	-29144.601417
160-19	160-1	135-10-43	256-55-46	14.945	61078.367	-5346.655	-0.752	4018.313050
							倍面積	4444.152532
							面積	2222.076266
							坪数	672.17






\* \* 面積計算 (座標法) \* \* (Work No.462)

地 器械点	番 : 161BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
161-1	161-2	130-12-46	216-54-42	5.006	61120.159	-5342.623	-4.596	24556.389249
161-2	161-3	130-01-52	166-56-34	27.587	61116.156	-5345.630	-30.876	165053.324763
161-3	161-4	138-09-15	125-05-49	5.009	61089.283	-5339.397	-29.754	158867.120983
161-4	161-5	138-35-47	83-41-36	17.940	61086.402	-5335.299	-0.909	4852.042246
161-5	161-7	180-03-51	83-45-27	26.869	61088.373	-5317.467	4.892	-26015.160822
161-7	161-8	179-57-54	83-43-21	11.239	61091.295	-5290.757	4.151	-21959.620499
161-8	161-9	179-57-05	83-40-26	14.145	61092.524	-5279.586	2.788	-14717.083778
161-9	161-10	180-03-20	83-43-46	11.005	61094.082	-5265.527	2.761	-14536.172423
161-10	161-11	180-00-03	83-43-49	11.519	61095.284	-5254.588	2.460	-12926.206242
161-11	161-12	179-58-00	83-41-49	15.241	61096.542	-5243.138	2.931	-15369.174484
161-12	161-13	180-04-43	83-46-32	8.901	61098.216	-5227.989	2.638	-13793.427362
161-13	161-14	151-51-36	55-38-08	5.022	61099.181	-5219.140	3.800	-19830.157248
161-14	161-15	151-40-24	27-18-32	13.070	61102.015	-5214.995	14.447	-75343.142765
161-15	161-16	179-52-32	27-11-04	11.866	61113.628	-5208.999	22.168	-115474.992876
161-16	161-17	119-50-29	327-01-33	4.989	61124.183	-5203.578	14.741	-76704.116364
161-17	161-18	119-26-43	266-28-16	15.009	61128.369	-5206.293	3.261	-16979.988324
161-18	161-19	180-07-58	266-36-14	11.158	61127.445	-5221.274	-1.585	8275.044169
161-19	161-20	180-03-34	266-39-48	3.921	61126.784	-5232.413	-0.889	4652.813986
161-20	161-21	179-48-37	266-28-25	11.960	61126.556	-5236.326	-0.964	5047.019568
161-21	161-22	180-07-19	266-35-44	17.043	61125.820	-5248.264	-1.748	9172.742760
161-22	161-24	179-56-30	266-32-14	17.464	61124.808	-5265.277	-2.067	10883.001719
161-24	161-25	180-03-27	266-35-41	17.166	61123.753	-5282.710	-2.074	10958.848047
161-25	161-27	179-58-38	266-34-19	24.458	61122.733	-5299.846	-2.482	13154.899522
161-27	161-28	179-45-09	266-19-28	8.088	61121.271	-5324.260	-1.981	10547.260650
161-28	161-1	180-22-28	266-41-56	10.308	61120.752	-5332.332	-1.112	5930.138325
							倍面積	8301.402798
							面積	4150.701399
							坪數	1255.58







\* \* 面積計算 (座標法) \* \* (Work No.412)

地 器械点	番 : 162BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
162-1	162-2	131-14-30	215-10-19	5.026	61080.591	-5333.528	-5.039	26875.947202
162-2	162-4	131-47-27	166-57-46	29.503	61076.482	-5336.423	-32.852	175310.295825
162-4	162-5	136-11-44	123-09-30	5.001	61047.739	-5329.767	-31.478	167771.996442
162-5	162-6	135-43-07	78-52-37	1.172	61045.004	-5325.581	-2.509	13363.696788
162-6	162-7	180-20-15	79-12-52	7.497	61045.230	-5324.431	1.629	-8673.691848
162-7	162-8	179-59-00	79-11-52	20.347	61046.633	-5317.066	5.216	-27735.620721
162-8	162-10	179-59-45	79-11-37	17.853	61050.446	-5297.080	7.161	-37931.027831
162-10	162-11	180-00-32	79-12-09	20.800	61053.793	-5279.543	7.244	-38244.221139
162-11	162-12	179-59-23	79-11-32	20.961	61057.690	-5259.112	7.827	-41162.955691
162-12	162-13	154-06-27	53-17-59	4.994	61061.620	-5238.523	6.915	-36225.130984
162-13	162-15	154-13-37	27-31-36	14.005	61064.605	-5234.519	15.404	-80632.413350
162-15	162-16	180-04-27	27-36-03	9.724	61077.024	-5228.046	21.037	-109981.102808
162-16	162-17	180-14-37	27-50-40	3.085	61085.642	-5223.541	11.345	-59260.962560
162-17	162-18	117-51-22	325-42-02	5.003	61088.369	-5222.100	6.860	-35825.453527
162-18	162-19	117-57-49	263-39-51	15.274	61092.502	-5224.919	2.447	-12786.629436
162-19	162-21	180-05-03	263-44-54	14.421	61090.816	-5240.100	-3.256	17061.425470
162-21	162-22	180-01-09	263-46-03	8.346	61089.246	-5254.435	-2.476	13012.097704
162-22	162-23	179-53-18	263-39-21	6.133	61088.340	-5262.732	-1.584	8334.866402
162-23	162-24	179-57-06	263-36-27	5.889	61087.662	-5268.827	-1.333	7025.114173
162-24	162-25	180-10-23	263-46-50	8.478	61087.007	-5274.680	-1.574	8302.992753
162-25	162-27	179-57-07	263-43-57	20.468	61086.088	-5283.108	-3.153	16657.507309
162-27	162-28	180-06-39	263-50-36	5.440	61083.854	-5303.454	-2.818	14944.426143
162-28	162-29	179-53-40	263-44-16	14.964	61083.270	-5308.862	-2.216	11762.312733
162-29	162-30	179-50-47	263-35-03	1.050	61081.638	-5323.736	-1.750	9313.925973
162-30	162-1	180-20-46	263-55-49	8.798	61081.521	-5324.779	-1.048	5577.976221
							倍面積	6855.371242
							面積	3427.685621
							坪數	1036.87







\* \* 面積計算 (座標法) \* \* (Work No.442)

地 器械点	番 : 163BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
163-1	163-2	133-45-37	212-58-27	4.994	61039.189	-5324.084	-8.900	47386.021765
163-2	163-3	134-01-07	166-59-34	21.141	61035.000	-5326.802	-24.788	132039.503618
163-3	163-4	179-52-25	166-51-59	4.142	61014.401	-5322.044	-24.632	131095.225761
163-4	163-5	180-04-08	166-56-07	25.330	61010.367	-5321.103	-28.708	152760.600680
163-5	163-6	139-22-25	126-18-32	4.997	60985.693	-5315.377	-27.634	146882.941921
163-6	163-7	139-07-31	85-26-03	5.251	60982.734	-5311.350	-2.541	13496.271511
163-7	163-9	180-10-08	85-36-11	20.012	60983.152	-5306.115	1.952	-10358.983260
163-9	163-10	180-10-31	85-46-42	5.955	60984.686	-5286.162	1.973	-10427.795598
163-10	163-11	151-44-35	57-31-17	4.999	60985.124	-5280.223	3.123	-16487.989343
163-11	163-12	151-29-02	29-00-19	8.545	60987.809	-5276.007	10.157	-53588.549887
163-12	163-13	180-07-06	29-07-25	8.039	60995.281	-5271.863	14.495	-76416.472743
163-13	163-14	179-48-31	28-55-56	2.548	61002.304	-5267.951	9.252	-48739.376362
163-14	163-15	180-04-47	29-00-43	1.449	61004.534	-5266.719	3.497	-18418.554181
163-15	163-16	178-53-06	27-53-49	33.103	61005.801	-5266.016	30.524	-160738.132889
163-16	163-17	180-40-12	28-34-01	8.466	61035.057	-5250.527	36.691	-192649.055842
163-17	163-18	179-55-16	28-29-17	8.770	61042.492	-5246.479	15.143	-79448.472925
163-18	163-19	115-33-50	324-03-07	4.982	61050.200	-5242.296	11.741	-61551.529084
163-19	163-21	115-09-28	259-12-35	17.386	61054.234	-5245.221	0.778	-4082.698796
163-21	163-22	179-58-30	259-11-05	16.169	61050.979	-5262.299	-6.289	33094.071499
163-22	163-23	180-00-05	259-11-10	21.557	61047.945	-5278.181	-7.079	37361.981007
163-23	163-1	180-01-40	259-12-50	25.174	61043.900	-5299.355	-8.756	46399.863504
							倍面積	7608.870351
							面積	3804.435175
							坪數	1150.84







\* \* 面積計算 (座標法) \* \* (Work No.395)

地 器械点	番 : 164BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
164-1"	K.207	89-59-48	166-56-47	3.769	60971.145	-5340.752	-8.637	46126.853068
K.207	164-3	179-57-21	166-54-08	35.194	60967.473	-5339.901	-37.950	202649.937491
164-3	164-4	138-25-34	125-19-42	3.013	60933.194	-5331.925	-36.020	192058.489244
164-4	164-5	139-28-15	84-47-57	20.688	60931.452	-5329.467	0.133	-708.876143
164-5	164-6	152-07-37	56-55-34	4.997	60933.328	-5308.864	4.602	-24432.847353
164-6	164-7	151-46-57	28-42-31	19.795	60936.054	-5304.677	20.089	-106565.303284
164-7	164-8	180-25-30	29-08-01	1.904	60953.416	-5295.168	19.025	-100742.591542
164-8	164-9	179-59-07	29-07-08	22.165	60955.080	-5294.241	21.027	-111324.171122
164-9	164-10	118-18-12	327-25-20	4.999	60974.444	-5283.455	23.577	-124565.655459
164-10	164-11	118-11-21	265-36-41	33.284	60978.656	-5286.147	1.666	-8804.497163
164-11	164-1"	171-20-18	256-56-59	21.987	60976.109	-5319.333	-7.512	39957.534817
							倍面積	3648.872552
							面積	1824.436276
							坪數	551.89







\* \* 面積計算 (座標法) \* \* (Work No. 10)

地 器械点	番 : 165BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
165-1	165-2	153-10-38	238-44-49	4.027	61174.955	-5168.491	-3.834	19814.355292
165-2	165-3	148-15-50	207-00-39	7.378	61172.866	-5171.933	-8.663	44802.502407
165-3	165-4	180-01-49	207-02-28	19.332	61166.292	-5175.284	-23.792	123131.768605
165-4	165-5	180-02-11	207-04-39	12.466	61149.074	-5184.073	-28.318	146805.096761
165-5	165-6	119-19-56	146-24-35	3.994	61137.974	-5189.747	-14.427	74871.929256
165-6	165-7	118-51-03	85-15-38	13.488	61134.647	-5187.538	-2.213	11478.661765
165-7	165-8	182-01-04	87-16-42	3.103	61135.761	-5174.096	1.262	-6528.651931
165-8	165-9	178-06-18	85-23-00	16.289	61135.908	-5170.996	1.458	-7541.798949
165-9	165-10	177-06-47	82-29-47	1.005	61137.220	-5154.760	1.442	-7435.253010
165-10	165-11	180-34-49	83-04-36	1.404	61137.351	-5153.763	0.300	-1548.634252
165-11	165-12	182-33-00	85-37-36	13.464	61137.520	-5152.370	1.196	-6161.853920
165-12	165-13	179-36-03	85-13-39	4.195	61138.547	-5138.945	1.376	-7069.626221
165-13	165-14	180-36-26	85-50-05	12.564	61138.896	-5134.765	1.262	-6477.983096
165-14	165-15	179-51-23	85-41-28	11.988	61139.808	-5122.234	1.813	-9288.405393
165-15	165-16	180-00-40	85-42-08	11.925	61140.709	-5110.280	1.794	-9169.718285
165-16	165-17	180-01-35	85-43-43	9.901	61141.603	-5098.389	1.631	-8315.681898
165-17	165-18	132-52-23	38-36-06	3.027	61142.340	-5088.515	3.103	-15788.954973
165-18	165-19	136-58-36	355-34-42	17.368	61144.706	-5086.627	19.682	-100113.291111
165-19	165-20	180-04-53	355-39-35	15.549	61162.022	-5087.966	32.820	-166988.138773
165-20	165-21	135-14-28	310-54-03	5.042	61177.526	-5089.142	18.806	-95704.115375
165-21	165-22	134-35-13	265-29-16	10.436	61180.827	-5092.954	2.481	-12633.232968
165-22	165-23	180-07-01	265-36-17	13.242	61180.006	-5103.358	-1.836	9369.314744
165-23	165-24	179-55-16	265-31-33	10.622	61178.992	-5116.561	-1.843	9432.130901
165-24	165-25	179-58-49	265-30-22	10.610	61178.163	-5127.151	-1.660	8510.364447
165-25	165-26	180-06-38	265-37-00	8.270	61177.332	-5137.728	-1.463	7518.539133
165-26	165-1	179-57-11	265-34-11	22.584	61176.700	-5145.974	-2.377	12230.179092
							倍面積	7199.502247
							面積	3599.751123
							坪數	1088.92



166BL



\* \* 面積計算 (座標法) \* \* (Work No. 50)

地 器械点	番 : 166BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
166-1	166-2	156-19-08	241-43-21	2.993	61130.297	-5191.785	-1.946	10104.858564
166-2	166-3	145-30-10	207-13-31	14.890	61128.879	-5194.421	-14.658	76141.150339
166-3	166-4	179-57-25	207-10-56	11.347	61115.638	-5201.233	-23.334	121368.164083
166-4	166-5	120-46-16	147-57-12	5.966	61105.544	-5206.416	-15.151	78884.260283
166-5	166-6	117-36-10	85-33-22	15.106	61100.487	-5203.251	-3.887	20223.406778
166-6	166-7	180-15-05	85-48-27	11.044	61101.657	-5188.191	1.978	-10261.568457
166-7	166-8	179-54-22	85-42-49	11.186	61102.465	-5177.176	1.643	-8508.480466
166-8	166-9	180-05-33	85-48-22	10.927	61103.301	-5166.021	1.635	-8447.117340
166-9	166-10	179-56-54	85-45-16	17.259	61104.100	-5155.124	2.077	-10706.077922
166-10	166-11	179-46-30	85-31-46	10.570	61105.378	-5137.912	2.102	-10797.826583
166-11	166-12	179-51-00	85-22-46	10.502	61106.202	-5127.374	1.670	-8562.323266
166-12	166-13	180-04-17	85-27-03	10.674	61107.048	-5116.906	1.693	-8660.925685
166-13	166-14	180-03-29	85-30-32	10.974	61107.894	-5106.266	1.706	-8710.776240
166-14	166-15	180-08-00	85-38-32	7.900	61108.753	-5095.326	1.460	-7437.116893
166-15	166-16	134-10-26	39-48-58	5.054	61109.354	-5087.448	4.483	-22804.726488
166-16	166-17	135-50-04	355-39-02	11.404	61113.236	-5084.212	15.253	-77549.201470
166-17	166-18	179-54-47	355-33-49	11.766	61124.607	-5085.077	23.101	-117472.649358
166-18	166-19	135-46-07	311-19-56	3.067	61136.337	-5085.987	13.756	-69965.206619
166-19	166-20	134-15-53	265-35-49	9.846	61138.363	-5088.290	1.270	-6461.150321
166-20	166-21	180-01-34	265-37-23	11.934	61137.607	-5098.107	-1.667	8496.831517
166-21	166-22	180-05-28	265-42-51	10.352	61136.696	-5110.006	-1.684	8607.419419
166-22	166-23	179-56-32	265-39-23	12.296	61135.923	-5120.329	-1.705	8729.714880
166-23	166-24	179-55-53	265-35-16	19.461	61134.992	-5132.590	-2.428	12464.418328
166-24	166-25	180-08-09	265-43-25	9.667	61133.494	-5151.993	-2.218	11427.563013
166-25	166-26	179-35-06	265-18-31	22.080	61132.773	-5161.634	-2.527	13042.418643
166-26	166-27	179-30-35	264-49-06	1.580	61130.968	-5183.640	-1.949	10100.826721
166-27	166-1	180-35-07	265-24-13	6.593	61130.825	-5185.213	-0.671	3479.298175
							倍面積	6725.183634
							面積	3362.591817
							坪數	1017.18







\* \* 面積計算 (座標法) \* \* (Work No. 56)

地 器械点	番 : 視準点	167-1BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
167-3	167-4	121-46-39	207-33-49	9.231	61077.049	-5221.245	-8.935	46652.843313
167-4	167-5	121-00-13	148-34-02	7.019	61068.866	-5225.517	-14.172	74058.217418
167-5	167-6	119-28-25	88-02-27	11.781	61062.876	-5221.856	-5.586	29171.560325
167-6	167-7	179-49-22	87-51-49	11.058	61063.279	-5210.082	0.815	-4246.175824
167-7	167-8	180-07-47	87-59-36	11.134	61063.691	-5199.032	0.802	-4170.218131
167-8	167-9	180-06-53	88-06-29	2.146	61064.081	-5187.905	0.461	-2390.168624
167-9	167-10	185-30-05	93-36-34	8.628	61064.152	-5185.761	-0.472	2449.609146
167-10	167-11	179-59-01	93-35-35	10.877	61063.609	-5177.149	-1.225	6341.346878
167-11	167-12	179-57-43	93-33-18	11.191	61062.927	-5166.294	-1.376	7106.651689
167-12	167-13	179-21-55	92-55-13	0.980	61062.233	-5155.125	-0.744	3834.492680
167-13	167-14	180-39-50	93-35-03	10.640	61062.183	-5154.147	-0.715	3685.223570
167-14	167-15	180-02-00	93-37-03	6.527	61061.518	-5143.528	-1.077	5539.089360
167-15	167-16	210-52-10	124-29-13	4.863	61061.107	-5137.014	-3.165	16259.478062
167-16	167-17	180-17-11	124-46-24	15.519	61058.353	-5133.006	-11.604	59564.379835
167-17	167-18	179-51-10	124-37-34	12.170	61049.502	-5120.259	-15.766	80727.481845
167-18	167-19	180-06-54	124-44-28	10.422	61042.587	-5110.244	-12.855	65690.810744
167-19	167-20	180-21-08	125-05-36	4.910	61036.648	-5101.680	-8.762	44702.542950
167-20	167-21	140-06-59	85-12-35	8.518	61033.825	-5097.662	-2.112	10764.762317
167-21	167-22	180-55-01	86-07-36	7.370	61034.536	-5089.174	1.209	-6153.700623
167-22	167-23	134-32-04	40-39-40	5.042	61035.034	-5081.821	4.323	-21968.290140
167-23	167-24	134-59-30	355-39-10	14.695	61038.859	-5078.535	18.477	-93838.120895
167-24	167-25	180-01-28	355-40-38	18.283	61053.511	-5079.649	32.883	-167035.850459
167-25	167-26	179-57-11	355-37-49	15.988	61071.742	-5081.027	34.172	-173630.445703
167-26	167-27	180-10-22	355-48-11	12.426	61087.683	-5082.245	28.334	-144001.409409
167-27	167-28	134-53-18	310-41-29	5.052	61100.076	-5083.154	15.687	-79739.640797
167-28	167-29	134-38-15	265-19-44	14.216	61103.370	-5086.985	2.136	-10867.793979
167-29	167-30	180-17-41	265-37-25	11.794	61102.213	-5101.155	-2.058	10496.872540
167-30	167-31	135-36-32	221-13-57	3.067	61101.313	-5112.915	-3.206	16393.360667
167-31	167-32	133-10-48	174-24-45	11.878	61099.006	-5114.936	-14.127	72260.832018
167-32	167-33	180-01-33	174-26-18	13.987	61087.185	-5113.779	-25.742	131639.413075
167-33	167-34	270-08-54	264-35-12	4.643	61073.264	-5112.424	-14.359	73409.007844
167-34	167-35	269-52-15	354-27-27	12.161	61072.826	-5117.046	11.666	-59695.745371
167-35	167-36	179-56-51	354-24-18	13.658	61084.930	-5118.221	25.697	-131523.833835
167-36	167-37	137-03-46	311-28-04	3.115	61098.524	-5119.552	15.656	-80150.954195
167-37	167-38	133-53-03	265-21-07	11.409	61100.586	-5121.886	1.138	-5830.051220
167-38	167-39	180-04-54	265-26-01	23.955	61099.662	-5133.258	-2.832	14535.515746
167-39	167-40	191-42-44	277-08-45	0.942	61097.755	-5157.137	-1.790	9231.341141
167-40	167-41	168-37-57	265-46-42	10.960	61097.872	-5158.071	-0.690	3557.326795
167-41	167-42	179-56-06	265-42-48	10.632	61097.065	-5169.001	-1.602	8278.361158
167-42	167-43	180-02-08	265-44-56	10.701	61096.270	-5179.604	-1.588	8224.954728
167-43	167-44	180-00-06	265-45-02	10.372	61095.477	-5190.275	-1.562	8105.975276
167-44	167-48	89-17-13	175-02-15	15.974	61094.709	-5200.618	-16.683	86762.669883
167-48	167-47	182-17-23	177-19-38	0.101	61078.794	-5199.237	-16.015	83267.908606
167-47	167-46	267-43-45	265-03-23	0.756	61078.693	-5199.232	-0.166	862.935236
167-46	167-45	180-39-51	265-43-14	11.085	61078.628	-5199.985	-0.892	4639.944683
167-45	167-3	180-03-56	265-47-10	10.234	61077.801	-5211.039	-1.579	8228.810340
							倍面積	11201.320671
							面積	5600.660335
							坪數	1694.19

\*\* 面積計算 (座標法) \*\* (Work No. 57)

地 器械点	番 : 視準点	167-2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
167-1	167-2	150-43-00	236-45-40	4.006	61094.048	-5210.177	-2.857	14885.201377
167-2	167-3	150-46-25	207-32-05	16.694	61091.852	-5213.528	-16.999	88623.418854
167-3	167-45	58-15-05	85-47-10	10.234	61077.049	-5221.245	-14.051	73362.475395
167-45	167-46	179-56-04	85-43-14	11.085	61077.801	-5211.039	1.579	-8228.810340
167-46	167-47	179-20-09	85-03-23	0.756	61078.628	-5199.985	0.892	-4639.944683
167-47	167-48	92-16-15	357-19-38	0.101	61078.693	-5199.232	0.166	-862.935236
167-48	167-44	177-42-37	355-02-15	15.974	61078.794	-5199.237	16.015	-83267.908606
167-44	167-1	91-00-25	266-02-40	9.581	61094.709	-5200.618	15.254	-79328.456469
							倍面積	543.040291
							面積	271.520145
							坪數	82.13






\* \* 面積計算 (座標法) \* \* (Work No.383)

地 器械点	番 : 168BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
168-1	168-2	150-34-37	238-37-02	5.003	61056.637	-5229.091	-2.896	15142.228051
168-2	168-3	149-55-46	208-32-48	24.659	61054.032	-5233.362	-24.267	126996.531016
168-3	168-4	179-23-20	207-56-08	5.390	61032.370	-5245.146	-26.423	138592.511762
168-4	168-5	119-36-47	147-32-55	4.960	61027.609	-5247.671	-8.947	46951.893222
168-5	168-6	119-22-50	86-55-45	56.273	61023.423	-5245.009	-1.171	6142.414896
168-6	168-7	180-01-07	86-56-52	20.145	61026.438	-5188.817	4.087	-21207.338143
168-7	168-8	179-58-56	86-55-48	17.160	61027.510	-5168.700	1.992	-10294.166163
168-8	168-9	134-16-23	41-12-11	5.061	61028.429	-5151.565	4.727	-24351.096168
168-9	168-10	134-26-00	355-38-11	11.132	61032.237	-5148.231	14.908	-76749.925249
168-10	168-11	180-00-31	355-38-42	9.245	61043.337	-5149.078	20.319	-104623.245507
168-11	168-12	138-47-24	314-26-06	5.033	61052.556	-5149.780	12.742	-65620.656581
168-12	168-13	139-11-44	273-37-50	16.923	61056.080	-5153.374	4.595	-23681.309399
168-13	168-15	179-52-17	273-30-07	16.068	61057.151	-5170.262	2.053	-10614.943768
168-15	168-18	174-24-48	267-54-55	4.185	61058.133	-5186.300	0.829	-4300.714915
168-18	168-16	180-00-13	267-55-08	23.845	61057.981	-5190.482	-1.018	5284.734332
168-16	168-17	180-22-37	268-17-45	6.293	61057.115	-5214.312	-1.053	5491.000665
168-17	168-1	179-44-40	268-02-25	8.494	61056.928	-5220.601	-0.478	2493.281436
							倍面積	5651.199483
							面積	2825.599741
							坪數	854.74







平成12年8月30日作成

\* \* 面積計算 (座標法) \* \* (Work No.354)

地 器械点	番 : 169BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
169-1	169-2	150-15-49	237-14-07	5.051	61017.110	-5250.431	-2.931	15389.755250
169-2	169-3	150-36-20	207-50-27	12.900	61014.377	-5254.678	-14.140	74301.742874
169-3	169-4	181-15-00	209-05-27	14.278	61002.970	-5260.702	-23.883	125642.441723
169-4	169-5	118-10-08	147-15-35	5.014	60990.493	-5267.644	-16.694	87936.162790
169-5	169-6	118-15-10	85-30-45	16.207	60986.276	-5264.932	-2.949	15526.677134
169-6	169-23	180-06-01	85-36-46	4.358	60987.544	-5248.775	1.602	-8405.931850
169-23	169-30	180-01-25	85-38-11	13.165	60987.878	-5244.429	1.335	-7001.695280
169-30	169-8	179-58-59	85-37-10	16.607	60988.879	-5231.302	2.270	-11875.861984
169-8	169-9	179-59-24	85-36-34	25.391	60990.148	-5214.744	3.212	-16751.443807
169-9	169-10	179-59-58	85-36-32	21.853	60992.092	-5189.427	3.617	-18770.463759
169-10	169-11	180-01-46	85-38-18	18.790	60993.765	-5167.638	3.102	-16031.176643
169-11	169-12	134-51-56	40-30-14	4.963	60995.194	-5148.903	5.203	-26789.805160
169-12	169-13	135-06-22	355-36-36	10.368	60998.968	-5145.679	14.111	-72612.068427
169-13	169-14	180-05-20	355-41-56	9.946	61009.305	-5146.473	20.255	-104240.768638
169-14	169-15	134-17-34	309-59-30	5.015	61019.223	-5147.219	13.141	-67637.155607
169-15	169-16	136-55-56	266-55-26	18.725	61022.446	-5151.061	2.218	-11425.827909
169-16	169-17	180-01-04	266-56-30	21.869	61021.441	-5169.759	-2.172	11226.481373
169-17	169-18	179-58-45	266-55-15	25.390	61020.274	-5191.596	-2.531	13137.576809
169-18	169-27	180-02-03	266-57-18	19.916	61018.910	-5216.949	-2.422	12634.302019
169-27	169-22	179-52-54	266-50-12	9.869	61017.852	-5236.837	-1.603	8392.489749
169-22	169-1	180-08-06	266-58-18	3.744	61017.308	-5246.692	-0.742	3895.322469
							倍面積	6540.753125
							面積	3270.376562
							坪數	989.28







\* \* 面積計算 (座標法) \* \* (Work No. 94)

地 器械点	番 : 170-2BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
170-1	170-2	116-05-52	240-45-31	4.965	61054.164	-5139.371	9.588	-49275.881263
170-2	170-3	114-52-14	175-37-45	52.402	61051.738	-5143.703	-54.675	281231.649560
170-3	170-4	135-43-04	131-20-49	4.999	60999.489	-5139.710	-55.552	285522.086378
170-4	170-6	134-11-11	85-32-00	11.014	60996.186	-5135.957	-2.445	12556.383349
170-6	170-21	86-22-33	351-54-33	16.330	60997.044	-5124.977	17.025	-87254.863924
170-21	170-22	273-39-21	85-33-54	13.638	61013.212	-5127.275	17.222	-88303.234537
170-22	170-23	180-04-48	85-38-42	13.055	61014.266	-5113.678	2.046	-10462.201562
170-23	170-18	90-03-52	355-42-34	12.910	61015.258	-5100.661	13.866	-70723.725248
170-18	170-19	128-51-17	304-33-51	20.778	61028.132	-5101.627	24.662	-125816.467492
170-19	170-20	179-49-21	304-23-12	3.950	61039.920	-5118.737	14.019	-71757.799649
170-20	170-1	180-16-27	304-39-39	21.123	61042.150	-5121.997	14.244	-72958.291974
							倍面積	2757.653637
							面積	1378.826818
							坪數	417.09

\* \* 面積計算 (座標法) \* \* (Work No. 95)

地 器械点	番 : 170-1BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
170-6	170-7	93-34-46	85-29-19	5.524	60997.044	-5124.977	-15.733	80632.115266
170-7	170-8	180-11-37	85-40-56	6.976	60997.478	-5119.470	0.960	-4913.186363
170-8	170-9	179-53-54	85-34-50	13.014	60998.004	-5112.514	1.528	-7812.027119
170-9	170-10	179-55-14	85-30-04	12.000	60999.006	-5099.539	1.944	-9913.756975
170-10	170-11	180-26-26	85-56-30	8.421	60999.948	-5087.576	1.537	-7820.504255
170-11	170-12	134-51-49	40-48-19	5.037	61000.544	-5079.176	4.408	-22390.527741
170-12	170-13	134-43-30	355-31-49	10.782	61004.356	-5075.885	14.562	-73912.749953
170-13	170-14	180-04-14	355-36-03	10.692	61015.105	-5076.725	21.410	-108690.445117
170-14	170-15	136-08-50	311-44-53	5.028	61025.766	-5077.545	14.008	-71127.028884
170-15	170-16	133-22-55	265-07-48	8.467	61029.113	-5081.297	2.629	-13358.466952
170-16	170-17	180-17-12	265-25-00	11.126	61028.394	-5089.733	-1.608	8183.724998
170-17	170-18	222-31-43	307-56-43	1.019	61027.505	-5100.823	-0.263	1340.018400
170-18	170-23	47-45-51	175-42-34	12.910	61028.132	-5101.627	-12.248	62484.305163
170-23	170-22	269-56-08	265-38-42	13.055	61015.258	-5100.661	-13.866	70723.725248
170-22	170-21	179-55-12	265-33-54	13.638	61014.266	-5113.678	-2.046	10462.201562
170-21	170-6	86-20-39	171-54-33	16.330	61013.212	-5127.275	-17.222	88303.234537
							倍面積	2190.631814
							面積	1095.315907
							坪數	331.33





\* \* 面積計算 (座標法) \* \* (Work No.298)

地 器械点	番 : 171BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
171-1	171-2	152-11-43	237-43-30	4.983	60979.789	-5270.884	-3.968	20917.266507
171-2	171-3	151-23-33	209-07-03	7.656	60977.128	-5275.097	-9.349	49316.572990
171-3	171-4	179-57-58	209-05-01	22.805	60970.440	-5278.822	-26.618	140511.522541
171-4	171-5	179-43-27	208-48-28	13.228	60950.510	-5289.908	-31.520	166740.297466
171-5	171-6	118-10-11	146-58-39	4.980	60938.919	-5296.282	-15.766	83502.584587
171-6	171-7	117-47-02	84-45-41	31.482	60934.743	-5293.568	-1.301	6887.738754
171-7	171-8	180-03-22	84-49-03	12.008	60937.618	-5262.217	3.959	-20833.825530
171-8	171-9	179-59-31	84-48-34	17.373	60938.703	-5250.258	2.656	-13946.373230
171-9	171-10	180-00-14	84-48-48	13.746	60940.274	-5232.956	2.814	-14727.411331
171-10	171-11	180-00-35	84-49-23	24.057	60941.517	-5219.267	3.413	-17815.217300
171-11	171-12	180-00-45	84-50-08	15.435	60943.688	-5195.308	3.560	-18495.687100
171-12	171-13	179-56-44	84-46-52	14.960	60945.077	-5179.935	2.750	-14245.434439
171-13	171-14	180-01-16	84-48-08	32.872	60946.438	-5165.037	4.339	-22410.260558
171-14	171-15	179-59-43	84-47-51	14.379	60949.416	-5132.300	4.282	-21976.471983
171-15	171-16	180-02-52	84-50-43	10.042	60950.720	-5117.980	2.206	-11291.033810
171-16	171-17	179-56-43	84-47-26	13.341	60951.622	-5107.979	2.114	-10796.228576
171-17	171-18	179-59-52	84-47-18	11.384	60952.833	-5094.692	2.245	-11439.431383
171-18	171-19	179-59-11	84-46-29	7.654	60953.867	-5083.356	1.731	-8799.352363
171-19	171-20	135-38-44	40-25-13	5.180	60954.564	-5075.734	4.641	-23556.244063
171-20	171-21	135-13-09	355-38-22	20.468	60958.508	-5072.375	24.353	-123528.439991
171-21	171-22	180-00-32	355-38-54	12.405	60978.918	-5073.931	32.778	-166314.086444
171-22	171-23	135-16-32	310-55-26	5.061	60991.287	-5074.873	15.684	-79596.434446
171-23	171-24	134-19-23	265-14-49	7.591	60994.602	-5078.697	2.686	-13643.693105
171-24	171-25	180-19-27	265-34-16	13.007	60993.973	-5086.262	-1.633	8308.195167
171-25	171-26	180-07-58	265-42-14	11.722	60992.969	-5099.231	-1.883	9599.346552
171-26	171-27	179-56-36	265-38-50	13.085	60992.090	-5110.920	-1.871	9563.871440
171-27	171-28	179-57-49	265-36-39	44.933	60991.097	-5123.967	-4.432	22709.589491
171-28	171-29	179-59-33	265-36-12	14.251	60987.658	-5168.769	-4.531	23421.331481
171-29	171-58	180-01-06	265-37-18	10.505	60986.566	-5182.978	-1.894	9818.746900
171-58	171-30	180-02-33	265-39-51	0.971	60985.764	-5193.452	-0.875	4546.275390
171-30	171-31	179-56-39	265-36-30	9.373	60985.691	-5194.420	-0.791	4109.456796
171-31	171-32	179-58-30	265-35-00	20.843	60984.973	-5203.765	-2.323	12087.460120
171-32	171-34	180-01-48	265-36-48	29.698	60983.368	-5224.547	-3.877	20253.988156
171-34	171-1	179-54-59	265-31-47	16.777	60981.096	-5254.158	-3.579	18805.663233
							倍面積	17684.281918
							面積	8842.140959
							坪數	2674.74







\* \* 面積計算 (座標法) \* \* (Work No.560)

地 番 器械点	番 : 172BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
172-1"	172-2	146-18-40	243-36-04	5.124	61321.293	-5089.525	-0.252	1281.832060
172-2	172-5	144-00-18	207-36-22	24.319	61319.015	-5094.115	-23.828	121384.295816
172-5	172-6	182-32-01	210-08-23	6.674	61297.465	-5105.384	-27.322	139489.114287
172-6	172-7	179-48-54	209-57-17	13.579	61291.693	-5108.735	-17.537	89591.911810
172-7	172-8	180-08-22	210-05-39	1.297	61279.928	-5115.515	-12.887	65925.475517
172-8	172-9	178-14-48	208-20-27	10.970	61278.806	-5116.166	-10.777	55137.165685
172-9	172-11	179-58-05	208-18-32	10.348	61269.151	-5121.373	-18.765	96104.093264
172-11	172-12	162-07-56	190-26-28	5.000	61260.040	-5126.281	-14.028	71911.402633
172-12	172-13	118-17-17	128-43-45	4.970	61255.123	-5127.187	-8.027	41155.792256
172-13	172-15	151-20-09	100-03-54	17.748	61252.013	-5123.310	-6.211	31822.302666
172-15	172-71	179-58-40	100-02-34	19.990	61248.912	-5105.835	-6.588	33635.389230
172-71	172-18	179-59-26	100-02-00	6.193	61245.426	-5086.151	-4.565	23217.515214
172-18	172-19	180-03-08	100-05-08	15.802	61244.347	-5080.053	-3.846	19538.420280
172-19	172-20	179-58-04	100-03-12	21.498	61241.580	-5064.495	-6.520	33019.958353
172-20	172-21	180-03-07	100-06-19	28.937	61237.827	-5043.327	-8.830	44532.206710
172-21	172-22	180-03-33	100-09-52	3.833	61232.750	-5014.840	-5.754	28853.139291
172-22	172-23	179-52-33	100-02-25	13.914	61232.073	-5011.067	-3.102	15544.893063
172-23	172-25	180-00-47	100-03-12	8.544	61229.648	-4997.366	-3.917	19575.462664
172-25	172-26	179-56-16	99-59-28	10.380	61228.156	-4988.954	-3.292	16425.373837
172-26	172-27	180-05-26	100-04-54	5.463	61226.355	-4978.731	-2.757	13727.379953
172-27	172-28	138-31-51	58-36-45	4.989	61225.399	-4973.352	1.642	-8167.458136
172-28	172-30	138-32-59	17-09-44	24.753	61227.997	-4969.093	26.249	-130434.410880
172-30	172-31	135-22-41	332-32-25	3.000	61251.648	-4961.789	26.313	-130559.434059
172-31	172-32	135-14-20	287-46-45	16.593	61254.310	-4963.173	7.729	-38360.832440
172-32	172-33	174-27-25	282-14-10	11.664	61259.377	-4978.973	7.539	-37535.934451
172-33	172-34	180-02-25	282-16-35	14.214	61261.849	-4990.373	5.494	-27419.431737
172-34	172-35	177-24-28	279-41-03	20.340	61264.872	-5004.262	6.444	-32246.496022
172-35	172-37	179-58-30	279-39-33	13.648	61268.293	-5024.312	5.711	-28696.252687
172-37	172-38	180-13-53	279-53-26	2.176	61270.583	-5037.766	2.664	-13419.429031
172-38	172-69	291-31-04	31-24-30	4.735	61270.957	-5039.910	4.415	-22251.715934
172-69	172-39	179-48-47	31-13-17	1.725	61274.998	-5037.442	5.517	-27791.041845
172-39	172-40	248-26-17	99-39-34	33.894	61276.474	-5036.548	-4.212	21211.872340
172-40	172-41	182-37-40	102-17-14	26.320	61270.787	-5003.134	-11.288	56476.921982
172-41	172-42	185-28-46	107-46-00	16.799	61265.185	-4977.417	-10.727	53394.161491
172-42	172-43	135-00-23	62-46-23	2.995	61260.059	-4961.419	-3.756	18635.523842
172-43	172-44	134-22-57	17-09-20	33.548	61261.429	-4958.756	33.425	-165748.746952
172-44	172-45"	131-53-16	329-02-36	5.007	61293.485	-4948.861	36.349	-179885.833439
172-45"	K.156	134-53-59	283-56-35	15.531	61297.778	-4951.436	8.036	-39789.215907
K.156	K.157	179-06-09	283-02-44	14.308	61301.521	-4966.510	6.972	-34627.148342
K.157	K.158	176-52-22	279-55-06	13.172	61304.750	-4980.449	5.499	-27385.745106
K.158	K.159	180-07-48	280-02-54	20.495	61307.019	-4993.425	5.845	-29185.100335
K.159	K.160	178-29-04	278-31-58	41.734	61310.595	-5013.605	9.768	-48973.398243
K.160	K.161	178-58-37	277-30-35	18.970	61316.787	-5054.877	8.672	-43833.997378
K.161	172-1"	179-46-49	277-17-24	15.970	61319.267	-5073.684	4.506	-22860.962414
							倍面積	22419.018910
							面積	11209.509455
							坪數	3390.87







\* \* 面積計算 (座標法) \* \* (Work No.683)

地 器械点	番 : 173-1BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
173-50	173-51	126-26-53	226-37-09	5.019	61245.664	-5121.827	-2.459	12593.251780
173-51	173-52	125-40-35	172-17-44	8.833	61242.217	-5125.475	-12.200	62532.106072
173-52	173-53	180-09-35	172-27-19	15.991	61233.464	-5124.291	-24.606	126087.146921
173-53	173-54	179-56-29	172-23-48	27.982	61217.611	-5122.192	-43.589	223272.344233
173-54	173-55	178-38-43	171-02-31	1.049	61189.875	-5118.489	-28.773	147272.857867
173-55	173-56	138-06-23	129-08-54	5.013	61188.838	-5118.326	-4.201	21502.493989
173-56	173-57	136-05-48	85-14-42	2.587	61185.674	-5114.438	-2.950	15089.095607
173-57	173-58	180-23-03	85-37-45	18.946	61185.888	-5111.860	1.658	-8477.089622
173-58	173-59	135-13-10	40-50-55	5.023	61187.332	-5092.969	5.244	-26706.097589
173-59	173-60	134-43-39	355-34-34	18.865	61191.132	-5089.684	22.608	-115069.573821
173-60	173-61	179-55-57	355-30-31	12.030	61209.940	-5091.139	30.802	-156815.525688
173-61	173-62	180-20-15	355-50-46	15.562	61221.933	-5092.081	27.515	-140106.449247
173-62	173-63	142-16-31	318-07-17	4.999	61237.455	-5093.208	19.243	-98010.513126
173-63	173-64	141-54-49	280-02-06	20.079	61241.177	-5096.545	7.221	-36800.480927
173-64	173-50	180-08-10	280-10-16	5.598	61244.676	-5116.317	4.487	-22958.815560
							倍面積	3404.750888
							面積	1702.375444
							坪數	514.96







\* \* 面積計算 (座標法) \* \* (Work No.189)

地 器械点	番 : 視準点	173-2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
173-1	173-2	127-21-15	227-24-55	4.984	61238.841	-5083.392	0.529	-2686.955856
173-2	173-3	128-12-33	175-37-28	13.481	61235.469	-5087.061	-16.814	85532.052647
173-3	173-4	179-58-26	175-35-54	8.109	61222.027	-5086.033	-21.527	109485.336196
173-4	173-5	180-09-47	175-45-41	3.346	61213.942	-5085.410	-11.423	58088.275516
173-5	173-6	137-09-43	132-55-24	4.977	61210.605	-5085.163	-6.727	34206.715715
173-6	173-7	137-15-47	90-11-11	9.923	61207.215	-5081.518	-3.422	17388.490365
173-7	173-8	180-14-20	90-25-31	6.900	61207.183	-5071.595	-0.084	423.553785
173-8	173-10	179-52-44	90-18-15	13.106	61207.132	-5064.695	-0.121	611.751892
173-10	173-11	190-56-36	101-14-51	7.319	61207.062	-5051.590	-1.497	7563.258046
173-11	173-12	180-03-56	101-18-47	8.112	61205.634	-5044.411	-3.019	15229.239698
173-12	173-13	179-58-08	101-16-55	16.633	61204.043	-5036.456	-4.845	24403.499303
173-13	173-14	180-01-11	101-18-06	16.203	61200.789	-5020.145	-6.429	32276.937093
173-14	173-15	180-00-10	101-18-16	8.222	61197.614	-5004.255	-4.787	23956.321998
173-15	173-16	180-00-04	101-18-20	8.016	61196.002	-4996.193	-3.183	15903.442282
173-16	173-17	180-15-08	101-33-28	5.154	61194.430	-4988.333	-2.604	12990.178360
173-17	173-18	137-36-20	59-09-48	5.008	61193.398	-4983.283	1.535	-7646.998613
173-18	173-19	138-00-16	17-10-04	10.144	61195.965	-4978.983	12.259	-61037.797565
173-19	173-20	180-01-15	17-11-19	10.219	61205.657	-4975.988	19.455	-96807.444709
173-20	173-21	131-25-53	328-37-12	5.002	61215.420	-4972.968	14.034	-69788.465604
173-21	173-22	131-27-20	280-04-32	15.490	61219.690	-4975.573	6.981	-34732.036556
173-22	173-23	179-59-01	280-03-33	14.896	61222.400	-4990.824	5.312	-26510.302291
173-23	173-24	179-58-47	280-02-20	8.116	61225.002	-5005.492	4.017	-20105.163132
173-24	173-26	180-04-37	280-06-57	6.631	61226.417	-5013.484	2.579	-12931.981499
173-26	173-27	179-57-02	280-03-59	22.007	61227.582	-5020.011	5.011	-25155.927332
173-27	173-28	180-01-41	280-05-40	20.037	61231.428	-5041.679	7.358	-37098.445813
173-28	173-1	179-58-00	280-03-40	22.329	61234.940	-5061.406	7.413	-37519.177579
							倍面積	6038.356348
							面積	3019.178174
							坪數	913.30







\* \* 面積計算 (座標法) \* \* (Work No.553)

地 器械点	番 : 174BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
174-1"	174-2	133-59-46	238-27-41	5.004	61294.527	-4938.816	-2.608	12880.484333
174-2	174-3	138-42-01	197-09-42	41.975	61291.910	-4943.081	-42.723	211184.402619
174-3	174-5	179-59-46	197-09-28	25.584	61251.804	-4955.466	-64.551	319881.299250
174-5	174-6	131-34-29	148-43-57	5.001	61227.358	-4963.014	-28.720	142535.664101
174-6	174-7	131-19-04	100-03-01	30.617	61223.084	-4960.418	-9.617	47705.456886
174-7	174-8	180-02-24	100-05-25	25.025	61217.741	-4930.271	-9.727	47958.692299
174-8	174-9	142-45-58	62-51-23	4.996	61213.357	-4905.633	-2.105	10326.640754
174-9	174-10	142-51-16	25-42-39	13.726	61215.636	-4901.187	14.646	-71783.158676
174-10	174-11	180-13-08	25-55-47	4.053	61228.003	-4895.232	16.012	-78381.828536
174-11	174-12	179-55-04	25-50-51	21.712	61231.648	-4893.460	23.185	-113452.987072
174-12	174-13	152-14-04	358-04-55	4.996	61251.187	-4883.994	24.532	-119815.461461
174-13	174-14"	152-09-04	330-13-59	28.229	61256.180	-4884.161	29.497	-144067.984403
174-14"	K.151	142-19-52	292-33-51	0.028	61280.684	-4898.176	24.515	-120078.404412
K.151	K.152	178-09-43	290-43-34	7.612	61280.695	-4898.202	2.705	-13248.644078
K.152	K.153	178-35-20	289-18-54	19.298	61283.389	-4905.322	9.077	-44525.234260
K.153	K.154	177-58-26	287-17-20	15.968	61289.772	-4923.533	11.128	-54790.993439
K.154	174-1"	177-10-35	284-27-55	0.037	61294.518	-4938.780	4.755	-23483.216249
							倍面積	8844.727655
							面積	4422.363827
							坪數	1337.76



10/10/10



\* \* 面積計算 (座標法) \* \* (Work No.174)

地 器械点	番 : 175BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
175-1	175-2	138-23-50	238-32-38	5.006	61217.396	-4962.635	-0.782	3881.993192
175-2	175-3	138-35-40	197-08-18	14.805	61214.784	-4966.905	-16.760	83246.992682
175-3	175-4	180-07-01	197-15-19	5.761	61200.636	-4971.268	-19.650	97685.933443
175-4	175-5	131-56-48	149-12-07	5.015	61195.134	-4972.977	-9.810	48784.216766
175-5	175-7	132-06-31	101-18-38	21.281	61190.826	-4970.409	-8.482	42157.182075
175-7	175-9	180-00-39	101-19-17	28.763	61186.652	-4949.541	-9.820	48606.166387
175-9	175-10	142-20-17	63-39-34	5.031	61181.005	-4921.338	-3.414	16801.978306
175-10	175-11	142-05-03	25-44-37	22.469	61183.238	-4916.829	22.471	-110486.303207
175-11	175-12	127-12-44	332-57-21	4.990	61203.476	-4907.070	24.683	-121119.704643
175-12	175-14	127-06-33	280-03-54	35.862	61207.920	-4909.339	10.711	-52586.372280
175-14	175-15	180-00-11	280-04-05	7.882	61214.188	-4944.648	7.645	-37803.796470
175-15	175-1	180-04-43	280-08-48	10.388	61215.566	-4952.409	3.208	-15887.278539
							倍面積	3281.007713
							面積	1640.503856
							坪數	496.25

176BL





\* \* 面積計算 (座標法) \* \* (Work No.775)

地 器械点	番 : 視準点	176BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
176-1	176-2	132-31-50	222-49-29	4.982	61201.205	-5080.764	-3.623	18406.574297
176-2	176-3	132-47-57	175-37-26	9.505	61197.551	-5084.150	-13.131	66759.343237
176-3	176-4	180-02-21	175-39-47	22.630	61188.074	-5083.425	-32.042	162882.419500
176-4	176-5	134-58-16	130-38-03	3.024	61165.509	-5081.714	-24.534	124675.414852
176-5	176-6	135-02-11	85-40-14	9.851	61163.540	-5079.419	-1.226	6224.855693
176-6	176-7	179-55-03	85-35-17	11.997	61164.283	-5069.596	1.667	-8448.570166
176-7	176-8	180-05-39	85-40-56	17.196	61165.206	-5057.635	2.217	-11215.186388
176-8	176-9	257-44-14	163-25-10	4.712	61166.501	-5040.488	-3.221	16235.747627
176-9	176-10	282-16-00	265-41-10	9.208	61161.985	-5039.143	-5.208	26245.413596
176-10	176-11	179-54-57	265-36-07	11.011	61161.292	-5048.325	-1.537	7759.449422
176-11	176-12	179-59-57	265-36-04	10.969	61160.448	-5059.304	-1.686	8529.023521
176-12	176-13	180-06-54	265-42-58	8.889	61159.607	-5070.241	-1.505	7632.603320
176-13	176-14	133-27-14	219-10-12	3.059	61158.943	-5079.105	-3.036	15418.208138
176-14	176-15	136-29-50	175-40-02	13.738	61156.571	-5081.038	-16.071	81655.960270
176-15	176-16	179-54-28	175-34-30	12.390	61142.872	-5080.000	-26.052	132343.491088
176-16	176-17	135-35-11	131-09-41	5.084	61130.519	-5079.044	-15.699	79735.346121
176-17	176-18	134-30-25	85-40-06	7.450	61127.173	-5075.216	-2.783	14126.526062
176-18	176-19	180-01-19	85-41-25	11.004	61127.736	-5067.788	1.390	-7042.392636
176-19	176-20	179-59-43	85-41-08	11.006	61128.563	-5056.815	1.655	-8368.771193
176-20	176-21	179-49-32	85-30-40	15.335	61129.391	-5045.839	2.028	-10233.857498
176-21	176-22	181-50-25	87-21-05	0.988	61130.591	-5030.552	1.246	-6267.177261
176-22	176-23	178-16-39	85-37-44	15.092	61130.636	-5029.565	1.196	-6015.114885
176-23	176-24	133-19-13	38-56-57	2.982	61131.787	-5014.517	3.469	-17395.592865
176-24	176-25	124-33-30	343-30-27	11.919	61134.105	-5012.642	13.747	-68908.655945
176-25	176-26	180-00-21	343-30-48	10.838	61145.534	-5016.026	21.820	-109451.717559
176-26	176-27	140-32-46	304-03-34	2.580	61155.926	-5019.102	11.837	-59410.297159
176-27	176-28	179-59-17	304-02-51	0.217	61157.371	-5021.239	1.566	-7865.419765
176-28	176-29	217-59-07	342-01-58	9.193	61157.492	-5021.419	8.867	-44524.325424
176-29	176-30	271-00-33	73-02-31	2.999	61166.237	-5024.255	9.620	-48333.185293
176-30	176-31	180-07-49	73-10-20	3.021	61167.112	-5021.386	1.749	-8784.219800
176-31	176-32	270-20-02	163-30-22	2.499	61167.987	-5018.494	-1.522	7635.976234
176-32	176-33	180-01-17	163-31-39	11.070	61165.591	-5017.785	-13.012	65291.216806
176-33	176-34	179-57-09	163-28-48	13.420	61154.975	-5014.646	-23.482	117753.064258
176-34	176-35	180-08-24	163-37-12	9.570	61142.109	-5010.830	-22.047	110474.060980
176-35	176-36	145-44-37	129-21-49	2.989	61132.928	-5008.131	-11.077	55473.070792
176-36	176-37	145-27-54	94-49-43	18.746	61131.032	-5005.821	-3.473	17387.261618
176-37	176-38	180-08-57	94-58-40	11.343	61129.454	-4987.142	-2.562	12777.903959
176-38	176-39	128-05-24	43-04-04	4.993	61128.470	-4975.841	2.663	-13251.175201
176-39	176-40	128-22-04	351-26-08	8.727	61132.117	-4972.432	12.277	-61046.959029
176-40	176-41	181-09-28	352-35-36	0.308	61140.747	-4973.731	8.935	-44441.435868
176-41	176-42	179-04-21	351-39-57	3.686	61141.053	-4973.771	3.952	-19658.067120
176-42	176-43	179-49-42	351-29-39	23.999	61144.700	-4974.305	27.382	-136204.399278
176-43	176-44	179-14-04	350-43-43	2.062	61168.434	-4977.855	25.769	-128276.651328
176-44	176-45	180-51-28	351-35-11	2.778	61170.469	-4978.187	4.783	-23812.202728
176-45	176-46	180-08-05	351-43-16	10.609	61173.218	-4978.594	13.247	-65951.800655
176-46	176-47	144-41-57	316-25-13	4.999	61183.716	-4980.121	14.120	-70316.902375
176-47	176-48	144-56-49	281-22-02	10.929	61187.337	-4983.567	5.775	-28780.720301
176-48	176-49	179-59-39	281-21-41	10.995	61189.491	-4994.282	4.320	-21575.179045
176-49	176-50	179-56-56	281-18-37	5.004	61191.657	-5005.061	3.147	-15752.060988
176-50	176-51	179-59-47	281-18-24	7.049	61192.638	-5009.967	2.363	-11840.699225
176-51	176-52	179-50-23	281-08-47	8.020	61194.021	-5016.880	2.933	-14712.232653
176-52	176-53	180-14-44	281-23-31	9.619	61195.571	-5024.749	3.450	-17337.098639
176-53	176-54	179-51-24	281-14-55	10.278	61197.471	-5034.178	3.905	-19657.423543
176-54	176-55	180-07-45	281-22-40	8.070	61199.476	-5044.259	3.597	-18144.410359

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
176-53	176-54	168-56-05	270-18-45	12.776	61201.068	-5052.171	1.662	-8395.812450
176-54	176-55	179-53-52	270-12-37	9.750	61201.138	-5064.946	0.105	-534.284483
176-55	176-1	180-05-02	270-17-39	6.068	61201.173	-5074.696	0.067	-339.706266
							倍面積	13129.226012
							面積	6564.613006
							坪数	1985.79



111



\* \* 面積計算 (座標法) \* \* (Work No.177)

地 器械点	番 : 177BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
177-1	177-2	124-47-51	226-09-45	5.000	61184.653	-4970.063	-0.564	2802.808631	
177-2	177-3	125-28-15	171-38-00	7.495	61181.190	-4973.670	-10.878	54105.151564	
177-3	177-4	179-50-35	171-28-35	10.297	61173.775	-4972.580	-17.598	87508.828077	
177-4	177-6	180-01-50	171-30-25	12.337	61163.591	-4971.053	-22.385	111275.122722	
177-6	177-7	180-04-19	171-34-44	20.855	61151.390	-4969.231	-32.831	163145.861963	
177-7	177-8	141-23-20	132-58-04	5.002	61130.760	-4966.177	-24.039	119381.146088	
177-8	177-9	141-49-41	94-47-45	5.588	61127.351	-4962.517	-3.876	19236.313301	
177-9	177-10	180-09-21	94-57-06	21.482	61126.884	-4956.949	-2.321	11506.940961	
177-10	177-11	139-10-19	54-07-25	5.009	61125.030	-4935.547	1.081	-5336.362824	
177-11	177-13	139-27-01	13-34-26	15.578	61127.965	-4931.488	18.078	-89151.410192	
177-13	177-14	180-01-36	13-36-02	11.615	61143.108	-4927.832	26.431	-130249.893011	
177-14	177-15	180-01-47	13-37-49	3.366	61154.397	-4925.101	14.560	-71709.432344	
177-15	177-16	180-08-31	13-46-20	7.985	61157.668	-4924.308	11.026	-54297.740098	
177-16	177-17	179-48-33	13-34-53	5.937	61165.423	-4922.407	13.526	-66581.562716	
177-17	177-18	133-41-39	327-16-32	4.968	61171.194	-4921.013	9.950	-48966.191979	
177-18	177-19	133-56-44	281-13-16	7.581	61175.373	-4923.699	5.655	-27842.163185	
177-19	177-20	180-05-52	281-19-08	24.991	61176.849	-4931.134	6.380	-31461.400872	
177-20	177-1	180-02-46	281-21-54	14.713	61181.754	-4955.639	7.804	-38674.897766	
								倍面積	4691.118319
								面積	2345.559159
								坪數	709.53


114



\* \* 面積計算 (座標法) \* \* (Work No. 1)

地 器械点	番 : 178BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
178-1	178-2	135-45-52	237-25-08	5.021	61172.809	-4910.871	-2.177	10692.588804
178-2	178-3	136-10-15	193-35-23	15.331	61170.105	-4915.102	-17.605	86532.631041
178-3	178-22	180-01-48	193-37-11	12.457	61155.204	-4918.704	-27.008	132844.454941
178-22	178-7	180-03-22	193-40-33	16.173	61143.097	-4921.638	-27.820	136922.146149
178-7	178-8	133-38-10	147-18-43	5.016	61127.383	-4925.461	-19.936	98192.032977
178-8	178-9	133-41-22	101-00-05	3.221	61123.162	-4922.752	-4.836	23808.118722
178-9	178-10	180-21-31	101-21-36	22.624	61122.547	-4919.590	-5.071	24947.704044
178-10	178-11	179-57-14	101-18-50	21.563	61118.090	-4897.409	-8.687	42542.187705
178-11	178-12	129-08-02	50-26-52	5.004	61113.860	-4876.265	-1.044	5090.997273
178-12	178-13	129-06-31	359-33-23	23.706	61117.046	-4872.407	26.891	-131025.935136
178-13	178-14	180-05-20	359-38-43	21.189	61140.752	-4872.590	44.893	-218746.515984
178-14	178-15	140-50-33	320-29-16	5.003	61161.940	-4872.721	25.048	-122050.451916
178-15	178-16	140-48-11	281-17-27	11.793	61165.799	-4875.904	6.168	-30076.359014
178-16	178-18	180-01-51	281-19-18	21.264	61168.108	-4887.468	6.483	-31686.778644
178-18	178-1	180-19-58	281-39-16	2.606	61172.282	-4908.318	4.701	-23073.875175
							倍面積	4912.945788
							面積	2456.472894
							坪數	743.08

XXXXXXXXXXXXXXXXXXXX





\* \* 面積計算 (座標法) \* \* (Work No.213)

地 器械点	番 : 179BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
179-1	179-2	116-15-29	269-22-39	4.989	61241.885	-4876.879	3.768	-18374.436367
179-2	179-79	116-21-45	205-44-24	18.060	61241.831	-4881.867	-16.322	79683.954907
179-79	179-80	180-06-42	205-51-06	13.700	61225.563	-4889.711	-28.597	139832.186119
179-80	179-81	179-57-40	205-48-46	3.750	61213.234	-4895.684	-15.705	76887.560790
179-81	179-82	179-53-05	205-41-51	12.715	61209.857	-4897.317	-14.833	72644.118159
179-82	179-83	180-03-42	205-45-33	3.750	61198.400	-4902.831	-14.835	72733.884024
179-83	179-6	180-05-46	205-51-19	13.530	61195.022	-4904.461	-15.553	76280.437415
179-6	179-7	127-42-18	153-33-37	5.001	61182.847	-4910.361	-16.654	81775.519138
179-7	179-84	127-47-53	101-21-30	5.271	61178.369	-4908.134	-5.516	27075.074483
179-84	179-8	179-55-40	101-17-10	10.343	61177.330	-4902.966	-3.062	15015.308759
179-8	179-9	180-00-49	101-17-59	5.623	61175.306	-4892.823	-3.126	15295.515064
179-9	179-11	180-01-27	101-19-26	13.015	61174.204	-4887.308	-3.657	17875.148570
179-11	179-12	179-52-23	101-11-49	7.930	61171.649	-4874.546	-4.096	19964.240205
179-12	179-14	258-26-14	179-38-03	9.421	61170.109	-4866.767	-10.961	53343.536391
179-14	179-15	179-53-55	179-31-58	6.523	61160.688	-4866.707	-15.943	77591.549412
179-15	179-73	180-05-20	179-37-18	9.972	61154.165	-4866.653	-16.494	80271.965846
179-73	179-16	179-59-02	179-36-20	26.059	61144.194	-4866.588	-36.030	175345.301397
179-16	179-17	180-12-05	179-48-25	2.829	61118.135	-4866.408	-28.888	140581.038526
179-17	179-18	138-58-11	138-46-36	4.997	61115.306	-4866.399	-6.588	32060.763675
179-18	179-99	139-40-36	98-27-12	16.048	61111.547	-4863.105	-6.118	29751.973235
179-99	179-19	179-58-59	98-26-11	21.729	61109.188	-4847.232	-5.547	26887.466108
179-19	179-20	132-10-42	50-36-53	4.982	61106.000	-4825.738	-0.027	128.557185
179-20	179-21	132-27-07	3-04-00	13.393	61109.161	-4821.888	16.535	-79729.095784
179-21	179-22	179-17-14	2-21-14	2.005	61122.535	-4821.171	15.377	-74134.911051
179-22	179-23	178-48-45	1-09-59	2.026	61124.538	-4821.089	4.029	-19423.630895
179-23	179-102	178-06-02	359-16-01	1.943	61126.564	-4821.048	3.969	-19133.923698
179-102	179-97	178-31-10	357-47-11	0.923	61128.507	-4821.072	2.866	-13816.591573
179-97	179-25	179-53-08	357-40-19	1.156	61129.429	-4821.108	2.078	-10017.831230
179-25	179-26	178-31-27	356-11-46	1.989	61130.585	-4821.155	3.140	-15137.510553
179-26	179-27	178-37-46	354-49-32	2.002	61132.569	-4821.287	3.978	-19179.822373
179-27	179-28	178-27-31	353-17-03	1.935	61134.563	-4821.468	3.915	-18877.272686
179-28	179-29	178-46-08	352-03-11	2.005	61136.484	-4821.694	3.907	-18838.049804
179-29	179-78	178-23-38	350-26-49	1.530	61138.470	-4821.971	3.494	-16847.412187
179-78	179-30	179-48-53	350-15-42	0.519	61139.978	-4822.225	2.020	-9739.491486
179-30	179-31	178-35-36	348-51-18	1.955	61140.490	-4822.313	2.429	-11713.105118
179-31	179-32	178-28-39	347-19-57	2.051	61142.407	-4822.690	3.919	-18898.108398
179-32	179-33	178-04-35	345-24-32	1.953	61144.408	-4823.140	3.891	-18766.788650
179-33	179-34	178-47-48	344-12-20	2.104	61146.298	-4823.632	3.915	-18883.506090
179-34	179-35	178-31-34	342-43-54	1.959	61148.323	-4824.205	3.895	-18790.161789
179-35	179-36	178-26-14	341-10-08	1.938	61150.193	-4824.786	3.704	-17873.079749
179-36	179-37	177-58-13	339-08-21	2.064	61152.027	-4825.412	3.763	-18159.176408
179-37	179-38	179-05-41	338-14-02	1.868	61153.956	-4826.147	3.664	-17682.480723
179-38	179-40	178-33-45	336-47-47	2.136	61155.691	-4826.840	3.698	-17849.841590
179-40	179-41	178-22-24	335-10-11	1.945	61157.655	-4827.681	3.729	-18000.944072
179-41	179-42	178-36-44	333-46-55	1.994	61159.420	-4828.498	3.555	-17163.428525
179-42	179-43	178-29-27	332-16-22	1.994	61161.209	-4829.379	3.554	-17165.244029
179-43	179-44	178-26-38	330-43-00	2.012	61162.974	-4830.307	3.520	-17003.302204
179-44	179-45	178-30-39	329-13-39	1.995	61164.729	-4831.291	3.469	-16761.200355
179-45	179-46	178-20-39	327-34-18	2.006	61166.444	-4832.312	3.407	-16464.110667
179-46	179-47	178-40-07	326-14-25	2.008	61168.136	-4833.387	3.362	-16251.154964
179-47	179-49	178-28-59	324-43-24	2.523	61169.806	-4834.503	3.729	-18027.549659
179-49	179-50	179-54-58	324-38-22	17.855	61171.865	-4835.960	16.621	-80376.173658
179-50	179-51	180-20-53	324-59-15	1.938	61186.426	-4846.293	16.148	-78259.590188
179-51	179-52	180-30-22	325-29-37	2.077	61188.014	-4847.405	3.299	-15991.052804

器械点	视准点	内角	方向角	距离	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
179-52	179-53	180-33-13	326-02-50	1.929	61189.725	-4848.582	3.312	-16057.311410
179-53	179-54	180-41-58	326-44-48	2.084	61191.325	-4849.659	3.343	-16212.338692
179-54	179-55	180-22-23	327-07-11	1.932	61193.068	-4850.802	3.366	-16325.765349
179-55	179-56	180-44-21	327-51-32	2.042	61194.691	-4851.851	3.352	-16262.248107
179-56	179-57	180-18-04	328-09-36	2.013	61196.420	-4852.937	3.439	-16689.605065
179-57	179-58	180-35-41	328-45-17	2.009	61198.130	-4853.999	3.428	-16638.474879
179-58	179-59	180-32-34	329-17-51	2.002	61199.848	-4855.041	3.439	-16695.824518
179-59	179-60	180-42-52	330-00-43	1.997	61201.569	-4856.063	3.451	-16756.741211
179-60	179-61	180-35-56	330-36-39	2.012	61203.298	-4857.061	3.483	-16916.418987
179-61	179-62	180-35-50	331-12-29	1.990	61205.052	-4858.049	3.497	-16989.450300
179-62	179-63	180-13-15	331-25-44	1.665	61206.796	-4859.007	3.206	-15580.308913
179-63	179-65	180-34-37	332-00-21	2.366	61208.258	-4859.804	3.552	-17262.939752
179-65	179-66	180-36-58	332-37-19	2.550	61210.348	-4860.915	4.354	-21163.811673
179-66	179-67	180-34-10	333-11-29	14.398	61212.612	-4862.087	15.115	-73489.667249
179-67	179-88	180-01-26	333-12-55	14.115	61225.463	-4868.581	25.451	-123910.385522
179-88	179-1	179-54-15	333-07-10	4.285	61238.063	-4874.942	16.422	-80057.933292
							倍面积	10685.895145
							面积	5342.947572
							坪数	1616.24







\* \* 面積計算 (座標法) \* \* (Work No.261)

地 器械点	番 : 180BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
180-1	180-2	133-10-36	219-06-01	5.020	61121.261	-5074.843	-4.501	22842.673104
180-2	180-3	136-27-58	175-33-59	14.353	61117.365	-5078.008	-18.206	92448.826995
180-3	180-4	180-08-41	175-42-40	14.463	61103.055	-5076.899	-28.732	145871.653058
180-4	180-5	135-08-48	130-51-28	5.021	61088.633	-5075.817	-17.707	89878.138527
180-5	180-6	134-36-15	85-27-43	8.464	61085.348	-5072.019	-2.615	13264.826743
180-6	180-7	180-10-44	85-38-27	11.481	61086.017	-5063.582	1.542	-7809.853249
180-7	180-8	179-59-40	85-38-07	11.492	61086.890	-5052.134	1.747	-8827.545935
180-8	180-9	179-51-56	85-30-03	11.452	61087.765	-5040.675	1.773	-8936.718187
180-9	180-10	272-52-19	178-22-22	6.070	61088.663	-5029.259	-5.169	25995.692115
180-10	180-11	267-16-20	265-38-42	13.182	61082.596	-5029.086	-7.068	35546.394681
180-11	180-12	179-58-52	265-37-34	10.947	61081.595	-5042.230	-1.836	9256.867234
180-12	180-13	180-03-14	265-40-48	11.015	61080.760	-5053.145	-1.665	8411.709477
180-13	180-14	180-01-59	265-42-47	7.349	61079.930	-5064.129	-1.379	6984.001947
180-14	180-15	135-58-04	221-40-51	5.085	61079.381	-5071.458	-4.347	22046.549619
180-15	180-16	133-51-24	175-32-15	14.486	61075.583	-5074.839	-18.240	92566.486158
180-16	180-17	180-07-11	175-39-26	14.423	61061.140	-5073.712	-28.824	146245.605647
180-17	180-18	135-14-52	130-54-18	5.036	61046.759	-5072.620	-17.679	89680.696413
180-18	180-19	134-36-40	85-30-58	7.440	61043.461	-5068.814	-2.716	13766.859248
180-19	180-20	180-04-42	85-35-40	11.045	61044.043	-5061.396	1.430	-7238.495826
180-20	180-21	179-51-07	85-26-47	10.988	61044.891	-5050.383	1.721	-8690.785866
180-21	180-22	180-10-07	85-36-54	12.434	61045.764	-5039.430	1.823	-9187.095672
180-22	180-23	265-52-53	171-29-47	5.255	61046.714	-5027.033	-4.246	21347.245501
180-23	180-24	179-54-24	171-24-11	0.844	61041.517	-5026.255	-6.032	30319.112474
180-24	180-25	274-13-49	265-38-00	11.932	61040.682	-5026.129	-1.743	8762.933725
180-25	180-27	180-01-14	265-39-14	10.985	61039.774	-5038.027	-1.741	8770.924479
180-27	180-29	180-04-12	265-43-26	10.978	61038.941	-5048.980	-1.651	8335.945342
180-29	180-30	180-03-17	265-46-43	8.414	61038.123	-5059.928	-1.438	7276.016143
180-30	180-31	134-56-46	220-43-29	5.043	61037.503	-5068.319	-4.441	22508.675442
180-31	180-32	134-52-58	175-36-27	14.420	61033.682	-5071.609	-18.199	92299.494867
180-32	180-33	180-03-33	175-40-00	14.452	61019.304	-5070.505	-28.789	145973.133412
180-33	180-34	135-48-38	131-28-38	5.032	61004.893	-5069.413	-17.744	89951.400548
180-34	180-36	134-03-49	85-32-27	8.484	61001.560	-5065.642	-2.673	13541.660810
180-36	180-37	180-01-14	85-33-41	11.460	61002.220	-5057.184	1.547	-7821.068900
180-37	180-38	179-56-24	85-30-05	11.430	61003.107	-5045.758	1.783	-8998.917882
180-38	180-40	180-10-47	85-40-52	13.612	61004.003	-5034.363	1.922	-9674.274724
180-40	180-41	180-01-33	85-42-25	13.521	61005.028	-5020.790	2.037	-10228.552544
180-41	180-42	134-29-47	40-12-12	3.024	61006.040	-5007.307	3.321	-16631.277264
180-42	180-43	134-16-28	354-28-40	14.338	61008.350	-5005.355	16.581	-82992.991484
180-43	180-45	180-01-56	354-30-36	16.679	61022.621	-5006.735	30.874	-154578.877782
180-45	180-47	180-00-58	354-31-34	19.874	61039.224	-5008.331	36.386	-182231.265011
180-47	180-49	179-58-44	354-30-18	12.262	61059.007	-5010.226	31.989	-160270.953492
180-49	180-51	179-59-22	354-29-40	11.349	61071.213	-5011.401	23.502	-117777.438600
180-51	180-54	179-53-05	354-22-45	11.718	61082.509	-5012.489	22.958	-115076.350229
180-54	180-55	180-02-13	354-24-58	11.762	61094.170	-5013.637	23.368	-117160.396431
180-55	180-56	180-02-38	354-27-36	17.753	61105.877	-5014.782	29.376	-147315.605507
180-56	180-57	135-28-43	309-56-19	2.991	61123.547	-5016.495	19.590	-98273.091454
180-57	180-58	135-44-22	265-40-41	11.273	61125.467	-5018.789	1.071	-5373.933440
180-58	180-59	180-01-04	265-41-45	13.411	61124.618	-5030.030	-1.856	9335.890904
180-59	180-60	179-57-47	265-39-32	11.480	61123.611	-5043.403	-1.875	9458.646655
180-60	180-61	179-59-00	265-38-32	11.527	61122.742	-5054.850	-1.745	8819.662489
180-61	180-1	180-16-53	265-55-25	8.521	61121.866	-5066.343	-1.482	7506.083870
							倍面積	13918.318151
							面積	6959.159075
							坪数	2105.14

12/12/2020



12/12



\* \* 面積計算 (座標法) \* \* (Work No.223)

地 器械点	番 : 視準点	181BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
181-1	181-2	129-50-29	224-48-16	2.981	61125.344	-5009.700	-1.137	5694.703592
181-2	181-3	129-59-57	174-48-13	5.900	61123.229	-5011.801	-7.991	40049.825364
181-3	181-5	179-38-05	174-26-18	3.762	61117.353	-5011.267	-9.620	48210.258327
181-5	181-6	180-10-39	174-36-57	14.028	61113.608	-5010.902	-17.711	88745.587033
181-6	181-7	135-38-59	130-15-56	2.822	61099.642	-5009.586	-15.790	79101.884078
181-7	181-8	223-55-46	174-11-42	4.025	61097.818	-5007.432	-5.829	29185.842324
181-8	181-9	222-21-16	216-32-58	2.982	61093.814	-5007.025	-6.400	32046.771338
181-9	181-10	138-00-30	174-33-28	19.485	61091.418	-5008.801	-21.793	109158.639780
181-10	181-11	179-58-05	174-31-33	10.723	61072.020	-5006.953	-30.072	150566.733700
181-11	181-12	179-44-14	174-15-47	1.923	61061.346	-5005.930	-12.587	63011.375554
181-12	181-13	180-15-11	174-30-58	24.650	61059.433	-5005.738	-26.451	132406.629297
181-13	181-14	179-59-27	174-30-25	11.221	61034.895	-5003.382	-35.707	178656.387396
181-14	181-15	179-59-48	174-30-13	15.108	61023.726	-5002.308	-26.208	131100.038510
181-15	181-16	135-11-12	129-41-25	2.987	61008.688	-5000.861	-16.946	84745.564415
181-16	181-17	135-06-58	84-48-23	16.540	61006.780	-4998.562	-0.411	2051.982328
181-17	181-18	180-02-54	84-51-17	13.438	61008.277	-4982.090	2.702	-13463.517530
181-18	181-19	131-20-19	36-11-36	3.022	61009.482	-4968.706	3.644	-18104.044326
181-19	181-20	132-19-17	348-30-53	10.813	61011.921	-4966.922	13.035	-64741.461367
181-20	181-21	180-02-15	348-33-08	16.776	61022.517	-4969.075	27.039	-134356.550802
181-21	181-22	179-58-01	348-31-09	15.453	61038.959	-4972.405	31.587	-157062.264050
181-22	181-23	140-07-14	308-38-23	2.811	61054.104	-4975.481	16.899	-84082.812778
181-23	181-24	224-52-36	353-30-59	3.218	61055.859	-4977.676	4.953	-24654.182447
181-24	181-25	180-17-44	353-48-43	0.792	61059.056	-4978.040	3.985	-19837.178808
181-25	181-26	223-55-17	37-44-00	2.745	61059.844	-4978.125	2.958	-14726.064802
181-26	181-28	134-01-20	351-45-20	18.939	61062.015	-4976.445	20.914	-104078.508985
181-28	181-29	180-08-51	351-54-11	2.745	61080.758	-4979.161	21.461	-106857.938885
181-29	181-30	134-38-51	306-33-02	2.993	61083.476	-4979.547	4.500	-22407.724078
181-30	181-31	225-07-06	351-40-08	3.579	61085.258	-4981.951	5.323	-26519.991196
181-31	181-32	225-19-52	37-00-00	2.999	61088.799	-4982.470	5.937	-29578.729576
181-32	181-33	134-59-16	351-59-16	1.658	61091.194	-4980.665	4.037	-20109.171434
181-33	181-35	179-47-05	351-46-21	14.791	61092.836	-4980.896	16.281	-81094.976267
181-35	181-37	179-59-08	351-45-29	11.580	61107.476	-4983.013	26.100	-130054.331652
181-37	181-38	180-22-08	352-07-37	2.490	61118.936	-4984.673	13.927	-69420.889853
181-38	181-39	140-27-00	312-34-37	2.945	61121.402	-4985.014	4.459	-22228.376917
181-39	181-40	142-21-14	274-55-51	11.293	61123.395	-4987.182	2.963	-14777.805802
181-40	181-1	180-01-56	274-57-47	11.309	61124.366	-4998.434	1.949	-9742.321880
							倍面積	6833.379599
							面積	3416.689799
							坪數	1033.54



127



\* \* 面積計算 (座標法) \* \* (Work No.386)

地 器械点	番 : 182BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
182-1	182-2	128-25-05	223-17-33	3.007	61122.709	-4978.790	-1.334	6642.255266
182-2	182-3	128-28-56	171-46-29	17.953	61120.520	-4980.852	-19.957	99404.276978
182-3	182-4	180-00-01	171-46-30	14.857	61102.751	-4978.284	-32.473	161658.413885
182-4	182-5	180-03-50	171-50-20	13.870	61088.047	-4976.158	-28.434	141490.138090
182-5	182-6	179-55-40	171-46-00	12.004	61074.318	-4974.189	-25.609	127386.423362
182-6	182-7	181-00-59	172-46-59	6.304	61062.438	-4972.470	-18.134	90169.774815
182-7	182-8	180-11-09	172-58-08	1.720	61056.184	-4971.678	-7.961	39578.083027
182-8	182-9	175-33-47	168-31-55	17.804	61054.477	-4971.468	-19.155	95229.770121
182-9	182-10	179-59-27	168-31-22	10.560	61037.029	-4967.928	-27.798	138096.291306
182-10	182-11	180-03-03	168-34-25	14.929	61026.680	-4965.827	-24.983	124058.845709
182-11	182-12	137-57-57	126-32-22	3.040	61012.046	-4962.869	-16.443	81604.866694
182-12	182-13	137-38-35	84-10-57	2.003	61010.236	-4960.427	-1.607	7970.441712
182-13	182-14	180-32-47	84-43-44	9.932	61010.439	-4958.434	1.115	-5530.834969
182-14	182-15	180-05-44	84-49-28	5.848	61011.352	-4948.544	1.440	-7125.646457
182-15	182-16	179-58-11	84-47-39	9.893	61011.879	-4942.720	1.425	-7044.135532
182-16	182-17	180-02-28	84-50-07	12.360	61012.777	-4932.868	2.010	-9916.514619
182-17	182-18	133-29-07	38-19-14	2.987	61013.890	-4920.558	3.456	-17006.609369
182-18	182-19	134-30-37	352-49-51	13.839	61016.233	-4918.706	16.075	-79067.416276
182-19	182-20	179-58-58	352-48-49	11.503	61029.965	-4920.433	25.144	-123716.929678
182-20	182-21	180-01-25	352-50-14	11.989	61041.377	-4921.872	23.308	-114717.193863
182-21	182-22	179-59-56	352-50-10	13.063	61053.272	-4923.367	24.857	-122378.250852
182-22	182-23	179-53-48	352-43-58	3.000	61066.233	-4924.996	15.938	-78492.209908
182-23	182-24	180-05-19	352-49-17	47.944	61069.210	-4925.375	50.545	-248951.456832
182-24	182-25	141-04-40	313-53-57	2.987	61116.778	-4931.367	49.639	-244789.287797
182-25	182-26	140-58-25	274-52-22	35.378	61118.849	-4933.519	5.076	-25042.786256
182-26	182-1	180-00-06	274-52-28	10.058	61121.854	-4968.769	3.860	-19178.446927
							倍面積	10331.861629
							面積	5165.930814
							坪數	1562.69







\* \* 面積計算 (座標法) \* \* (Work No.332)

地 器械点	番 : 183BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
183-1	183-2	125-30-08	227-15-15	2.989	61117.499	-4924.970	-1.392	6854.689844
183-2	183-4	125-28-11	172-43-26	6.525	61115.470	-4927.165	-8.501	41885.641144
183-4	183-6	180-07-06	172-50-32	21.915	61108.998	-4926.339	-28.217	139006.497738
183-6	183-8	179-54-44	172-45-16	19.195	61087.253	-4923.608	-40.786	200816.270118
183-8	183-9	180-07-40	172-52-56	19.888	61068.211	-4921.187	-38.776	190826.354813
183-9	183-10	179-55-15	172-48-11	7.675	61048.477	-4918.723	-27.349	134522.286744
183-10	183-11	180-01-32	172-49-43	24.553	61040.862	-4917.761	-31.975	157245.454613
183-11	183-12	135-51-36	128-41-19	2.995	61016.502	-4914.696	-26.233	128926.417073
183-12	183-13	136-05-57	84-47-16	13.541	61014.630	-4912.358	-0.642	3154.349501
183-13	183-14	179-59-04	84-46-20	7.837	61015.860	-4898.873	1.944	-9524.350136
183-14	183-15	180-03-35	84-49-55	7.928	61016.574	-4891.069	1.428	-6985.476246
183-15	183-16	135-24-15	40-14-10	4.982	61017.288	-4883.173	4.517	-22059.428258
183-16	183-17	134-29-54	354-44-04	1.380	61021.091	-4879.955	5.177	-25263.654552
183-17	183-18	180-03-58	354-48-02	16.247	61022.465	-4880.082	17.554	-85665.304799
183-18	183-19	180-01-19	354-49-21	4.997	61038.645	-4881.554	21.157	-103279.243140
183-19	183-20	193-37-25	8-26-46	2.622	61043.622	-4882.005	7.570	-36955.594461
183-20	183-22	179-51-16	8-18-02	19.908	61046.215	-4881.620	22.293	-108825.976114
183-22	183-24	179-57-16	8-15-18	20.004	61065.915	-4878.746	39.496	-192692.724932
183-24	183-25	179-56-13	8-11-31	6.278	61085.711	-4875.874	26.010	-126822.527626
183-25	183-26	180-10-34	8-22-05	7.998	61091.925	-4874.979	14.127	-68867.920406
183-26	183-27	180-11-02	8-33-07	3.830	61099.838	-4873.815	11.701	-57026.345964
183-27	183-28	136-20-02	324-53-09	4.980	61103.626	-4873.246	7.861	-38309.418832
183-28	183-29	136-29-07	281-22-16	6.540	61107.699	-4876.110	5.363	-26151.122728
183-29	183-31	179-55-10	281-17-26	14.557	61108.989	-4882.522	4.140	-20211.491596
183-31	183-32	180-01-52	281-19-18	15.051	61111.839	-4896.797	5.805	-28424.926466
183-32	183-33	179-58-31	281-17-49	10.559	61114.794	-4911.555	5.023	-24671.575419
183-33	183-1	180-27-18	281-45-07	3.126	61116.862	-4921.910	2.705	-13314.614515
							倍面積	8186.265392
							面積	4093.132696
							坪數	1238.17







\* \* 面積計算 (座標法) \* \* (Work No. 39)

地 器械点	番 : 184BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
184-1	184-2	135-04-02	233-50-07	4.984	61105.505	-4863.327	-2.327	11317.173540
184-2	184-4	134-25-40	188-15-47	26.235	61102.564	-4867.351	-28.904	140685.229861
184-4	184-5	180-02-48	188-18-35	13.590	61076.601	-4871.121	-39.410	191971.659948
184-5	184-7	179-54-35	188-13-10	19.950	61063.154	-4873.085	-33.193	161750.379961
184-7	184-9	166-36-02	174-49-12	7.949	61043.408	-4875.937	-27.662	134879.958442
184-9	184-10	180-06-42	174-55-54	13.872	61035.491	-4875.220	-21.734	105959.639258
184-10	184-11	135-00-52	129-56-46	4.991	61021.674	-4873.994	-17.022	82964.902236
184-11	184-13	134-47-20	84-44-06	15.362	61018.469	-4870.168	-1.795	8741.681127
184-13	184-14	180-09-55	84-54-01	8.008	61019.879	-4854.871	2.121	-10299.367664
184-14	184-15	179-53-21	84-47-22	17.802	61020.591	-4846.895	2.329	-11286.192269
184-15	184-16	138-22-44	43-10-06	4.972	61022.208	-4829.167	5.243	-25321.033535
184-16	184-17	138-18-52	1-28-58	13.001	61025.834	-4825.765	16.623	-80218.235063
184-17	184-18	180-44-06	2-13-04	10.002	61038.830	-4825.429	22.990	-110938.108759
184-18	184-21	180-04-51	2-17-55	8.217	61048.824	-4825.041	18.204	-87834.844892
184-21	184-23	180-48-26	3-06-21	16.516	61057.034	-4824.712	24.702	-119179.082343
184-23	184-25	179-58-17	3-04-38	9.617	61073.526	-4823.817	26.095	-125875.753984
184-25	184-26	180-01-20	3-05-58	12.977	61083.129	-4823.301	22.561	-108816.827493
184-26	184-27	137-31-07	320-37-05	4.980	61096.087	-4822.599	16.807	-81055.495322
184-27	184-28	137-46-08	278-23-13	8.161	61099.936	-4825.759	5.040	-24321.051663
184-28	184-30	180-00-49	278-24-02	5.054	61101.127	-4833.833	1.929	-9322.800071
184-30	184-31	180-01-48	278-25-50	13.135	61101.865	-4838.832	2.664	-12891.247828
184-31	184-32	179-50-28	278-16-18	4.689	61103.791	-4851.826	2.600	-12616.271324
184-32	184-33	180-07-36	278-23-54	2.913	61104.465	-4856.466	1.100	-5342.019941
184-33	184-1	180-22-11	278-46-05	4.027	61104.891	-4859.347	1.039	-5050.317142
							倍面積	7901.975075
							面積	3950.987537
							坪數	1195.17






\* \* 面積計算 (座標法) \* \* (Work No.575)

地 器械点	番 : 視準点	185BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
185-1	185-2	135-17-29	221-01-38	5.053	60995.622	-5065.086	-4.463	22605.697319
185-2	185-3	134-32-17	175-33-55	12.444	60991.811	-5068.402	-16.218	82201.145336
185-3	185-4	180-02-40	175-36-35	20.467	60979.404	-5067.440	-32.813	166278.703898
185-4	185-5	135-10-58	130-47-33	5.059	60958.997	-5065.873	-23.712	120121.017341
185-5	185-6	134-44-50	85-32-23	10.256	60955.692	-5062.043	-2.508	12694.510914
185-6	185-7	179-57-24	85-29-47	14.109	60956.490	-5051.818	1.905	-9625.947873
185-7	185-8	180-04-51	85-34-38	13.976	60957.597	-5037.752	2.186	-11010.591960
185-8	185-9	179-57-03	85-31-41	17.483	60958.675	-5023.818	2.441	-12262.512895
185-9	185-11	180-07-59	85-39-40	14.123	60960.038	-5006.388	2.432	-12173.998839
185-11	185-12	179-54-31	85-34-11	15.542	60961.107	-4992.306	2.269	-11327.897322
185-12	185-14	180-02-01	85-36-12	33.215	60962.307	-4976.810	3.747	-18647.456402
185-14	185-15	179-58-45	85-34-57	15.481	60964.854	-4943.693	3.735	-18464.181309
185-15	185-16	179-59-03	85-34-00	27.347	60966.042	-4928.307	3.302	-16275.713213
185-16	185-17	180-03-58	85-37-58	14.752	60968.156	-4901.042	3.237	-15865.963006
185-17	185-18	179-59-26	85-37-24	15.164	60969.280	-4886.333	2.281	-11143.338350
185-18	185-19	179-57-44	85-35-08	14.562	60970.437	-4871.214	2.278	-11096.922340
185-19	185-20	180-01-14	85-36-22	9.375	60971.558	-4856.695	1.839	-8932.085525
185-20	185-21	179-57-25	85-33-47	14.349	60972.276	-4847.347	1.828	-8862.569174
185-21	185-22	180-13-27	85-47-14	5.269	60973.386	-4833.041	1.497	-7235.661693
185-22	185-23	135-51-08	41-38-22	5.003	60973.773	-4827.786	4.126	-19919.289091
185-23	185-24	136-22-48	358-01-10	35.356	60977.512	-4824.462	39.074	-188509.807491
185-24	185-25	133-20-00	311-21-10	5.005	61012.847	-4825.684	38.642	-186472.278772
185-25	185-26	133-23-19	264-44-29	21.227	61016.154	-4829.441	1.361	-6574.784829
185-26	185-27	180-02-58	264-47-27	23.934	61014.208	-4850.578	-4.118	19976.802747
185-27	185-28	180-02-46	264-50-13	15.165	61012.035	-4874.414	-3.538	17244.400767
185-28	185-29	179-57-57	264-48-10	14.755	61010.670	-4889.517	-2.701	13207.961130
185-29	185-30	179-59-43	264-47-53	27.347	61009.334	-4904.212	-3.816	18714.701472
185-30	185-31	180-04-28	264-52-21	15.427	61006.854	-4931.446	-3.858	19026.675493
185-31	185-32	179-50-34	264-42-55	16.907	61005.476	-4946.812	-2.936	14523.765113
185-32	185-33	180-06-48	264-49-43	16.880	61003.918	-4963.647	-3.079	15281.512982
185-33	185-34	180-00-03	264-49-46	21.629	61002.397	-4980.458	-3.471	17285.661970
185-34	185-35	179-54-15	264-44-01	0.375	61000.448	-5001.999	-1.984	9922.378459
185-35	185-36	180-50-08	265-34-09	16.844	61000.413	-5002.372	-1.336	6681.810220
185-36	185-37	180-29-45	266-03-54	4.472	60999.112	-5019.166	-1.608	8071.594700
185-37	185-39	179-23-05	265-26-59	7.737	60998.805	-5023.627	-0.921	4625.234326
185-39	185-40	180-08-53	265-35-52	12.471	60998.191	-5031.340	-1.571	7904.568205
185-40	185-41	180-02-04	265-37-56	12.612	60997.234	-5043.774	-1.918	9672.469886
185-41	185-1	180-06-13	265-44-09	8.760	60996.274	-5056.349	-1.612	8149.988885
							倍面積	19789.601081
							面積	9894.800540
							坪數	2993.17

1





\* \* 面積計算 (座標法) \* \* (Work No.687)

地 器械点	番 : 186BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
186-1	186-2	94-59-33	207-30-20	15.075	61267.763	-4867.251	-13.169	64096.202210
186-2	186-3	125-43-21	153-13-41	15.586	61254.391	-4874.213	-27.287	133002.793744
186-3	186-4	179-58-26	153-12-07	24.597	61240.476	-4867.192	-35.871	174590.918281
186-4	186-5	180-02-31	153-14-38	2.568	61218.520	-4856.103	-24.248	117751.087318
186-5	186-6	179-29-14	152-43-52	1.997	61216.228	-4854.947	-4.067	19747.391767
186-6	186-7	179-29-03	152-12-55	2.022	61214.453	-4854.032	-3.564	17299.799132
186-7	186-8	179-25-42	151-38-37	2.004	61212.664	-4853.089	-3.553	17241.970096
186-8	186-9	179-29-35	151-08-12	2.005	61210.900	-4852.137	-3.520	17077.301969
186-9	186-10	179-31-36	150-39-48	2.016	61209.144	-4851.170	-3.513	17042.841168
186-10	186-11	179-19-46	149-59-34	2.004	61207.387	-4850.182	-3.492	16938.733367
186-11	186-12	179-25-40	149-25-14	1.344	61205.652	-4849.180	-2.893	14027.207065
186-12	186-13	179-38-25	149-03-39	2.003	61204.494	-4848.496	-2.876	13942.762432
186-13	186-14	179-15-33	148-19-12	2.007	61202.776	-4847.466	-3.426	16608.277393
186-14	186-15	179-26-34	147-45-46	2.041	61201.068	-4846.412	-3.435	16645.730207
186-15	186-16	179-28-31	147-14-17	1.969	61199.341	-4845.323	-3.383	16389.933517
186-16	186-17	179-31-25	146-45-42	1.986	61197.686	-4844.257	-3.317	16067.693510
186-17	186-18	179-25-52	146-11-34	2.018	61196.025	-4843.169	-3.338	16166.109434
186-18	186-19	179-17-50	145-29-24	2.005	61194.348	-4842.046	-3.329	16120.371827
186-19	186-20	179-27-18	144-56-42	1.983	61192.695	-4840.910	-3.275	15854.989025
186-20	186-21	179-41-13	144-37-55	16.690	61191.072	-4839.771	-15.233	73724.618165
186-21	186-22	179-56-54	144-34-49	2.673	61177.462	-4830.110	-15.789	76261.001091
186-22	186-23	180-57-13	145-32-02	2.062	61175.284	-4828.561	-3.878	18727.230795
186-23	186-24	181-13-22	146-45-24	2.011	61173.584	-4827.394	-3.382	16327.110983
186-24	186-25	181-19-32	148-04-56	1.968	61171.902	-4826.292	-3.353	16182.539228
186-25	186-26	181-16-29	149-21-25	0.941	61170.231	-4825.251	-2.480	11968.619482
186-26	186-27	142-25-55	111-47-20	5.000	61169.421	-4824.771	-2.665	12860.422433
186-27	186-29	141-33-41	73-21-01	28.132	61167.565	-4820.129	6.205	-29907.461220
186-29	186-30	179-50-37	73-11-38	4.915	61175.626	-4793.176	9.482	-45447.271495
186-30	186-31	221-53-39	115-05-17	5.608	61177.047	-4788.470	-0.957	4581.568325
186-31	186-33	179-48-57	114-54-14	32.065	61174.669	-4783.391	-15.881	75963.351431
186-33	186-35	180-01-37	114-55-51	11.965	61161.166	-4754.307	-18.546	88175.192477
186-35	186-36	179-56-20	114-52-11	12.725	61156.123	-4743.457	-10.395	49309.985859
186-36	186-37	180-05-01	114-57-12	11.994	61150.771	-4731.912	-10.411	49266.237618
186-37	186-38	179-53-43	114-50-55	9.100	61145.711	-4721.038	-8.884	41940.593866
186-38	186-39	134-01-15	68-52-10	4.995	61141.887	-4712.781	-2.023	9535.608837
186-39	186-40	134-10-01	23-02-11	11.307	61143.688	-4708.122	12.206	-57468.224956
186-40	186-41	179-57-22	22-59-33	16.024	61154.093	-4703.697	25.156	-118327.555714
186-41	186-42	138-49-00	341-48-33	5.013	61168.844	-4697.438	19.513	-91661.125252
186-42	186-61	138-56-21	300-44-54	18.952	61173.606	-4699.003	14.452	-67910.492500
186-61	186-62	179-56-41	300-41-35	16.749	61183.296	-4715.291	18.239	-86003.218225
186-62	186-63	180-03-59	300-45-34	13.523	61191.846	-4729.694	15.465	-73146.115606
186-63	186-64	180-00-49	300-46-23	14.726	61198.761	-4741.314	14.450	-68512.540092
186-64	186-65	179-59-58	300-46-21	12.292	61206.296	-4753.966	13.823	-65716.044137
186-65	186-66	181-01-37	301-47-58	1.119	61212.585	-4764.528	6.879	-32773.483991
186-66	K.141	179-31-11	301-19-09	0.434	61213.174	-4765.479	0.815	-3885.255820
K.141	K.142	179-10-08	300-29-17	11.178	61213.400	-4765.850	5.897	-28105.612673
K.142	K.143	180-15-06	300-44-23	19.665	61219.072	-4775.483	15.723	-75084.310482
K.143	K.144	178-40-57	299-25-20	16.868	61229.123	-4792.384	18.337	-87880.073857
K.144	K.145	178-55-58	298-21-18	23.207	61237.409	-4807.077	19.308	-92814.579532
K.145	K.146	178-32-39	296-53-57	13.364	61248.431	-4827.499	17.068	-82395.007407
K.146	K.147	179-36-46	296-30-43	12.311	61254.477	-4839.417	11.541	-55853.392842
K.147	K.148	178-24-45	294-55-28	18.005	61259.972	-4850.433	13.083	-63459.607769
K.148	186-1	177-35-19	292-30-47	0.529	61267.560	-4866.762	7.790	-37914.426010

倍面積	17170.394476
面積	8585.197238
坪數	2597.02

187BI





1742

\* \* 面積計算 (座標法) \* \* (Work No.250)

地 器械点	番 : 視準点	187BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
187-1	187-2	132-04-16	205-27-26	5.001	61162.270	-4816.886	-9.481	45666.715638
187-2	187-3	132-51-54	158-19-20	1.073	61157.754	-4819.036	-5.513	26568.008411
187-3	187-4	181-06-23	159-25-43	2.033	61156.757	-4818.640	-2.901	13977.057658
187-4	187-5	181-39-33	161-05-16	2.030	61154.853	-4817.925	-3.824	18422.430585
187-5	187-6	181-25-55	162-31-11	2.026	61152.933	-4817.267	-3.853	18561.368199
187-6	187-7	181-13-37	163-44-48	2.020	61151.000	-4816.659	-3.871	18646.689388
187-7	187-8	181-06-00	164-50-48	2.021	61149.062	-4816.093	-3.889	18730.232461
187-8	187-9	181-31-34	166-22-22	1.525	61147.111	-4815.565	-3.432	16529.259314
187-9	187-10	181-07-16	167-29-38	2.022	61145.629	-4815.206	-3.456	16641.157769
187-10	187-11	181-38-21	169-07-59	2.017	61143.655	-4814.768	-3.955	19042.067239
187-11	187-12	181-24-49	170-32-48	2.007	61141.674	-4814.388	-3.961	19069.815276
187-12	187-13	181-24-33	171-57-21	2.016	61139.694	-4814.058	-3.976	19142.687399
187-13	187-14	181-17-54	173-15-15	1.952	61137.698	-4813.776	-3.935	18944.226543
187-14	187-16	181-05-08	174-20-23	1.583	61135.759	-4813.547	-3.514	16914.182063
187-16	187-17	181-06-20	175-26-43	2.001	61134.184	-4813.391	-3.569	17180.173108
187-17	187-18	181-23-33	176-50-16	2.014	61132.190	-4813.232	-4.005	19277.245657
187-18	187-19	181-21-43	178-11-59	2.012	61130.179	-4813.121	-4.021	19355.621330
187-19	187-20	181-32-59	179-44-58	2.021	61128.168	-4813.057	-4.032	19404.348718
187-20	187-21	181-20-56	181-05-54	1.999	61126.147	-4813.049	-4.020	19348.765220
187-21	187-22	181-24-55	182-30-49	2.037	61124.148	-4813.087	-4.034	19417.407608
187-22	187-23	180-35-02	183-05-51	14.626	61122.113	-4813.176	-16.640	80088.980392
187-23	187-24	138-37-28	141-43-19	4.999	61107.509	-4813.967	-18.529	89196.139276
187-24	187-25	138-25-26	100-08-45	33.501	61103.584	-4810.870	-9.826	47270.680202
187-25	187-26	195-18-17	115-27-02	0.067	61097.683	-4777.892	-5.930	28334.209723
187-26	187-27	178-29-26	113-56-28	11.037	61097.654	-4777.832	-4.507	21535.919527
187-27	187-28	135-12-25	69-08-53	2.998	61093.175	-4767.745	-3.412	16265.588616
187-28	187-29	134-43-33	23-52-26	11.246	61094.242	-4764.943	11.351	-54085.421668
187-29	187-30	179-59-08	23-51-34	15.335	61104.526	-4760.392	24.308	-115716.376183
187-30	187-31	179-56-44	23-48-18	3.136	61118.551	-4754.189	16.894	-80317.086318
187-31	187-32	270-43-11	114-31-29	15.126	61121.420	-4752.923	-3.409	16203.893481
187-32	187-33	180-02-29	114-33-58	15.199	61115.141	-4739.161	-12.597	59701.456420
187-33	187-34	134-32-17	69-06-15	3.001	61108.823	-4725.338	-5.248	24800.922113
187-34	187-35	133-52-36	22-58-51	2.063	61109.893	-4722.535	2.970	-14023.756524
187-35	187-36	180-30-57	23-29-48	7.829	61111.792	-4721.729	9.079	-42870.188915
187-36	187-38	179-30-31	23-00-19	14.611	61118.972	-4718.608	20.629	-97341.092969
187-38	187-39	128-25-58	331-26-17	4.424	61132.421	-4712.897	17.335	-81698.296754
187-39	187-40	143-23-22	294-49-39	6.707	61136.307	-4715.013	6.702	-31601.332948
187-40	187-42	180-02-07	294-51-46	10.702	61139.124	-4721.100	7.316	-34538.699160
187-42	187-43	180-09-29	295-01-15	10.986	61143.623	-4730.810	9.146	-43268.757159
187-43	187-44	179-50-20	294-51-35	11.064	61148.270	-4740.765	9.298	-44080.259102
187-44	187-46	180-02-33	294-54-08	21.364	61152.921	-4750.805	13.647	-64835.121405
187-46	187-48	180-02-38	294-56-46	18.004	61161.917	-4770.182	16.589	-79133.007398
187-48	187-49	159-11-33	274-08-19	4.966	61169.510	-4786.506	7.952	-38061.057683
187-49	187-50	159-10-33	253-18-52	9.174	61169.869	-4791.459	-2.276	10903.688887
187-50	187-1	180-04-18	253-23-10	17.365	61167.235	-4800.247	-7.599	36476.809779
							倍面積	10047.293820
							面積	5023.646910
							坪數	1519.65



11/11/11



\* \* 面積計算 (座標法) \* \* (Work No.213)

地 器械点	番 : 188BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
188-1	188-2	141-02-14	255-37-28	2.662	61115.233	-4749.003	3.504	-16642.165635
188-2	188-3	128-12-24	203-49-52	8.086	61114.572	-4751.582	-8.058	38286.220996
188-3	188-4	180-01-37	203-51-29	15.906	61107.175	-4754.849	-21.944	104338.128342
188-4	188-5	135-02-56	158-54-25	2.998	61092.628	-4761.283	-17.344	82581.873886
188-5	188-6	134-58-50	113-53-15	10.107	61089.831	-4760.204	-6.890	32798.795641
188-6	188-7	180-03-49	113-57-04	14.229	61085.738	-4750.963	-9.869	46888.011247
188-7	188-8	135-11-48	69-08-52	3.004	61079.962	-4737.959	-4.707	22302.334893
188-8	188-9	134-42-33	23-51-25	12.488	61081.031	-4735.151	12.490	-59141.666415
188-9	188-10	179-33-42	23-25-07	0.095	61092.452	-4730.101	11.508	-54432.805219
188-10	188-11	179-59-20	23-24-27	10.678	61092.539	-4730.063	9.886	-46763.150753
188-11	188-12	135-45-57	339-10-24	2.986	61102.338	-4725.821	12.590	-59498.286340
188-12	188-13	135-20-59	294-31-23	14.308	61105.129	-4726.883	8.730	-41263.634349
188-13	188-1	180-03-51	294-35-14	10.011	61111.067	-4739.900	10.104	-47892.351528
							倍面積	1561.304765
							面積	780.652382
							坪数	236.14



1



\* \* 面積計算 (座標法) \* \* (Work No.650)

地 器械点	番 : 189BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
189-29	189-2	131-32-53	252-16-29	4.999	61166.841	-4687.654	6.356	-29792.980844
189-2	189-3	130-25-50	202-42-19	2.766	61165.319	-4692.416	-4.074	19116.866177
189-3	189-5	180-16-09	202-58-28	12.072	61162.767	-4693.484	-13.667	64144.740800
189-5	189-6	180-05-23	203-03-51	9.005	61151.652	-4698.196	-19.400	91146.340047
189-6	189-8	179-53-47	202-57-38	10.946	61143.367	-4701.724	-18.364	86342.710125
189-8	189-9	180-14-55	203-12-33	2.858	61133.288	-4705.994	-12.705	59791.819583
189-9	189-10	137-45-42	160-58-15	4.998	61130.661	-4707.120	-7.352	34606.945642
189-10	189-11	137-45-45	118-44-00	1.904	61125.936	-4705.491	-5.641	26541.738540
189-11	189-12	180-24-44	119-08-44	11.975	61125.021	-4703.821	-6.747	31738.562778
189-12	189-13	179-56-26	119-05-10	17.326	61119.189	-4693.362	-14.255	66901.535512
189-13	189-14	179-57-43	119-02-53	10.733	61110.766	-4678.221	-13.634	63782.761057
189-14	189-15	180-08-49	119-11-42	8.306	61105.555	-4668.838	-9.263	43248.201879
189-15	189-16	133-25-08	72-36-50	5.023	61101.503	-4661.587	-2.551	11890.276284
189-16	189-17	133-22-23	25-59-13	4.992	61103.004	-4656.793	5.988	-27886.125917
189-17	189-20	180-13-35	26-12-48	30.814	61107.491	-4654.606	32.133	-149564.330120
189-20	189-26	137-17-52	343-30-40	4.996	61135.137	-4640.995	32.436	-150536.154512
189-26	189-27	137-16-48	300-47-28	18.491	61139.927	-4642.413	14.257	-66185.609427
189-27	189-28	179-55-54	300-43-22	18.732	61149.393	-4658.298	19.036	-88674.699984
189-28	189-29	180-00-14	300-43-36	15.418	61158.963	-4674.401	17.448	-81557.590027
							倍面積	5055.007594
							面積	2527.503797
							坪数	764.56



152



\* \* 面積計算 (座標法) \* \* (Work No.658)

地 器械点	番 : 190BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
190-1	190-2	131-49-12	251-02-21	4.999	61120.213	-4707.521	2.240	-10546.247512
190-2	190-3	131-50-33	202-52-54	2.038	61118.589	-4712.249	-3.502	16501.802573
190-3	190-29	180-28-26	203-21-20	6.504	61116.711	-4713.041	-7.849	36991.107017
190-29	190-4	180-03-04	203-24-24	5.473	61110.740	-4715.619	-10.993	51839.965703
190-4	190-5	180-07-27	203-31-51	5.850	61105.718	-4717.793	-10.386	48997.247561
190-5	190-6	180-06-33	203-38-24	5.159	61100.355	-4720.129	-10.090	47625.651487
190-6	190-7	179-36-26	203-14-50	6.064	61095.628	-4722.198	-10.298	48630.470030
190-7	190-8	180-43-29	203-58-19	2.811	61090.056	-4724.591	-8.140	38457.602620
190-8	190-9	180-02-21	204-00-40	9.720	61087.488	-4725.733	-11.447	54094.849494
190-9	190-10	134-48-45	158-49-25	3.006	61078.609	-4729.688	-11.681	55249.675116
190-10	190-11	134-57-07	113-46-32	16.257	61075.807	-4728.603	-9.357	44245.008377
190-11	190-12	180-03-53	113-50-25	12.919	61069.253	-4713.725	-11.776	55508.929891
190-12	190-13	180-00-21	113-50-46	19.789	61064.031	-4701.908	-13.222	62170.194126
190-13	190-14	136-05-18	69-56-04	5.009	61056.030	-4683.808	-6.282	29423.436747
190-14	190-15	136-17-40	26-13-44	22.735	61057.749	-4679.103	22.113	-103467.524242
190-15	190-17	179-58-14	26-11-58	8.265	61078.143	-4669.055	27.810	-129847.163000
190-17	190-18	180-09-27	26-21-25	6.352	61085.559	-4665.406	13.107	-61150.809331
190-18	190-19	136-12-15	342-33-40	5.024	61091.250	-4662.586	10.484	-48882.194191
190-19	190-20	136-30-53	299-04-33	19.308	61096.043	-4664.092	14.176	-66117.653799
190-20	190-21	180-00-02	299-04-35	17.149	61105.426	-4680.967	17.717	-82934.778104
190-21	190-22	179-59-21	299-03-56	5.328	61113.760	-4695.955	10.923	-51291.577783
190-22	190-1	180-09-13	299-13-09	7.917	61116.349	-4700.612	6.453	-30332.242667
							倍面積	5165.750115
							面積	2582.875057
							坪數	781.31







平成13年1月12日作成

\* \* 面積計算 (座標法) \* \* (Work No.542)

地 器械点	番 : 191BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
191-36	191-37	132-53-08	253-38-08	4.983	61133.211	-4631.140	14.506	-67178.634339
191-37	191-4	132-37-16	206-15-24	35.835	61131.807	-4635.921	-33.542	155495.916927
191-4	191-5	138-18-05	164-33-29	5.009	61099.669	-4651.774	-36.965	171955.055602
191-5	191-6	138-20-09	122-53-38	16.156	61094.841	-4650.440	-13.602	63256.241375
191-6	191-7	180-01-39	122-55-17	12.986	61086.067	-4636.874	-15.832	73410.688209
191-7	191-8	179-55-12	122-50-29	21.547	61079.009	-4625.974	-18.743	86705.371387
191-8	191-9	180-03-58	122-54-27	6.948	61067.324	-4607.870	-15.460	71238.409903
191-9	191-10	180-00-04	122-54-31	14.822	61063.549	-4602.037	-11.827	54430.520752
191-10	191-11	179-58-30	122-53-01	14.983	61055.496	-4589.593	-16.187	74293.489838
191-11	191-12	179-59-58	122-52-59	3.210	61047.362	-4577.011	-9.877	45209.295383
191-12	191-13	180-00-09	122-53-08	26.670	61045.619	-4574.315	-16.224	74211.868305
191-13	191-14	179-56-19	122-49-27	2.133	61031.138	-4551.919	-15.637	71176.558748
191-14	191-15	180-12-23	123-01-50	12.719	61029.982	-4550.127	-8.089	36804.769923
191-15	191-16	133-00-21	76-02-11	5.013	61023.049	-4539.464	-5.723	25980.001807
191-16	191-17	133-26-00	29-28-11	13.026	61024.259	-4534.600	12.550	-56909.583998
191-17	191-18	180-06-29	29-34-40	8.005	61035.599	-4528.191	18.303	-82877.264256
191-18	191-19	179-48-46	29-23-26	3.978	61042.561	-4524.240	10.428	-47178.970575
191-19	191-20	176-51-56	26-15-22	15.666	61046.027	-4522.288	17.516	-79212.482593
191-20	191-31	138-29-22	344-44-44	4.987	61060.077	-4515.357	18.861	-85163.425329
191-31	191-32	138-27-49	303-12-33	4.170	61064.888	-4516.669	7.095	-32044.887077
191-32	191-33	177-32-40	300-45-13	58.996	61067.172	-4520.158	32.451	-146685.298301
191-33	191-34	179-59-36	300-44-49	14.938	61097.340	-4570.857	37.805	-172799.656725
191-34	191-35	180-01-07	300-45-56	24.092	61104.977	-4583.696	19.961	-91495.655850
191-35	191-36	179-59-04	300-45-00	31.117	61117.301	-4604.398	28.234	-129998.826473
							倍面積	12623.502642
							面積	6311.751321
							坪數	1909.30

152





平成13年1月13日作成

\* \* 面積計算 (座標法) \* \* (Work No.500)

地 器械点	番 : 192BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
192-25	192-2	131-31-13	254-44-55	5.025	61057.686	-4505.646	6.357	-28641.282389
192-2	192-3	131-29-44	206-14-39	14.673	61056.364	-4510.494	-14.482	65320.600902
192-3	192-4	183-17-30	209-32-09	9.363	61043.204	-4516.983	-21.307	96241.866649
192-4	192-5	179-58-19	209-30-28	16.107	61035.057	-4521.599	-22.165	100220.050023
192-5	192-6	135-14-41	164-45-09	5.008	61021.039	-4529.532	-18.850	85381.910406
192-6	192-7	135-03-32	119-48-41	9.780	61016.207	-4528.215	-9.694	43897.277355
192-7	192-8	180-00-32	119-49-13	18.512	61011.345	-4519.729	-14.068	63582.290814
192-8	192-9	180-02-00	119-51-13	20.288	61002.139	-4503.669	-19.304	86941.068564
192-9	192-10	136-42-57	76-34-10	2.991	60992.040	-4486.073	-9.404	42187.852542
192-10	192-11	137-53-32	34-27-42	11.385	60992.735	-4483.163	10.082	-45200.131038
192-11	192-12	181-39-40	36-07-22	30.095	61002.123	-4476.721	33.697	-150850.103776
192-12	192-21	132-20-21	348-27-43	3.011	61026.432	-4458.979	27.259	-121548.240772
192-21	192-22	132-18-16	300-45-59	19.423	61029.382	-4459.582	12.885	-57463.839366
192-22	192-23	180-06-19	300-52-18	16.926	61039.317	-4476.271	18.620	-83350.118218
192-23	192-24	181-48-01	302-40-19	3.714	61048.002	-4490.799	10.690	-48005.891301
192-24	192-25	180-33-23	303-13-42	14.013	61050.007	-4493.925	9.683	-43516.842954
							倍面積	5196.467442
							面積	2598.233721
							坪數	785.96







平成12年9月29日作成

\* \* 面積計算 (座標法) \* \* (Work No.512)

地 點	番 : 193BL 視準點	內角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
193-1	193-2	131-36-20	254-30-04	4.994	61089.199	-4652.764	12.234	-56920.543733
193-2	193-4	131-42-52	206-12-56	19.015	61087.864	-4657.576	-18.394	85669.806839
193-4	193-5	179-58-57	206-11-53	8.585	61070.805	-4665.976	-24.762	115539.706378
193-5	193-6	180-06-45	206-18-38	9.019	61063.102	-4669.766	-15.788	73727.271502
193-6	193-7	136-30-27	162-49-05	4.998	61055.017	-4673.764	-12.860	60105.854350
193-7	193-8	136-35-17	119-24-22	9.785	61050.242	-4672.288	-9.579	44758.035876
193-8	193-10	180-03-26	119-27-48	12.981	61045.437	-4663.764	-11.189	52182.854674
193-10	193-11	180-00-54	119-28-42	15.713	61039.053	-4652.462	-14.117	65679.019823
193-11	193-13	179-58-01	119-26-43	18.270	61031.320	-4638.783	-16.714	77532.482984
193-13	193-15	180-01-12	119-27-55	14.382	61022.339	-4622.872	-16.056	74224.839779
193-15	193-18	180-00-55	119-28-50	19.357	61015.264	-4610.351	-16.600	76534.062381
193-18	193-19	179-57-46	119-26-36	0.762	61005.738	-4593.500	-9.901	45478.262502
193-19	193-21	179-59-57	119-26-33	13.592	61005.364	-4592.837	-7.056	32405.247930
193-21	193-22	179-59-43	119-26-16	19.981	60998.683	-4581.000	-16.501	75592.040934
193-22	193-23	180-13-14	119-39-30	6.915	60988.863	-4563.599	-13.242	60429.133101
193-23	193-24	163-27-22	103-06-52	10.660	60985.441	-4557.591	-5.840	26617.193776
193-24	193-25	180-10-39	103-17-31	9.946	60983.022	-4547.209	-4.705	21396.607897
193-25	193-26	180-00-35	103-18-06	22.072	60980.736	-4537.529	-7.365	33419.487503
193-26	193-27	179-37-40	102-55-46	15.832	60975.657	-4516.049	-8.621	38932.175649
193-27	193-67	180-00-00	102-55-46	1.096	60972.115	-4500.618	-3.788	17046.950710
193-67	193-68	145-46-45	68-42-31	3.000	60971.870	-4499.550	0.844	-3798.148860
193-68	193-69	145-46-44	34-29-15	13.710	60972.959	-4496.755	12.389	-55712.096981
193-69	193-70	132-39-39	347-08-54	3.000	60984.259	-4488.992	14.225	-63855.515511
193-70	193-30	132-39-39	299-48-33	1.198	60987.184	-4489.659	3.521	-15806.440890
193-30	193-31	180-00-00	299-48-33	14.997	60987.780	-4490.699	8.051	-36153.976287
193-31	193-32	180-01-59	299-50-32	21.918	60995.235	-4503.712	18.362	-82695.953974
193-32	193-33	179-58-57	299-49-29	16.368	61006.141	-4522.723	19.047	-86144.742194
193-33	193-34	183-01-29	302-50-58	15.356	61014.282	-4536.923	16.470	-74722.897632
193-34	193-71	180-02-56	302-53-54	13.148	61022.611	-4549.823	15.471	-70389.894485
193-71	193-72	179-59-24	302-53-18	12.510	61029.753	-4560.863	13.934	-63553.043079
193-72	193-73	179-55-40	302-48-58	4.915	61036.546	-4571.368	9.457	-43229.230371
193-73	193-74	180-02-36	302-51-34	2.614	61039.209	-4575.498	4.082	-18675.470378
193-74	193-75	180-05-29	302-57-03	3.677	61040.627	-4577.694	3.418	-15646.015271
193-75	193-38	179-56-05	302-53-08	7.203	61042.627	-4580.779	5.911	-27076.710685
193-38	193-65	180-04-25	302-57-33	4.235	61046.538	-4586.828	6.215	-28507.486337
193-65	193-40	179-55-51	302-53-24	19.250	61048.842	-4590.381	12.757	-58559.898207
193-40	193-41	180-01-04	302-54-28	10.033	61059.295	-4606.546	15.904	-73261.512523
193-41	193-42	180-00-19	302-54-47	8.528	61064.746	-4614.969	10.084	-46538.215125
193-42	193-44	179-59-46	302-54-33	11.505	61069.380	-4622.128	10.884	-50309.480316
193-44	193-1	179-59-11	302-53-44	24.983	61075.630	-4631.787	19.819	-91798.167345
							倍面積	13915.594402
							面積	6957.797201
							坪數	2104.73







\* \* 面積計算 (座標法) \* \* (Work No.651)

地 器械点	番 : 194BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
194-1	194-2	137-38-25	258-28-04	3.035	61025.160	-4452.437	7.245	-32258.620678
194-2	194-3	137-38-11	216-06-15	12.661	61024.553	-4455.410	-10.836	48280.495923
194-3	194-4	179-59-07	216-05-22	17.949	61014.323	-4462.871	-24.734	110386.397966
194-4	194-5	178-25-55	214-31-17	10.842	60999.819	-4473.444	-23.438	104847.138630
194-5	194-6	132-58-22	167-29-39	3.005	60990.886	-4479.588	-11.866	53156.726973
194-6	194-7	132-18-30	119-48-09	10.109	60987.952	-4478.938	-7.958	35643.030262
194-7	194-8	145-27-44	85-15-53	4.990	60982.928	-4470.166	-4.613	20618.789054
194-8	194-9	145-20-38	50-36-31	27.266	60983.340	-4465.192	17.715	-79102.125378
194-9	194-10	180-10-50	50-47-21	7.414	61000.643	-4444.121	21.990	-97726.928586
194-10	194-11	124-53-46	355-41-07	12.012	61005.330	-4438.376	16.665	-73964.976880
194-11	194-1	125-08-32	300-49-39	15.322	61017.308	-4439.280	19.830	-88030.271968
							倍面積	1849.655317
							面積	924.827658
							坪數	279.76






\* \* 面積計算 (座標法) \* \* (Work No.654)

地 器械点	番 : 195BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
195-1	195-2	137-22-27	257-12-47	3.003	60983.064	-4482.476	2.528	-11332.991484
195-2	195-3	137-17-19	214-30-06	12.696	60982.399	-4485.405	-11.128	49912.566381
195-3	195-4	143-04-51	177-34-57	3.045	60971.936	-4492.596	-13.506	60675.041323
195-4	195-5	142-59-10	140-34-07	2.528	60968.894	-4492.468	-4.995	22440.058135
195-5	195-6	136-35-57	97-10-04	3.029	60966.941	-4490.862	-2.331	10466.631029
195-6	195-7	136-26-37	53-36-41	13.971	60966.563	-4487.856	7.910	-35501.115246
195-7	195-8	122-57-44	356-34-25	5.028	60974.852	-4476.610	13.308	-59574.387618
195-8	195-1	123-15-55	299-50-20	6.417	60979.871	-4476.910	8.212	-36765.864368
							倍面積	319.938152
							面積	159.969076
							坪數	48.39





\* \* 面積計算 (座標法) \* \* (Work No.719)

地 器械点	番 : 196BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
196-1	196-2	131-23-37	231-37-55	4.995	61097.471	-4810.764	-0.772	3713.802520
196-2	196-3	131-26-30	183-04-25	17.691	61094.370	-4814.680	-20.766	99981.200248
196-3	196-4	180-00-22	183-04-47	20.048	61076.705	-4815.629	-37.684	181472.878327
196-4	196-5	180-12-52	183-17-39	0.088	61056.686	-4816.706	-20.107	96849.272771
196-5	196-6	178-59-03	182-16-42	18.034	61056.598	-4816.711	-18.108	87219.795971
196-6	196-7	179-16-33	181-33-15	12.190	61038.579	-4817.428	-30.205	145510.459253
196-7	196-8	134-29-48	136-03-03	5.042	61026.393	-4817.759	-15.815	76194.907912
196-8	196-9	134-15-38	90-18-41	13.291	61022.763	-4814.259	-3.702	17824.023354
196-9	196-11	180-05-41	90-24-22	11.067	61022.691	-4800.968	-0.151	723.309058
196-11	196-13	180-07-07	90-31-29	4.012	61022.612	-4789.902	-0.115	551.569155
196-13	196-14	180-04-05	90-35-34	3.995	61022.576	-4785.890	-0.078	373.605236
196-14	196-15	179-56-28	90-32-02	11.075	61022.534	-4781.896	-0.145	691.059458
196-15	196-19	179-58-43	90-30-45	23.284	61022.431	-4770.821	-0.311	1485.843463
196-19	196-20	179-59-01	90-29-46	7.853	61022.223	-4747.538	-0.276	1311.477375
196-20	196-21	186-27-50	96-57-36	14.414	61022.155	-4739.685	-1.815	8600.941416
196-21	196-23	180-03-04	97-00-40	15.437	61020.408	-4725.377	-3.631	17157.434774
196-23	196-24	179-59-46	97-00-26	17.466	61018.524	-4710.056	-4.015	18910.756361
196-24	196-25	137-24-58	54-25-24	4.993	61016.393	-4692.721	0.774	-3632.161509
196-25	196-27	137-02-37	11-28-01	14.983	61019.298	-4688.660	17.588	-82465.145352
196-27	196-28	180-02-35	11-30-36	12.059	61033.981	-4685.681	26.500	-124171.519688
196-28	196-29	141-03-07	332-33-43	5.004	61045.798	-4683.275	16.257	-76138.018504
196-29	196-30	141-17-54	293-51-37	11.540	61050.239	-4685.581	9.109	-42678.852076
196-30	196-31	179-59-40	293-51-17	12.096	61054.907	-4696.134	9.560	-44893.090169
196-31	196-33	179-58-51	293-50-08	13.810	61059.798	-4707.196	10.473	-49296.926090
196-33	196-34	179-59-37	293-49-45	17.347	61065.379	-4719.829	12.589	-59419.731200
196-34	196-85	180-06-37	293-56-22	9.373	61072.388	-4735.697	10.812	-51200.966028
196-85	196-35	179-59-54	293-56-16	2.774	61076.191	-4744.264	4.929	-23383.133670
196-35	196-36	179-58-32	293-54-48	12.543	61077.317	-4746.799	6.210	-29475.923527
196-36	196-37	180-00-26	293-55-14	13.160	61082.401	-4758.265	10.420	-49582.181567
196-37	196-38	180-01-00	293-56-14	7.350	61087.737	-4770.295	8.318	-39679.879905
196-38	196-39	179-58-47	293-55-01	2.909	61090.719	-4777.013	4.162	-19879.558076
196-39	196-41	166-11-24	280-06-25	18.486	61091.898	-4779.672	4.423	-21142.731858
196-41	196-1	180-07-53	280-14-18	13.101	61095.142	-4797.871	5.573	-26737.178314
							倍面積	14795.339121
							面積	7397.669560
							坪數	2237.79


1



\* \* 面積計算 (座標法) \* \* (Work No.704)

地 器械点	番 : 197BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
197-1	197-2	133-35-37	224-04-06	4.991	61016.776	-4814.224	-3.487	16788.512033
197-2	197-4	133-54-51	177-58-57	13.038	61013.190	-4817.696	-16.616	80052.648018
197-4	197-59	180-00-43	177-59-40	7.421	61000.160	-4817.237	-20.447	98496.497882
197-59	197-5	180-03-21	178-03-01	14.666	60992.743	-4816.977	-22.074	106330.331065
197-5	197-6	134-47-36	132-50-37	5.023	60978.086	-4816.478	-18.073	87049.123457
197-6	197-7	134-04-17	86-54-54	3.697	60974.670	-4812.795	-3.217	15482.084299
197-7	197-8	180-50-41	87-45-35	4.012	60974.869	-4809.103	0.356	-1711.025087
197-8	197-9	180-21-48	88-07-23	3.983	60975.026	-4805.095	0.287	-1380.218781
197-9	197-11	180-17-07	88-24-30	4.297	60975.156	-4801.114	0.250	-1199.222813
197-11	197-12	180-23-07	88-47-37	3.744	60975.276	-4796.819	0.198	-950.609208
197-12	197-13	180-18-32	89-06-09	4.019	60975.355	-4793.076	0.142	-679.549407
197-13	197-14	180-15-14	89-21-23	3.989	60975.417	-4789.058	0.108	-516.067420
197-14	197-15	180-28-41	89-50-04	4.005	60975.462	-4785.069	0.056	-269.833874
197-15	197-16	180-15-24	90-05-28	4.013	60975.474	-4781.064	0.005	-24.807027
197-16	197-17	180-23-48	90-29-16	4.018	60975.467	-4777.050	-0.041	193.895219
197-17	197-18	180-19-10	90-48-26	3.992	60975.433	-4773.033	-0.090	431.725578
197-18	197-19	180-21-43	91-10-09	4.021	60975.377	-4769.041	-0.138	659.617456
197-19	197-20	180-14-40	91-24-49	4.008	60975.295	-4765.020	-0.181	862.138415
197-20	197-21	180-20-27	91-45-16	3.977	60975.196	-4761.013	-0.221	1050.447611
197-21	197-22	180-23-29	92-08-45	2.655	60975.074	-4757.038	-0.221	1052.170783
197-22	197-23	179-57-50	92-06-35	1.361	60974.975	-4754.385	-0.150	710.902275
197-23	197-24	180-29-50	92-36-25	4.036	60974.925	-4753.025	-0.234	1110.749115
197-24	197-25	180-18-32	92-54-57	3.982	60974.741	-4748.993	-0.386	1833.795019
197-25	197-26	180-21-15	93-16-12	4.015	60974.539	-4745.016	-0.432	2047.939877
197-26	197-27	180-08-32	93-24-44	4.009	60974.310	-4741.007	-0.468	2217.213029
197-27	197-28	180-32-28	93-57-12	4.012	60974.071	-4737.005	-0.515	2440.722319
197-28	197-29	180-16-29	94-13-41	3.996	60973.794	-4733.002	-0.571	2703.627217
197-29	197-30	180-13-27	94-27-08	4.012	60973.500	-4729.017	-0.606	2866.099807
197-30	197-31	180-26-56	94-54-04	4.009	60973.188	-4725.017	-0.654	3089.861112
197-31	197-32	180-16-27	95-10-31	4.003	60972.846	-4721.023	-0.704	3321.468227
197-32	197-33	180-26-58	95-37-29	3.424	60972.485	-4717.037	-0.697	3286.114515
197-33	197-35	180-21-58	95-59-27	4.567	60972.149	-4713.629	-0.812	3828.482654
197-35	197-36	180-20-30	96-19-57	4.047	60971.673	-4709.087	-0.923	4346.663270
197-36	197-37	180-15-51	96-35-48	3.107	60971.226	-4705.065	-0.803	3779.943137
197-37	197-38	137-42-11	54-17-59	4.998	60970.869	-4701.978	2.559	-12034.269075
197-38	197-39	136-57-05	11-15-04	3.624	60973.786	-4697.919	6.471	-30400.670956
197-39	197-40	180-16-12	11-31-16	10.102	60977.340	-4697.212	13.453	-63193.128672
197-40	197-41	179-59-04	11-30-20	11.751	60987.239	-4695.195	21.413	-100538.313999
197-41	197-42	180-00-48	11-31-08	7.876	60998.753	-4692.851	19.232	-90251.060406
197-42	197-43	132-47-22	324-18-30	5.004	61006.470	-4691.278	11.781	-55269.935848
197-43	197-44	132-10-40	276-29-10	1.038	61010.535	-4694.198	4.182	-19628.941974
197-44	197-45	180-28-01	276-57-11	13.555	61010.652	-4695.229	1.758	-8255.186059
197-45	197-46	180-01-21	276-58-32	27.612	61012.293	-4708.685	4.994	-23516.284897
197-46	197-47	180-09-32	277-08-04	3.994	61015.646	-4736.092	3.849	-18231.267781
197-47	197-48	173-20-01	270-28-05	13.993	61016.142	-4740.056	0.610	-2893.352228
197-48	197-50	180-03-20	270-31-25	23.638	61016.257	-4754.048	0.330	-1570.452322
197-50	197-51	179-58-30	270-29-55	21.524	61016.473	-4777.686	0.403	-1927.231386
197-51	197-52	179-49-31	270-19-26	3.047	61016.660	-4799.209	0.205	-981.831312
197-52	197-1	180-09-03	270-28-29	11.968	61016.677	-4802.256	0.116	-558.918297
							倍面積	10050.594561
							面積	5025.297280
							坪數	1520.15


198-1BL



\* \* 面積計算 (座標法) \* \* (Work No. 29)

地 器械点	番 : 198-1BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
198-3	198-4	90-03-06	191-32-00	36.044	61008.582	-4684.733	-26.054	122054.978734
198-4	198-5	132-04-27	143-36-27	5.027	60973.266	-4691.940	-39.363	184687.609330
198-5	198-6	134-31-45	98-08-12	3.781	60969.220	-4688.957	-4.581	21482.087744
198-6	198-7	180-15-17	98-23-29	4.017	60968.684	-4685.214	-1.121	5253.711616
198-7	198-8	180-12-54	98-36-23	3.994	60968.098	-4681.241	-1.184	5541.772906
198-8	198-9	180-27-22	99-03-45	3.986	60967.501	-4677.292	-1.225	5731.780181
198-9	198-10	180-23-17	99-27-02	4.011	60966.873	-4673.356	-1.286	6012.009971
198-10	198-11	180-11-32	99-38-34	4.020	60966.214	-4669.399	-1.332	6219.877896
198-11	198-12	180-28-51	100-07-25	4.004	60965.541	-4665.435	-1.377	6425.015530
198-12	198-13	180-11-42	100-19-07	4.004	60964.837	-4661.494	-1.421	6623.494858
198-13	198-14	180-24-26	100-43-33	4.012	60964.120	-4657.555	-1.464	6818.272054
198-14	198-15	180-35-48	101-19-21	4.006	60963.373	-4653.613	-1.533	7134.960770
198-15	198-16	180-11-37	101-30-58	3.998	60962.587	-4649.685	-1.585	7367.766516
198-16	198-17	180-03-16	101-34-14	4.009	60961.788	-4645.768	-1.602	7443.701627
198-17	198-18	180-20-58	101-55-12	1.989	60960.984	-4641.840	-1.215	5639.685659
198-18	198-19	180-07-06	102-02-18	2.045	60960.574	-4639.894	-0.837	3885.354245
198-19	198-21	180-33-17	102-35-35	5.228	60960.147	-4637.894	-1.566	7264.298006
198-21	198-22	134-01-40	56-37-15	4.990	60959.007	-4632.792	1.606	-7438.510549
198-22	198-23	133-52-37	10-29-52	49.357	60961.753	-4628.625	51.276	-237337.738122
198-23	198-24	144-29-50	334-59-42	4.999	61010.283	-4619.632	53.061	-245121.999653
198-24	198-25	144-26-43	299-26-25	14.673	61014.814	-4621.745	11.742	-54270.291361
198-25	198-26	72-01-52	191-28-17	23.169	61022.026	-4634.524	-15.494	71807.041251
198-26	198-3	270-00-37	281-28-54	46.533	60999.320	-4639.131	-13.443	62365.646314
							倍面積	5590.525529
							面積	2795.262764
							坪數	845.56






\* \* 面積計算 (座標法) \* \* (Work No. 33)

地番	器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
198-1	198-2	125-57-07		245-24-37	5.008	61043.984	-4673.400	19.874	-92878.763649
198-2	198-3	126-05-24		191-30-01	34.000	61041.900	-4677.954	-35.401	165606.224872
198-3	198-26	89-58-53		101-28-54	46.533	61008.582	-4684.733	-42.580	199475.978616
198-26	198-25	89-59-23		11-28-17	23.169	60999.320	-4639.131	13.443	-62365.646314
198-25	198-1	107-59-13		299-27-30	44.649	61022.026	-4634.524	44.664	-206996.928532
								倍面積	2840.864993
								面積	1420.432496
								坪數	429.68







\* \* 面積計算 (座標法) \* \* (Work No. 1)

地 器械点	番 : 199BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
199-1	199-2	125-29-21	245-05-07	5.039	61010.149	-4609.394	2.842	-13100.482627
199-2	199-3	125-22-33	190-27-40	18.728	61008.027	-4613.964	-20.539	94767.740112
199-3	199-4	180-01-06	190-28-46	29.882	60989.610	-4617.365	-47.800	220710.891856
199-4	199-5	136-42-10	147-10-56	5.015	60960.226	-4622.800	-33.599	155319.299757
199-5	199-6	137-04-42	104-15-38	2.122	60956.012	-4620.081	-4.738	21888.561275
199-6	199-7	179-41-16	103-56-54	4.018	60955.489	-4618.025	-1.491	6886.778204
199-7	199-8	178-53-06	102-50-00	30.503	60954.520	-4614.125	-7.744	35730.465856
199-8	199-9	184-05-39	106-55-39	18.338	60947.745	-4584.384	-12.115	55537.596350
199-9	199-12	180-02-16	106-57-55	31.939	60942.406	-4566.840	-14.659	66944.358051
199-12	199-13	151-25-36	78-23-31	10.093	60933.086	-4536.292	-7.289	33062.765663
199-13	199-14	152-16-21	50-39-52	28.611	60935.117	-4526.405	20.166	-91281.194302
199-14	199-15	179-59-14	50-39-06	7.403	60953.253	-4504.275	22.829	-102827.717338
199-15	199-16	180-09-23	50-48-29	5.529	60957.946	-4498.551	8.187	-36831.645698
199-16	199-17	135-01-57	5-50-26	2.999	60961.440	-4494.266	6.477	-29109.105714
199-17	199-18	134-49-27	320-39-53	3.274	60964.423	-4493.961	5.516	-24786.716168
199-18	199-19	142-16-08	282-56-01	17.358	60966.956	-4496.036	6.418	-28853.801664
199-19	199-20	179-58-06	282-54-07	4.104	60970.841	-4512.954	4.801	-21668.874516
199-20	199-21	180-25-50	283-19-57	7.507	60971.757	-4516.954	2.647	-11958.554694
199-21	199-22	179-56-00	283-15-57	35.776	60973.488	-4524.259	9.940	-44973.252049
199-22	199-23	192-58-23	296-14-20	0.051	60981.698	-4559.080	8.232	-37529.398356
199-23	199-24	183-17-37	299-31-57	12.523	60981.720	-4559.125	6.195	-28243.987902
199-24	199-26	179-53-38	299-25-35	12.786	60987.893	-4570.021	12.455	-56918.232357
199-26	199-27	180-00-24	299-25-59	4.238	60994.175	-4581.158	8.365	-38320.396600
199-27	199-28	179-57-54	299-23-53	6.412	60996.257	-4584.849	5.230	-23979.120478
199-28	199-29	180-05-47	299-29-40	11.739	60999.405	-4590.435	8.927	-40979.251171
199-29	199-1	180-06-06	299-35-46	10.053	61005.184	-4600.653	10.745	-49432.403214
							倍面積	10054.322273
							面積	5027.161136
							坪數	1520.71






\* \* 面積計算 (座標法) \* \* (Work No.402)

地 器械点	番 : 200BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
200-1	200-2	130-32-17	215-19-45	3.044	60911.828	-5324.582	-3.779	20121.258362
200-2	200-4	131-32-59	166-52-44	37.991	60909.344	-5326.343	-39.483	210298.973663
200-4	200-5	139-18-13	126-10-57	4.964	60872.345	-5317.718	-39.930	212335.315800
200-5	200-6	138-33-10	84-44-07	9.030	60869.414	-5313.712	-2.102	11169.593046
200-6	200-7	180-02-18	84-46-25	47.761	60870.243	-5304.719	5.179	-27474.840875
200-7	200-8	132-04-29	36-50-54	4.997	60874.594	-5257.157	8.350	-43895.762370
200-8	200-9	132-09-15	349-00-09	36.330	60878.593	-5254.160	39.662	-208391.960820
200-9	200-10	137-57-18	306-57-27	4.995	60914.256	-5261.091	38.666	-203426.560607
200-10	200-11	137-49-30	264-46-57	45.481	60917.259	-5265.082	-1.133	5964.741052
200-11	200-1	180-00-31	264-47-28	14.267	60913.123	-5310.374	-5.431	28841.224357
							倍面積	5541.981608
							面積	2770.990804
							坪數	838.22







\* \* 面積計算 (座標法) \* \* (Work No.479)

地 器械点	番 : 201BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
201-1	201-2	131-47-38	216-48-05	4.978	60918.440	-5252.030	-4.237	22253.673335
201-2	201-55	132-12-11	169-00-16	27.368	60914.455	-5255.012	-30.851	162123.178222
201-55	201-3	180-01-40	169-01-56	8.897	60887.589	-5249.792	-35.600	186889.985685
201-3	201-4	137-16-13	126-18-09	4.994	60878.855	-5248.099	-11.691	61353.266079
201-4	201-5	137-07-05	83-25-14	0.996	60875.899	-5244.075	-2.842	14905.682102
201-5	201-6	180-24-25	83-49-39	25.780	60876.013	-5243.085	2.886	-15131.428860
201-6	201-7	179-59-42	83-49-21	19.735	60878.785	-5217.455	4.896	-25542.305824
201-7	201-8	180-01-11	83-50-32	50.490	60880.908	-5197.834	7.540	-39190.115804
201-8	201-9	179-53-44	83-44-16	5.640	60886.324	-5147.635	6.031	-31046.634844
201-9	201-11	180-05-13	83-49-29	16.409	60886.940	-5142.028	2.380	-12239.988266
201-11	201-12	180-07-04	83-56-33	7.856	60888.705	-5125.715	2.594	-13296.860481
201-12	201-13	181-41-33	85-38-06	7.200	60889.534	-5117.903	1.377	-7047.297831
201-13	201-15	180-04-34	85-42-40	8.381	60890.082	-5110.724	1.175	-6003.731117
201-15	201-17	179-49-18	85-31-58	11.229	60890.708	-5102.367	1.501	-7660.571181
201-17	201-18	180-18-30	85-50-28	11.967	60891.583	-5091.172	1.742	-8871.355565
201-18	201-19	179-50-03	85-40-31	8.394	60892.451	-5079.236	1.501	-7623.456799
201-19	201-20	134-12-04	39-52-35	5.041	60893.084	-5070.866	4.501	-22825.408741
201-20	201-23	135-50-25	355-43-00	14.419	60896.952	-5067.634	18.247	-92466.922498
201-23	201-24	179-49-22	355-32-22	20.165	60911.330	-5068.711	34.482	-174778.123705
201-24	201-25	135-23-45	310-56-07	4.834	60931.434	-5070.279	23.271	-117987.979941
201-25	201-27	134-02-25	264-58-32	9.427	60934.601	-5073.931	2.341	-11880.260084
201-27	201-29	179-49-03	264-47-35	13.025	60933.775	-5083.322	-2.008	10205.666140
201-29	201-30	180-01-33	264-49-08	13.253	60932.593	-5096.293	-2.379	12123.362838
201-30	201-31	179-53-23	264-42-31	4.113	60931.397	-5109.491	-1.576	8053.324716
201-31	201-32	180-10-24	264-52-55	8.032	60931.017	-5113.587	-1.096	5603.662193
201-32	201-33	179-55-10	264-48-05	8.580	60930.301	-5121.587	-1.494	7651.418264
201-33	201-35	179-58-54	264-46-59	33.036	60929.523	-5130.132	-3.781	19398.515247
201-35	201-37	180-02-23	264-49-22	35.631	60926.519	-5163.031	-6.219	32108.446064
201-37	201-38	179-58-59	264-48-21	11.038	60923.304	-5198.516	-4.214	21908.456304
201-38	201-40	179-57-48	264-46-09	12.585	60922.305	-5209.509	-2.147	11182.649082
201-40	201-41	180-02-01	264-48-10	27.222	60921.158	-5222.041	-3.613	18868.553849
201-41	201-1	180-12-17	265-00-27	2.890	60918.692	-5249.151	-2.717	14264.067036
							倍面積	15301.465614
							面積	7650.732807
							坪數	2314.34



191



\* \* 面積計算 (座標法) \* \* (Work No.429)

地 器械点	番 : 202BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
202-1	202-2	130-55-16	215-45-21	4.993	60865.965	-5285.648	-4.891	25853.826800
202-2	202-3	131-34-27	167-19-48	1.035	60861.913	-5288.565	-5.062	26772.717530
202-3	202-4	179-19-52	166-39-40	3.976	60860.903	-5288.338	-4.879	25800.389461
202-4	202-5	180-12-14	166-51-54	17.081	60857.034	-5287.421	-20.503	108409.163739
202-5	202-6	179-59-28	166-51-22	8.166	60840.400	-5283.539	-24.586	129902.100282
202-6	202-9	180-00-55	166-52-17	36.162	60832.448	-5281.683	-43.169	228004.103494
202-9	202-10	139-20-41	126-12-58	5.008	60797.231	-5273.469	-38.176	201321.308777
202-10	202-11	139-49-01	86-01-59	1.427	60794.272	-5269.428	-2.860	15071.977386
202-11	202-12	179-28-53	85-30-52	11.543	60794.371	-5268.004	1.001	-5275.798167
202-12	202-13	180-05-11	85-36-03	14.534	60795.273	-5256.497	2.018	-10605.127628
202-13	202-14	131-46-38	37-22-41	4.996	60796.388	-5242.006	5.085	-26654.807686
202-14	202-15	131-32-59	348-55-40	10.410	60800.358	-5238.973	14.187	-74323.189861
202-15	202-16	180-05-01	349-00-41	12.612	60810.575	-5240.972	22.597	-118430.327826
202-16	202-18	179-58-48	348-59-29	12.803	60822.955	-5243.376	24.947	-130808.541442
202-18	202-19	180-01-12	349-00-41	16.078	60835.522	-5245.821	28.350	-148717.780413
202-19	202-20	180-03-36	349-04-17	14.684	60851.305	-5248.885	30.200	-158517.971491
202-20	202-21	137-48-07	306-52-24	4.985	60865.722	-5251.669	17.409	-91424.753289
202-21	202-22	137-50-36	264-43-00	14.893	60868.714	-5255.657	1.620	-8513.857457
202-22	202-23	180-03-17	264-46-17	5.904	60867.342	-5270.486	-1.909	10062.964380
202-23	202-1	180-03-48	264-50-05	9.320	60866.804	-5276.365	-1.377	7265.867126
							倍面積	5192.263715
							面積	2596.131857
							坪數	785.32



194



\* \* 面積計算 (座標法) \* \* (Work No.836)

地 器械点	番 : 203BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
203-1	203-2	132-29-51	216-22-32	5.007	60870.029	-5242.646	-6.434	33729.507373
203-2	203-3	132-34-53	168-57-25	12.725	60865.997	-5245.615	-16.521	86663.079469
203-3	203-4	180-07-26	169-04-51	13.158	60853.508	-5243.177	-25.409	133225.759751
203-4	203-5	137-27-48	126-32-39	5.029	60840.588	-5240.685	-15.914	83400.122694
203-5	203-8	137-16-10	83-48-49	26.096	60837.594	-5236.645	-0.182	953.810370
203-8	203-9	180-03-54	83-52-43	14.425	60840.406	-5210.701	4.350	-22668.970178
203-9	203-10	179-59-32	83-52-15	12.902	60841.944	-5196.358	2.916	-15151.420824
203-10	203-11	180-00-36	83-52-51	16.029	60843.322	-5183.529	3.086	-15997.437949
203-11	203-12	180-01-12	83-54-03	17.562	60845.030	-5167.591	3.575	-18472.006051
203-12	203-13	179-55-47	83-49-50	13.030	60846.896	-5150.129	3.266	-16821.414914
203-13	203-14	180-02-37	83-52-27	10.308	60848.296	-5137.175	2.500	-12844.318721
203-14	203-15	139-14-47	43-07-14	4.964	60849.396	-5126.925	4.723	-24216.390084
203-15	203-16	141-37-44	4-44-58	26.313	60853.020	-5123.532	29.846	-152915.062950
203-16	203-17	129-37-12	314-22-10	4.996	60879.242	-5121.354	29.716	-152187.105277
203-17	203-18	129-25-06	263-47-16	15.967	60882.736	-5124.925	1.766	-9051.356661
203-18	203-19	180-04-32	263-51-48	11.132	60881.008	-5140.799	-2.918	15000.063458
203-19	203-20	179-58-15	263-50-03	68.778	60879.818	-5151.867	-8.577	44188.765952
203-20	203-1	180-02-38	263-52-41	22.527	60872.431	-5220.247	-9.790	51103.990291
							倍面積	7939.615748
							面積	3969.807874
							坪數	1200.86







\* \* 面積計算 (座標法) \* \* (Work No.824)

地 器械点	番 : 204BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
204-1	204-2	132-35-38	216-29-24	5.007	60831.725	-5235.208	-5.507	28831.835954	
204-2	204-3	132-31-43	169-01-07	27.795	60827.699	-5238.185	-31.312	164016.092155	
204-3	204-4	138-09-17	127-10-24	4.996	60800.413	-5232.891	-30.305	158582.003758	
204-4	204-5	138-29-13	85-39-37	11.311	60797.394	-5228.910	-2.163	11308.868214	
204-5	204-6	179-55-11	85-34-48	39.310	60798.250	-5217.631	3.885	-20272.274597	
204-6	204-7	180-00-11	85-34-59	14.460	60801.280	-5178.438	4.143	-21454.612578	
204-7	204-27	180-00-27	85-35-26	15.010	60802.393	-5164.021	2.268	-11710.327141	
204-27	204-8	179-56-35	85-32-01	5.320	60803.547	-5149.055	1.568	-8075.378511	
204-8	204-9	180-08-36	85-40-37	13.048	60803.962	-5143.752	1.398	-7189.890949	
204-9	204-10	139-07-52	44-48-29	5.002	60804.945	-5130.741	4.532	-23253.216904	
204-10	204-11	139-57-02	4-45-31	11.275	60808.494	-5127.216	14.784	-75802.594320	
204-11	204-12	179-49-30	4-35-01	7.302	60819.730	-5126.281	18.514	-94908.414629	
204-12	204-13	180-13-30	4-48-31	4.315	60827.008	-5125.697	11.578	-59344.794963	
204-13	204-14	180-04-17	4-52-48	8.460	60831.307	-5125.336	12.729	-65242.037296	
204-14	204-15	129-22-56	314-15-44	5.022	60839.737	-5124.616	11.935	-61159.986413	
204-15	204-16	129-33-07	263-48-51	19.654	60843.242	-5128.212	1.387	-7112.879139	
204-16	204-17	180-02-25	263-51-16	34.751	60841.124	-5147.752	-5.838	30053.261351	
204-17	204-18	180-01-10	263-52-26	24.880	60837.404	-5182.304	-6.375	33039.562282	
204-18	204-19	179-58-28	263-50-54	14.392	60834.749	-5207.042	-4.197	21855.647800	
204-19	204-1	180-02-52	263-53-46	13.936	60833.207	-5221.350	-3.024	15789.884624	
								倍面積	7950.748695
								面積	3975.374347
								坪数	1202.55







\* \* 面積計算 (座標法) \* \* (Work No.193)

地 器械点	番 : 205BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
205-1	205-2	140-03-05	225-34-18	4.968	60883.968	-5111.674	-4.395	22463.531777
205-2	205-3	139-15-23	184-49-41	10.760	60880.490	-5115.222	-14.199	72633.027859
205-3	205-4	179-50-50	184-40-31	16.306	60869.768	-5116.128	-26.974	138000.336944
205-4	205-5	133-09-12	137-49-43	4.997	60853.516	-5117.457	-19.955	102120.367441
205-5	205-6	133-54-58	91-44-41	13.624	60849.813	-5114.102	-4.118	21061.195847
205-6	205-8	173-27-08	85-11-49	6.481	60849.398	-5100.484	0.128	-652.010228
205-8	205-9	180-18-14	85-30-03	7.477	60849.941	-5094.026	1.129	-5752.087867
205-9	205-10	180-05-18	85-35-21	12.974	60850.527	-5086.573	1.584	-8058.922425
205-10	205-11	179-50-45	85-26-06	5.781	60851.525	-5073.637	1.458	-7397.146527
205-11	205-12	180-22-22	85-48-28	7.228	60851.985	-5067.874	0.988	-5009.575963
205-12	205-13	179-51-16	85-39-44	9.406	60852.514	-5060.666	1.240	-6273.996025
205-13	205-14	134-42-07	40-21-51	5.014	60853.225	-5051.287	4.532	-22890.380983
205-14	205-15	135-08-14	355-30-05	13.736	60857.045	-5048.040	17.514	-88409.655690
205-15	205-16	180-06-28	355-36-33	14.383	60870.739	-5049.118	28.034	-141546.525082
205-16	205-17	135-35-58	311-12-31	5.039	60885.079	-5050.219	17.660	-89187.074070
205-17	205-19	134-28-16	265-40-47	8.335	60888.399	-5054.009	2.692	-13603.912119
205-19	205-20	179-34-13	265-15-00	3.602	60887.771	-5062.321	-0.926	4688.284091
205-20	205-21	180-32-49	265-47-49	8.471	60887.473	-5065.910	-0.919	4656.100720
205-21	205-22	179-51-29	265-39-18	12.062	60886.852	-5074.358	-1.535	7787.540656
205-22	205-23	179-45-55	265-25-13	3.442	60885.938	-5086.385	-1.189	6045.827541
205-23	205-24	180-11-43	265-36-56	10.185	60885.663	-5089.816	-1.053	5361.589238
205-24	205-1	179-54-17	265-31-13	11.739	60884.885	-5099.971	-1.695	8646.878179
							倍面積	4683.393314
							面積	2341.696657
							坪數	708.36






\* \* 面積計算 (座標法) \* \* (Work No.273)

地 器械点	番 : 206BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
206-1	206-2	136-28-50	228-27-34	5.013	60843.837	-5114.792	-2.856	14605.893718	
206-2	206-3	136-22-06	184-49-40	14.072	60840.512	-5118.544	-17.347	88791.079548	
206-3	206-4	179-05-36	183-55-16	0.625	60826.490	-5119.729	-14.646	74982.298173	
206-4	206-5	180-44-01	184-39-17	16.393	60825.867	-5119.772	-16.963	86844.587332	
206-5	206-6	130-39-56	135-19-13	5.006	60809.527	-5121.102	-19.899	101904.429858	
206-6	206-8	130-14-02	85-33-15	14.321	60805.968	-5117.582	-2.450	12536.488055	
206-8	206-9	180-06-06	85-39-21	19.677	60807.078	-5103.304	2.601	-13271.585695	
206-9	206-10	179-55-40	85-35-01	5.043	60808.568	-5083.683	1.879	-9551.278899	
206-10	206-13	180-05-21	85-40-22	13.313	60808.956	-5078.656	1.393	-7073.742962	
206-13	206-14	179-40-11	85-20-33	7.480	60809.961	-5065.380	1.612	-8165.084156	
206-14	206-15	180-08-56	85-29-29	3.445	60810.568	-5057.925	0.878	-4441.976078	
206-15	206-17	180-11-36	85-41-05	6.545	60810.839	-5054.490	0.763	-3857.900785	
206-17	206-18	134-47-44	40-28-49	4.968	60811.332	-5047.964	4.271	-21561.645641	
206-18	206-19	135-07-49	355-36-38	12.576	60815.111	-5044.739	16.318	-82317.846455	
206-19	206-20	179-50-24	355-27-02	2.871	60827.649	-5045.701	15.401	-77707.695989	
206-20	206-21	179-51-30	355-18-32	13.492	60830.511	-5045.929	16.308	-82291.221043	
206-21	206-22	135-40-40	310-59-12	5.033	60843.958	-5047.032	16.748	-84526.052564	
206-22	206-23	134-27-34	265-26-46	7.417	60847.259	-5050.832	2.712	-13700.035525	
206-23	206-24	180-02-34	265-29-20	7.979	60846.670	-5058.226	-1.216	6153.103882	
206-24	206-25	180-15-07	265-44-27	3.023	60846.043	-5066.180	-0.852	4316.743365	
206-25	206-26	179-51-53	265-36-20	3.587	60845.818	-5069.195	-0.499	2531.623745	
206-26	206-27	180-08-53	265-45-13	7.416	60845.543	-5072.772	-0.824	4179.874005	
206-27	206-28	179-53-03	265-38-16	10.969	60844.994	-5080.167	-1.383	7028.177303	
206-28	206-29	179-37-57	265-16-13	2.915	60844.160	-5091.105	-1.075	5471.474325	
206-29	206-30	180-13-21	265-29-34	7.145	60843.919	-5094.010	-0.802	4084.509477	
206-30	206-31	191-13-48	276-43-22	0.085	60843.358	-5101.132	-0.551	2813.105687	
206-31	206-1	175-15-22	271-58-44	13.583	60843.368	-5101.217	0.479	-2443.526948	
								倍面積	5333.795737
								面積	2666.897868
								坪數	806.73



1



\* \* 面積計算 (座標法) \* \* (Work No.188)

地 器械点	番 : 207BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
207-1	207-2	130-48-14	217-14-49	4.982	60791.497	-5227.376	-4.029	21062.932130
207-2	207-3	131-36-26	168-51-15	4.686	60787.531	-5230.391	-8.563	44786.889501
207-3	207-4	180-10-04	169-01-19	20.726	60782.934	-5229.485	-24.944	130446.383169
207-4	207-5	138-31-39	127-32-58	5.007	60762.587	-5225.538	-23.398	122269.616561
207-5	207-7	138-24-45	85-57-43	34.470	60759.535	-5221.569	-0.624	3258.463450
207-7	207-8	180-00-39	85-58-22	47.455	60761.963	-5187.185	5.760	-29878.284182
207-8	207-10	179-50-10	85-48-32	6.057	60765.295	-5139.847	3.775	-19404.898781
207-10	207-11	180-13-06	86-01-38	12.022	60765.738	-5133.806	1.276	-6548.646188
207-11	207-12	179-56-46	85-58-24	36.365	60766.571	-5121.813	3.386	-17344.726284
207-12	207-13	134-49-33	40-47-57	4.976	60769.124	-5085.538	6.320	-32142.145735
207-13	207-14	134-39-23	355-27-20	10.329	60772.891	-5082.286	14.064	-71475.491706
207-14	207-15	180-38-26	356-05-46	3.954	60783.188	-5083.105	14.242	-72393.329909
207-15	207-16	179-33-18	355-39-04	11.837	60787.133	-5083.374	15.748	-80051.791951
207-16	207-17	135-00-38	310-39-42	4.985	60798.936	-5084.272	15.051	-76522.734711
207-17	207-18	135-11-14	265-50-56	7.756	60802.184	-5088.053	2.687	-13670.110789
207-18	207-19	179-48-10	265-39-06	8.054	60801.623	-5095.789	-1.172	5972.941130
207-19	207-20	179-56-53	265-35-59	38.454	60801.012	-5103.820	-3.561	18175.037879
207-20	207-21	179-59-58	265-35-57	28.566	60798.062	-5142.161	-5.142	26442.641042
207-21	207-22	179-56-45	265-32-42	18.885	60795.870	-5170.643	-3.659	18918.686506
207-22	207-24	180-02-20	265-35-02	32.961	60794.403	-5189.471	-4.005	20783.324241
207-24	207-25	180-04-55	265-39-57	4.026	60791.865	-5222.334	-2.842	14843.060836
207-25	207-1	180-46-38	266-26-35	1.029	60791.560	-5226.349	-0.368	1923.787654
							倍面積	9451.603864
							面積	4725.801932
							坪數	1429.55



208BL



\* \* 面積計算 (座標法) \* \* (Work No.436)

地 器械点	番 : 視準点	208BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
208-1	208-2	131-37-18	217-34-19	4.988	60753.633	-5219.987	-6.235	32546.809292
208-2	208-3	131-25-20	168-59-39	14.772	60749.679	-5223.028	-18.454	96386.367618
208-3	208-4	179-53-38	168-53-17	2.167	60735.179	-5220.208	-16.627	86794.466632
208-4	208-5	180-11-06	169-04-23	14.025	60733.052	-5219.791	-15.897	82981.012614
208-5	208-6	137-39-33	126-43-56	5.015	60719.281	-5217.132	-16.771	87494.694626
208-6	208-7	137-29-28	84-13-24	13.243	60716.282	-5213.113	-1.667	8688.572248
208-7	208-8	180-04-46	84-18-10	15.879	60717.614	-5199.937	2.909	-15127.707793
208-8	208-9	179-58-19	84-16-29	17.580	60719.191	-5184.137	3.330	-17264.056106
208-9	208-10	179-58-41	84-15-10	32.823	60720.945	-5166.644	5.041	-26043.632102
208-10	208-12	180-00-36	84-15-46	19.728	60724.232	-5133.985	5.259	-26999.379756
208-12	208-13	179-59-49	84-15-35	4.166	60726.204	-5114.357	2.389	-12216.821791
208-13	208-14	180-01-44	84-17-19	16.253	60726.620	-5110.212	2.034	-10394.792656
208-14	208-15	180-03-48	84-21-07	11.683	60728.238	-5094.040	2.767	-14096.841083
208-15	208-16	135-27-37	39-48-44	4.998	60729.388	-5082.413	4.989	-25358.082128
208-16	208-17	135-42-07	355-30-51	26.753	60733.227	-5079.212	30.510	-154969.025047
208-17	208-18	135-10-33	310-41-24	4.999	60759.898	-5081.305	29.930	-152084.244763
208-18	208-19	135-07-09	265-48-33	12.395	60763.157	-5085.095	2.353	-11967.320497
208-19	208-20	180-08-13	265-56-46	16.251	60762.251	-5097.457	-2.055	10473.663412
208-20	208-21	179-54-47	265-51-33	4.169	60761.103	-5113.667	-1.450	7414.581007
208-21	208-22	180-10-21	266-01-54	15.426	60760.802	-5117.826	-1.369	7004.340144
208-22	208-23	180-06-07	266-08-01	4.318	60759.734	-5133.215	-1.359	6974.701588
208-23	208-25	179-50-36	265-58-37	31.930	60759.443	-5137.523	-2.531	13005.002287
208-25	208-27	180-00-53	265-59-30	18.435	60757.203	-5169.375	-3.529	18241.856972
208-27	208-1	179-57-31	265-57-01	32.303	60755.914	-5187.765	-3.570	18519.936662
							倍面積	10004.101380
							面積	5002.050690
							坪數	1513.12







\*\* 面積計算 (座標法) \*\* (Work No.650)

地 器械点	番 : 視準点	209BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
209-1	209-2	134-42-20	220-18-30	5.033	60803.236	-5075.062	-5.954	30217.220240
209-2	209-3	135-17-40	175-36-10	30.763	60799.397	-5078.318	-34.511	175257.328400
209-3	209-5	179-57-43	175-33-53	34.932	60768.725	-5075.959	-65.500	332476.069321
209-5	209-6	134-14-43	129-48-36	5.000	60733.897	-5073.258	-38.029	192929.661624
209-6	209-7	134-27-54	84-16-30	27.656	60730.696	-5069.417	-0.443	2243.496189
209-7	209-8	135-23-07	39-39-37	5.016	60733.455	-5041.899	6.621	-33380.873137
209-8	209-10	135-52-53	355-32-30	33.566	60737.317	-5038.697	37.326	-188075.737035
209-10	209-11	180-01-02	355-33-32	31.416	60770.781	-5041.306	64.786	-326605.928119
209-11	209-12	134-55-12	310-28-44	5.005	60802.103	-5043.739	34.570	-174364.561254
209-12	209-1	135-07-26	265-36-10	27.597	60805.351	-5047.546	1.133	-5718.800533
							倍面積	4977.875695
							面積	2488.937847
							坪數	752.90






\* \* 面積計算 (座標法) \* \* (Work No.173)

地 器械点	番 : 210BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
210-1	210-2	134-41-03	219-05-18	4.996	60720.642	-5109.585	-4.574	23372.619713
210-2	210-3	134-34-38	173-39-56	6.684	60716.764	-5112.735	-10.521	53790.674622
210-3	210-5	180-12-22	173-52-18	21.035	60710.121	-5111.997	-27.559	140879.172017
210-5	210-6	135-18-06	129-10-24	5.003	60689.206	-5109.752	-24.075	123019.739904
210-6	210-7	135-11-40	84-22-04	17.194	60686.045	-5105.873	-1.473	7520.682567
210-7	210-9	180-01-39	84-23-43	33.071	60687.733	-5088.762	4.917	-25023.405713
210-9	210-10	179-55-48	84-19-31	11.910	60690.963	-5055.849	4.408	-22284.265064
210-10	210-11	180-05-33	84-25-04	5.300	60692.140	-5043.998	1.693	-8540.811844
210-11	210-12	134-59-19	39-24-23	5.015	60692.656	-5038.722	4.391	-22124.166516
210-12	210-13	136-05-40	355-30-03	9.031	60696.531	-5035.538	12.879	-64850.854476
210-13	210-14	179-53-22	355-23-25	12.023	60705.534	-5036.247	20.988	-105700.479863
210-14	210-15	180-15-37	355-39-02	6.795	60717.519	-5037.213	18.760	-94498.780227
210-15	210-16	134-23-21	310-02-23	4.943	60724.295	-5037.728	9.956	-50153.876612
210-16	210-17	134-14-38	264-17-01	21.221	60727.475	-5041.513	1.066	-5375.905897
210-17	210-18	179-57-17	264-14-18	29.705	60725.361	-5062.629	-5.096	25798.240249
210-18	210-19	179-59-15	264-13-33	10.342	60722.379	-5092.184	-4.023	20483.606773
210-19	210-1	180-10-42	264-24-15	7.146	60721.338	-5102.474	-1.737	8864.307842
							倍面積	5176.497473
							面積	2588.248736
							坪數	782.94



11/11/11



\* \* 面積計算 (座標法) \* \* (Work No.641)

地 器械点	番 : 211BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
211-1	211-2	134-40-47	219-02-51	5.000	60679.599	-5105.132	-10.515	53682.915091
211-2	211-3	134-29-40	173-32-31	3.045	60675.716	-5108.282	-6.909	35291.000851
211-3	211-4	180-19-16	173-51-47	25.775	60672.691	-5107.939	-28.653	146357.775648
211-4	211-5	135-09-43	129-01-30	5.009	60647.063	-5105.184	-28.781	146933.174185
211-5	211-6	134-59-13	84-00-43	3.774	60643.910	-5101.293	-2.760	14080.591927
211-6	211-8	180-08-19	84-09-02	24.319	60644.303	-5097.540	2.872	-14640.891469
211-8	211-10	180-02-34	84-11-36	24.040	60646.782	-5073.348	4.911	-24913.265310
211-10	211-11	180-04-58	84-16-34	17.287	60649.214	-5049.431	4.156	-20986.852770
211-11	211-12	132-58-01	37-14-35	4.989	60650.938	-5032.230	5.696	-28663.583840
211-12	211-13	133-21-04	350-35-39	21.021	60654.910	-5029.211	24.710	-124273.386471
211-13	211-14	179-50-59	350-26-38	7.677	60675.648	-5032.646	28.309	-142467.008595
211-14	211-15	136-50-57	307-17-35	4.974	60683.218	-5033.920	10.584	-53277.060315
211-15	211-1	137-04-29	264-22-04	67.581	60686.232	-5037.877	-3.619	18232.627446
							倍面積	5356.036377
							面積	2678.018188
							坪數	810.10







\* \* 面積計算 (座標法) \* \* (Work No.676)

地 器械点	番 : 212BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
212-1	212-2	134-47-53	218-57-08	4.997	60637.945	-5100.633	-6.683	34086.983550
212-2	212-3	134-50-31	173-47-39	20.783	60634.058	-5103.775	-24.547	125282.925174
212-3	212-4	180-01-57	173-49-36	26.096	60613.397	-5101.528	-46.606	237760.826411
212-4	212-5	179-58-56	173-48-32	17.911	60587.453	-5098.722	-43.752	223077.859204
212-5	212-6	180-28-30	174-17-02	1.006	60569.646	-5096.790	-18.808	95859.458556
212-6	212-7	134-51-25	129-08-27	5.031	60568.645	-5096.690	-4.177	21287.697233
212-7	212-8	135-06-20	84-14-47	23.652	60565.469	-5092.788	-0.805	4098.521455
212-8	212-9	180-18-08	84-32-55	3.750	60567.840	-5069.255	2.727	-13825.565468
212-9	212-10	134-34-35	39-07-30	5.046	60568.196	-5065.523	4.271	-21634.265295
212-10	212-11	134-37-54	353-45-24	19.147	60572.111	-5062.338	22.948	-116171.621377
212-11	212-12	179-56-30	353-41-54	3.718	60591.145	-5064.421	22.729	-115108.862382
212-12	212-13	180-08-37	353-50-31	24.034	60594.840	-5064.829	27.591	-139742.230997
212-13	212-14	179-53-07	353-43-38	8.017	60618.735	-5067.407	31.864	-161469.604202
212-14	212-15	180-12-49	353-56-27	10.955	60626.704	-5068.283	18.863	-95603.080938
212-15	212-16	135-05-01	309-01-28	4.992	60637.598	-5069.439	14.037	-71160.296027
212-16	212-1	135-07-47	264-09-15	27.459	60640.741	-5073.317	0.346	-1757.018651
							倍面積	4981.726246
							面積	2490.863123
							坪數	753.48






\* \* 面積計算 (座標法) \* \* (Work No. 34)

地 器械点	番 : 視準点	213BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
213-1	213-2	133-45-28	218-07-31	5.025	60642.076	-5060.372	-4.362	22073.302267	
213-2	213-3	135-05-22	173-12-53	1.057	60638.123	-5063.474	-5.002	25329.339503	
213-3	213-5	180-34-42	173-47-35	16.235	60637.074	-5063.349	-17.189	87034.645307	
213-5	213-6	180-04-57	173-52-32	21.096	60620.934	-5061.594	-37.116	187863.785659	
213-6	213-8	179-58-19	173-50-51	14.595	60599.958	-5059.343	-35.486	179537.187653	
213-8	213-9	179-53-23	173-44-14	9.725	60585.448	-5057.779	-24.178	122286.848717	
213-9	213-10	121-25-58	115-10-12	4.981	60575.780	-5056.718	-11.786	59597.577939	
213-10	213-12	121-38-05	56-48-17	36.369	60573.662	-5052.210	17.793	-89896.457353	
213-12	213-13	146-55-17	23-43-34	4.986	60593.574	-5021.776	24.477	-122916.845087	
213-13	213-14	147-01-13	350-44-47	8.282	60598.138	-5019.770	12.739	-63947.456675	
213-14	213-15	180-01-47	350-46-34	4.089	60606.313	-5021.102	12.211	-61311.823861	
213-15	213-16	179-29-51	350-16-25	8.011	60610.349	-5021.757	11.932	-59920.359482	
213-16	213-17	180-19-03	350-35-28	8.955	60618.245	-5023.111	16.730	-84035.881120	
213-17	213-19	179-56-20	350-31-48	15.141	60627.079	-5024.574	23.769	-119427.472196	
213-19	213-20	137-05-14	307-37-02	4.972	60642.014	-5027.066	17.970	-90333.886335	
213-20	213-21	136-35-04	264-12-06	14.758	60645.049	-5031.004	1.544	-7768.710826	
213-21	213-23	179-59-09	264-11-15	10.593	60643.558	-5045.687	-2.564	12935.781710	
213-23	213-1	180-10-48	264-22-03	4.167	60642.485	-5056.225	-1.482	7491.947851	
								倍面積	4591.523670
								面積	2295.761835
								坪數	694.46







平成12年9月7日作成

\* \* 面積計算 (座標法) \* \* (Work No. 44)

地 器械点	番 : 視準点	214-2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
214-1	214-2	135-11-26	212-27-58	5.010	60498.225	-5158.879	-9.144	47173.009373
214-2	214-31	136-00-17	168-28-15	24.013	60493.998	-5161.568	-27.756	143262.726979
214-31	K.232	179-56-47	168-25-02	38.529	60470.469	-5156.768	-61.273	315969.404574
K.232	K.233	118-01-26	106-26-28	5.426	60432.725	-5149.032	-39.280	202252.814414
K.233	K.234	137-34-18	64-00-46	9.185	60431.190	-5143.828	2.489	-12802.417707
K.234	214-5"	246-24-09	130-24-55	1.316	60435.214	-5135.572	3.172	-16288.459624
214-5"	214-22	100-13-10	50-38-05	35.578	60434.361	-5134.570	21.713	-111487.893934
214-22	214-8	179-56-56	50-35-01	13.027	60456.928	-5107.064	30.838	-157490.481834
214-8	214-28	180-09-08	50-44-09	3.375	60465.199	-5097.000	10.407	-53046.809999
214-28	214-30	179-55-00	50-39-09	9.587	60467.335	-5094.387	8.214	-41847.336306
214-30	214-10	179-56-00	50-35-09	7.003	60473.414	-5086.973	10.525	-53539.751194
214-10	214-11	180-06-55	50-42-04	8.018	60477.860	-5081.563	9.525	-48401.170962
214-11	214-12	135-01-04	5-43-08	4.979	60482.938	-5075.358	10.032	-50918.272897
214-12	214-24	134-54-21	320-37-29	10.453	60487.892	-5074.862	13.034	-66147.717013
214-24	214-13	180-02-38	320-40-07	18.578	60495.973	-5081.493	22.450	-114081.602665
214-13	214-14	148-21-55	289-02-02	5.009	60510.343	-5093.268	16.003	-81509.623738
214-14	214-25	148-11-51	257-13-53	21.951	60511.976	-5098.003	-3.218	16404.838967
214-25	214-15	180-03-11	257-17-04	11.445	60507.125	-5119.411	-7.371	37732.852663
214-15	214-20	180-04-50	257-21-54	6.690	60504.606	-5130.575	-3.983	20432.909788
214-20	214-1	179-54-38	257-16-32	22.324	60503.142	-5137.103	-6.381	32777.504778
							倍面積	8444.523661
							面積	4222.261830
							坪数	1277.23






平成12年9月7日作成

\* \* 面積計算 (座標法) \* \* (Work No.543)

地 器械点	番 : 215BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
215-1	215-2	134-20-51	218-43-09	5.014	60559.520	-5092.133	-4.694	23900.335302
215-2	215-3	135-01-08	173-44-17	10.501	60555.608	-5095.269	-14.350	73119.261554
215-3	215-21	180-09-20	173-53-37	5.515	60545.170	-5094.124	-15.922	81109.337641
215-21	215-28	179-55-51	173-49-28	10.683	60539.686	-5093.537	-16.104	82026.997690
215-28	215-4	180-00-03	173-49-31	9.366	60529.066	-5092.388	-19.932	101503.874553
215-4	215-5	163-25-45	157-15-16	4.996	60519.754	-5091.380	-13.919	70869.225668
215-5	215-29	163-19-53	140-35-09	1.760	60515.146	-5089.449	-5.967	30369.508157
215-29	215-6	180-04-30	140-39-39	28.567	60513.787	-5088.331	-23.453	119338.842185
215-6	215-7	134-49-03	95-28-42	5.007	60491.693	-5070.222	-22.572	114444.194848
215-7	215-30	135-11-07	50-39-49	18.813	60491.215	-5065.238	11.447	-57982.640299
215-30	215-20	179-58-55	50-38-44	31.425	60503.140	-5050.687	31.852	-160876.237120
215-20	215-23	180-03-00	50-41-44	12.612	60523.067	-5026.388	27.916	-140315.955787
215-23	215-24	179-59-48	50-41-32	9.391	60531.056	-5016.630	13.938	-69919.297622
215-24	215-25	179-55-22	50-36-54	7.406	60537.005	-5009.364	10.648	-53338.735756
215-25	215-11	180-01-25	50-38-19	16.885	60541.704	-5003.640	15.408	-77094.470119
215-11	215-12	135-03-02	5-41-21	5.033	60552.412	-4990.585	15.717	-78436.378742
215-12	215-13	134-59-50	320-41-11	38.459	60557.421	-4990.086	34.764	-173473.048865
215-13	215-14	138-03-24	278-44-35	5.027	60587.176	-5014.452	30.520	-153038.628387
215-14	215-26	138-03-50	236-48-25	17.207	60587.940	-5019.421	-8.656	43447.663442
215-26	215-27	180-01-04	236-49-29	7.445	60578.520	-5033.820	-13.494	67927.143497
215-27	215-16	180-03-01	236-52-30	9.454	60574.446	-5040.052	-9.241	46572.625795
215-16	215-18	180-00-52	236-53-22	11.526	60569.280	-5047.970	-11.463	57862.474050
215-18	215-40	207-20-42	264-14-04	14.344	60562.983	-5057.624	-7.737	39131.192611
215-40	215-19	179-57-23	264-11-27	9.649	60561.542	-5071.895	-2.418	12261.557407
215-19	215-38	180-14-27	264-25-54	2.719	60560.566	-5081.495	-1.240	6303.122941
215-38	215-1	179-56-24	264-22-18	7.971	60560.302	-5084.201	-1.046	5315.772842
							倍面積	11027.737493
							面積	5513.868746
							坪數	1667.94







224

\* \* 面積計算 (座標法) \* \* (Work No.347)

地 器械点	番 : 216BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
216-1	216-2	135-32-17	220-48-33	4.945	60935.733	-5060.575	-3.940	19936.920638
216-2	216-3	134-50-35	175-39-08	20.226	60931.991	-5063.807	-23.911	121079.668368
216-3	216-4	180-00-25	175-39-33	13.823	60911.823	-5062.273	-33.951	171871.056944
216-4	216-5	137-16-49	132-56-22	5.029	60898.039	-5061.227	-17.209	87100.457118
216-5	216-6	132-33-52	85-30-14	8.566	60894.613	-5057.545	-2.754	13930.705104
216-6	216-7	179-54-31	85-24-45	3.637	60895.285	-5049.006	0.962	-4859.174380
216-7	216-8	180-49-32	86-14-17	0.912	60895.576	-5045.380	0.351	-1769.540525
216-8	216-9	179-33-25	85-47-42	3.514	60895.635	-5044.471	0.317	-1601.568453
216-9	216-10	210-01-40	115-49-22	1.030	60895.893	-5040.966	-0.191	962.436359
216-10	216-11	149-29-55	85-19-17	2.994	60895.445	-5040.039	-0.204	1029.964735
216-11	216-12	180-15-14	85-34-31	11.980	60895.689	-5037.055	1.168	-5885.551150
216-12	216-13	180-09-13	85-43-44	12.007	60896.613	-5025.111	1.818	-9138.129057
216-13	216-14	179-50-11	85-33-55	11.987	60897.507	-5013.137	1.821	-9129.559260
216-14	216-15	180-03-18	85-37-13	11.934	60898.434	-5001.186	1.838	-9193.241368
216-15	216-16	179-54-53	85-32-06	11.932	60899.345	-4989.287	1.840	-9181.819770
216-16	216-17	179-54-58	85-27-04	11.334	60900.274	-4977.391	1.828	-9097.933620
216-17	216-18	180-12-33	85-39-37	11.471	60901.173	-4966.093	1.767	-8774.453330
216-18	216-19	180-01-18	85-40-55	11.471	60902.041	-4954.655	1.732	-8579.626818
216-19	216-20	179-51-40	85-32-35	31.880	60902.905	-4943.216	3.341	-16515.746867
216-20	216-21	180-08-15	85-40-50	11.864	60905.382	-4911.433	3.371	-16556.152860
216-21	216-22	179-55-52	85-36-42	14.813	60906.276	-4899.603	2.027	-9931.335059
216-22	216-24	179-59-34	85-36-16	23.082	60907.409	-4884.833	2.903	-14178.476322
216-24	216-25	180-02-00	85-38-16	11.580	60909.178	-4861.818	2.650	-12883.523931
216-25	216-26	179-58-19	85-36-35	21.995	60910.059	-4850.272	2.565	-12439.062166
216-26	216-27	180-16-51	85-53-26	2.713	60911.743	-4828.341	1.878	-9068.368113
216-27	216-28	135-43-45	41-37-11	4.995	60911.937	-4825.635	3.929	-18957.698007
216-28	216-29	136-24-29	358-01-40	27.380	60915.672	-4822.318	31.098	-149963.153528
216-29	216-30	179-53-21	357-55-01	7.391	60943.035	-4823.260	34.750	-167607.178699
216-30	216-31	134-41-17	312-36-18	5.016	60950.421	-4823.529	10.782	-52006.877722
216-31	216-32	132-44-50	265-21-08	3.528	60953.817	-4827.221	3.110	-15012.098699
216-32	216-33	180-08-30	265-29-38	11.968	60953.531	-4830.737	-1.226	5923.049770
216-33	216-34	180-06-54	265-36-32	10.867	60952.591	-4842.668	-1.772	8582.405182
216-34	216-35	180-00-04	265-36-36	11.576	60951.759	-4853.503	-1.718	8338.718300
216-35	216-36	180-00-03	265-36-39	17.594	60950.873	-4865.045	-2.233	10861.904365
216-36	216-37	179-54-38	265-31-17	5.493	60949.526	-4882.587	-1.775	8669.014815
216-37	216-38	179-59-31	265-30-48	6.576	60949.097	-4888.064	-0.943	4611.225598
216-38	216-39	180-05-15	265-36-03	49.553	60948.583	-4894.620	-4.315	21122.417470
216-39	216-40	180-01-20	265-37-23	14.486	60944.782	-4944.027	-4.907	24258.091174
216-40	216-41	179-52-33	265-29-56	3.854	60943.676	-4958.470	-1.408	6981.460116
216-41	216-42	180-00-53	265-30-49	8.100	60943.374	-4962.313	-0.936	4645.076477
216-42	216-43	180-06-43	265-37-32	10.088	60942.740	-4970.388	-1.403	6973.805693
216-43	216-45	179-56-32	265-34-04	16.030	60941.971	-4980.447	-2.008	10002.065945
216-45	216-46	179-59-54	265-33-58	16.959	60940.732	-4996.429	-2.550	12740.301562
216-46	216-47	180-00-35	265-34-33	17.002	60939.421	-5013.338	-2.623	13148.291286
216-47	216-49	179-59-05	265-33-38	16.901	60938.109	-5030.290	-2.620	13178.348964
216-49	216-50	179-56-05	265-29-43	11.090	60936.801	-5047.140	-2.179	10999.070373
216-50	216-1	179-46-33	265-16-16	2.387	60935.930	-5058.196	-1.068	5401.333938
							倍面積	20017.520592
							面積	10008.760296
							坪數	3027.64

247







\* \* 面積計算 (座標法) \* \* (Work No.603)

地 器械点	番 : 217BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
217-1	217-2	139-21-18	225-02-02	5.077	60889.462	-5040.198	-4.345	21899.465357
217-2	217-3	130-37-17	175-39-19	10.295	60885.874	-5043.790	-13.853	69870.175098
217-3	217-4	179-52-56	175-32-15	4.403	60875.609	-5043.010	-14.655	73905.858499
217-4	217-5	179-52-03	175-24-18	9.636	60871.219	-5042.668	-13.995	70570.689516
217-5	217-6	180-23-51	175-48-09	4.088	60861.615	-5041.896	-13.682	68983.343651
217-6	217-7	134-58-35	130-46-44	5.011	60857.537	-5041.596	-7.351	37058.872801
217-7	217-8	134-51-20	85-38-04	10.520	60854.264	-5037.801	-2.472	12455.257795
217-8	217-9	180-00-34	85-38-38	16.304	60855.065	-5027.312	2.039	-10251.479588
217-9	217-11	179-54-57	85-33-35	14.613	60856.303	-5011.055	2.370	-11874.320088
217-11	217-12	179-38-41	85-12-16	1.407	60857.434	-4996.486	1.249	-6240.114188
217-12	217-13	180-25-16	85-37-32	11.350	60857.552	-4995.084	0.983	-4911.664677
217-13	217-14	179-57-10	85-34-42	12.603	60858.418	-4983.767	1.837	-9156.739622
217-14	217-15	179-59-40	85-34-22	13.354	60859.389	-4971.202	2.002	-9954.380422
217-15	217-16	180-03-14	85-37-36	15.299	60860.420	-4957.888	2.197	-10894.713506
217-16	217-18	179-57-59	85-35-35	24.235	60861.587	-4942.634	3.029	-14970.495051
217-18	217-19	180-00-49	85-36-24	21.276	60863.449	-4918.470	3.492	-17175.501678
217-19	217-20	180-01-41	85-38-05	8.802	60865.079	-4897.257	2.300	-11262.744923
217-20	217-21	179-53-37	85-31-42	19.390	60865.749	-4888.480	2.182	-10665.196622
217-21	217-22	180-07-26	85-39-08	6.659	60867.261	-4869.149	2.017	-9818.938546
217-22	217-23	179-52-08	85-31-16	11.274	60867.765	-4862.509	1.385	-6735.614061
217-23	217-24	180-05-18	85-36-34	30.254	60868.646	-4851.270	3.197	-15507.356330
217-24	217-25	133-40-12	39-16-46	4.970	60870.962	-4821.104	6.163	-29712.685442
217-25	217-26	133-53-01	353-09-47	28.196	60874.809	-4817.958	31.842	-153414.486722
217-26	217-27	136-17-48	309-27-35	4.993	60902.804	-4821.315	31.169	-150273.411614
217-27	217-28	136-07-54	265-35-29	28.905	60905.977	-4825.170	0.951	-4590.765204
217-28	217-29	179-58-22	265-33-51	11.278	60903.756	-4853.989	-3.094	15018.656639
217-29	217-30	180-03-14	265-37-05	6.661	60902.883	-4865.233	-1.381	6719.855789
217-30	217-31	179-57-21	265-34-26	28.189	60902.374	-4871.874	-2.684	13077.479034
217-31	217-32	180-00-31	265-34-57	43.298	60900.199	-4899.979	-5.510	27000.418393
217-32	217-65	273-31-10	359-06-07	0.042	60896.864	-4943.148	-3.293	16278.718467
217-65	217-34	86-25-20	265-31-27	8.044	60896.906	-4943.149	-0.586	2896.430684
217-34	217-35	180-20-48	265-52-15	3.329	60896.278	-4951.168	-0.867	4294.860415
217-35	217-36	179-38-55	265-31-10	5.271	60896.038	-4954.489	-0.652	3228.012444
217-36	217-37	180-10-52	265-42-02	5.819	60895.627	-4959.744	-0.848	4206.082121
217-37	217-39	179-51-35	265-33-37	10.865	60895.190	-4965.547	-1.277	6342.677739
217-39	217-40	180-08-17	265-41-54	4.260	60894.349	-4976.379	-1.161	5775.665558
217-40	217-41	179-47-43	265-29-37	6.405	60894.030	-4980.627	-0.823	4097.811235
217-41	217-43	180-05-11	265-34-48	16.259	60893.527	-4987.012	-1.756	8758.447506
217-43	217-44	179-48-31	265-23-19	2.986	60892.274	-5003.223	-1.493	7470.470035
217-44	217-45	180-21-06	265-44-25	10.573	60892.033	-5006.200	-1.025	5133.534439
217-45	217-46	179-52-49	265-37-14	13.472	60891.248	-5016.744	-1.814	9100.790890
217-46	217-1	180-03-30	265-40-44	10.050	60890.219	-5030.177	-1.786	8983.803550
							倍面積	15716.769374
							面積	7858.384687
							坪數	2377.16



1



\* \* 面積計算 (座標法) \* \* (Work No.154)

地 器械点	番 : 218BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
218-1	218-2	135-55-14	219-55-51	5.014	60848.254	-5037.327	-3.896	19625.093896	
218-2	218-3	135-34-08	175-29-59	14.061	60844.409	-5040.546	-17.863	90037.437404	
218-3	218-4	180-01-11	175-31-10	6.303	60830.391	-5039.442	-20.301	102306.262866	
218-4	218-5	179-51-08	175-22-18	8.513	60824.108	-5038.950	-14.768	74415.993900	
218-5	218-6	135-04-06	130-26-24	5.011	60815.623	-5038.263	-11.735	59124.215698	
218-6	218-7	135-04-39	85-31-03	8.013	60812.373	-5034.449	-2.624	13210.305654	
218-7	218-8	180-04-09	85-35-12	11.596	60812.999	-5026.461	1.519	-7632.900035	
218-8	218-10	180-04-23	85-39-35	11.335	60813.891	-5014.900	1.750	-8776.669942	
218-10	218-11	179-37-04	85-16-39	4.992	60814.749	-5003.597	1.269	-6348.707331	
218-11	218-12	180-32-13	85-48-52	3.852	60815.160	-4998.622	0.692	-3460.059569	
218-12	218-13	179-47-59	85-36-51	3.058	60815.441	-4994.780	0.515	-2572.511910	
218-13	218-14	179-59-39	85-36-30	38.848	60815.675	-4991.731	3.209	-16016.879464	
218-14	218-15	179-45-59	85-22-29	1.445	60818.650	-4952.997	3.091	-15311.469371	
218-15	218-16	135-09-24	40-31-53	5.007	60818.767	-4951.556	3.922	-19420.023778	
218-16	218-18	135-02-33	355-34-26	14.140	60822.572	-4948.302	17.903	-88589.706161	
218-18	218-19	180-00-51	355-35-17	14.762	60836.670	-4949.394	28.816	-142619.424400	
218-19	218-20	135-06-46	310-42-03	5.025	60851.388	-4950.529	17.995	-89083.130370	
218-20	218-21	134-50-03	265-32-06	31.636	60854.664	-4954.339	0.814	-4032.206837	
218-21	218-22	180-11-22	265-43-28	6.223	60852.202	-4985.878	-2.927	14592.521284	
218-22	218-23	179-58-35	265-42-03	4.835	60851.738	-4992.083	-0.826	4125.460794	
218-23	218-24	179-51-33	265-33-36	9.315	60851.375	-4996.905	-1.084	5414.584629	
218-24	218-25	180-04-14	265-37-50	11.498	60850.654	-5006.192	-1.597	7995.563583	
218-25	218-27	180-01-07	265-38-57	11.480	60849.778	-5017.657	-1.747	8765.496828	
218-27	218-28	179-54-01	265-32-58	7.760	60848.907	-5029.104	-1.473	7407.991130	
218-28	218-1	178-27-39	264-00-37	0.490	60848.305	-5036.840	-0.653	3290.060592	
								倍面積	6447.299090
								面積	3223.649545
								坪數	975.15



219BL



\* \* 面積計算 (座標法) \* \* (Work No.138)

地番 : 219BL								
器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
219-1	219-2	135-05-06	220-39-25	5.006	60806.403	-5033.982	-7.117	35826.484759
219-2	219-3	134-57-15	175-36-40	26.935	60802.605	-5037.243	-30.653	154407.582226
219-3	219-4	134-49-58	130-26-38	5.011	60775.749	-5035.182	-30.106	151591.054109
219-4	219-5	135-08-12	85-34-50	34.262	60772.499	-5031.368	-0.610	3071.268365
219-5	219-7	180-03-01	85-37-51	8.727	60775.139	-4997.208	3.305	-16515.661434
219-7	219-9	179-57-29	85-35-20	20.773	60775.804	-4988.506	2.263	-11286.632253
219-9	219-10	180-01-17	85-36-37	19.346	60777.402	-4967.794	3.078	-15293.150882
219-10	219-11	135-01-37	40-38-14	5.013	60778.882	-4948.505	5.285	-26150.539538
219-11	219-12	134-51-49	355-30-03	7.319	60782.686	-4945.241	11.100	-54892.795835
219-12	219-13	180-09-45	355-39-48	19.615	60789.982	-4945.815	26.856	-132822.443367
219-13	219-14	134-54-38	310-34-26	4.984	60809.542	-4947.298	22.801	-112804.116057
219-14	219-15	135-00-25	265-34-51	19.387	60812.784	-4951.084	1.748	-8655.078372
219-15	219-17	180-05-21	265-40-12	20.762	60811.290	-4970.413	-3.061	15216.520504
219-17	219-1	179-54-07	265-34-19	42.994	60809.722	-4991.116	-4.887	24392.005262
							倍面積	6084.497485
							面積	3042.248742
							坪數	920.28







\* \* 面積計算 (座標法) \* \* (Work No.134)

地 器械点	番 : 220BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
220-1	220-2	134-56-04	220-33-43	4.987	60855.663	-4941.306	-5.423	26795.200163
220-2	220-4	134-58-55	175-32-38	17.528	60851.875	-4944.548	-21.263	105136.494964
220-4	220-5	180-01-54	175-34-32	16.006	60834.400	-4943.187	-33.433	165264.003697
220-5	220-6	180-04-30	175-39-02	12.070	60818.442	-4941.952	-27.993	138341.633935
220-6	220-7	179-56-27	175-35-29	20.010	60806.407	-4941.036	-31.986	158045.767510
220-7	220-8	180-15-09	175-50-38	3.298	60786.456	-4939.498	-23.240	114795.855732
220-8	220-9	135-00-39	130-51-17	5.007	60783.166	-4939.259	-6.565	32426.248785
220-9	220-10	134-41-19	85-32-36	23.791	60779.891	-4935.472	-1.427	7042.248350
220-10	220-11	180-04-33	85-37-09	54.854	60781.739	-4911.753	6.039	-29661.592105
220-11	220-12	133-49-28	39-26-37	4.997	60785.929	-4857.059	8.049	-39094.512870
220-12	220-13	133-42-25	353-09-02	62.776	60789.788	-4853.884	66.187	-321261.716739
220-13	220-14	180-11-36	353-20-38	6.234	60852.116	-4861.371	68.520	-333101.293981
220-14	220-15	136-07-58	309-28-36	5.006	60858.308	-4862.094	9.375	-45582.770231
220-15	220-17	135-51-09	265-19-45	9.985	60861.491	-4865.958	2.370	-11530.860051
220-17	220-18	180-18-40	265-38-25	32.113	60860.678	-4875.910	-3.254	15867.252693
220-18	220-19	179-53-00	265-31-25	12.039	60858.237	-4907.930	-3.381	16592.317608
220-19	220-1	180-06-14	265-37-39	21.436	60857.297	-4919.932	-2.574	12663.575384
							倍面積	12737.852847
							面積	6368.926423
							坪數	1926.60



1



\* \* 面積計算 (座標法) \* \* (Work No.238)

地 器械点	番 : 221BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
221-1	221-2	133-59-55	219-37-40	4.989	60862.495	-4852.915	-6.340	30766.173143
221-2	221-3	133-30-09	173-07-49	34.667	60858.652	-4856.098	-38.261	185797.698376
221-3	221-4	180-02-29	173-10-18	17.742	60824.234	-4851.951	-52.034	252468.131568
221-4	221-5	179-59-52	173-10-10	5.689	60806.618	-4849.841	-23.265	112829.201829
221-5	221-6	180-01-50	173-12-00	15.290	60800.970	-4849.165	-20.830	101009.188143
221-6	221-7	179-59-00	173-11-00	46.482	60785.788	-4847.355	-61.336	297315.868646
221-7	221-8	118-35-32	111-46-32	5.016	60739.634	-4841.837	-48.014	232478.365614
221-8	221-10	118-50-12	50-36-44	19.581	60737.773	-4837.179	10.564	-51101.438292
221-10	221-11	179-59-33	50-36-17	19.548	60750.198	-4822.046	24.832	-119738.664044
221-11	221-12	151-35-05	22-11-22	5.025	60762.605	-4806.940	17.060	-82004.179962
221-12	221-13	150-52-51	353-04-13	11.707	60767.258	-4805.042	16.275	-78200.294121
221-13	221-14	180-03-11	353-07-24	11.741	60778.879	-4806.454	23.278	-111886.257874
221-14	221-15	180-03-41	353-11-05	15.293	60790.536	-4807.860	26.842	-129053.312039
221-15	221-16	180-01-02	353-12-07	5.680	60805.722	-4809.675	20.825	-100161.305294
221-16	221-17	179-56-51	353-08-58	17.734	60811.361	-4810.347	23.247	-111827.128784
221-17	221-18	180-00-48	353-09-46	33.090	60828.969	-4812.462	50.462	-242846.712152
221-18	221-19	136-20-03	309-29-49	4.982	60861.823	-4816.402	36.023	-173502.683661
221-19	221-1	136-07-56	265-37-45	32.765	60864.992	-4820.246	0.672	-3237.835457
							倍面積	9104.815636
							面積	4552.407818
							坪數	1377.10



11/11/11



\* \* 面積計算 (座標法) \* \* (Work No.145)

地 器械点	番 : 222BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
222-1	222-2	135-02-50	220-38-37	5.002	60766.519	-5030.923	-6.451	32456.040273
222-2	222-3	134-59-16	175-37-53	8.445	60762.723	-5034.181	-12.216	61498.447562
222-3	222-4	179-48-48	175-26-41	20.012	60754.303	-5033.538	-28.370	142800.145709
222-4	222-6	180-06-11	175-32-52	44.098	60734.353	-5031.949	-63.914	321614.193792
222-6	222-7	174-43-04	170-15-56	4.066	60690.388	-5028.525	-47.973	241234.587157
222-7	222-8	137-38-23	127-54-19	5.006	60686.380	-5027.838	-7.083	35613.071913
222-8	222-10	137-40-15	85-34-34	34.710	60683.305	-5023.888	-0.398	1999.712998
222-10	222-11	180-00-21	85-34-55	28.033	60685.982	-4989.282	4.837	-24131.887257
222-11	222-12	180-02-16	85-37-11	19.776	60688.142	-4961.332	3.670	-18207.636149
222-12	222-13	135-15-20	40-52-31	5.001	60689.652	-4941.614	5.292	-26148.861438
222-13	222-14	134-38-31	355-31-02	9.995	60693.433	-4938.341	13.746	-67882.286050
222-14	222-15	180-03-17	355-34-19	44.011	60703.398	-4939.123	53.844	-265941.802427
222-15	222-16	180-03-03	355-37-22	22.431	60747.277	-4942.521	66.245	-327416.754981
222-16	222-17	135-04-02	310-41-24	5.000	60769.643	-4944.233	25.626	-126698.461712
222-17	222-18	134-51-32	265-32-56	14.355	60772.903	-4948.024	2.146	-10617.076273
222-18	222-20	180-04-01	265-36-57	17.045	60771.789	-4962.335	-2.417	11993.913097
222-20	222-22	180-00-03	265-37-00	17.157	60770.486	-4979.330	-2.614	13016.873997
222-22	222-1	179-58-47	265-35-47	34.589	60769.175	-4996.436	-3.967	19820.692132
							倍面積	15002.912342
							面積	7501.456171
							坪數	2269.19





\* \* 面積計算 (座標法) \* \* (Work No.684)

地 器械点	番 視準点	223BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
223-1	223-2	132-19-34	217-56-59	5.016	60677.398	-5022.605	-5.332	26778.113566
223-2	223-3	132-36-07	170-33-06	42.047	60673.443	-5025.689	-45.432	228326.317642
223-3	223-4	180-00-57	170-34-03	11.962	60631.966	-5018.787	-53.277	267385.196012
223-4	223-5	179-50-56	170-24-59	16.688	60620.166	-5016.827	-28.256	141754.659824
223-5	223-6	124-32-29	114-57-28	5.036	60603.710	-5014.048	-18.581	93163.530481
223-6	223-7	121-43-43	56-41-11	8.332	60601.585	-5009.482	2.451	-12277.588530
223-7	223-8	180-15-16	56-56-27	3.992	60606.161	-5002.520	6.754	-33784.566590
223-8	223-9	179-56-44	56-53-11	19.929	60608.339	-4999.174	13.065	-65312.549123
223-9	223-10	149-29-41	26-22-52	5.013	60619.226	-4982.482	15.378	-76621.244612
223-10	223-12	149-12-10	355-35-02	35.737	60623.717	-4980.255	40.122	-199816.646643
223-12	223-14	179-59-38	355-34-40	17.507	60659.348	-4983.006	53.086	-264526.875299
223-14	223-15	135-02-34	310-37-14	4.987	60676.803	-4984.356	20.702	-103185.175354
223-15	223-16	134-57-17	265-34-31	16.530	60680.049	-4988.141	1.971	-9833.828642
223-16	223-1	180-02-54	265-37-25	18.036	60678.774	-5004.622	-2.651	13269.423439
							倍面積	5318.766170
							面積	2659.383085
							坪數	804.46






\* \* 面積計算 (座標法) \* \* (Work No.645)

地 器械点	番 : 224BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
224-1	224-2	135-20-52	220-59-39	5.039	60681.054	-4975.063	-4.499	22384.087100
224-2	224-3	134-34-24	175-34-03	25.706	60677.251	-4978.369	-29.432	146525.278459
224-3	224-4	180-03-00	175-37-03	21.051	60651.621	-4976.382	-46.619	231992.075337
224-4	224-5	117-24-36	113-01-39	4.999	60630.632	-4974.773	-22.945	114145.759618
224-5	224-6	117-36-19	50-37-58	41.965	60628.677	-4970.172	24.662	-122576.621395
224-6	224-7	152-08-28	22-46-26	5.002	60655.295	-4937.729	31.230	-154204.616691
224-7	224-8	152-53-05	355-39-31	20.583	60659.906	-4935.793	25.136	-124064.171305
224-8	224-9	134-58-03	310-37-34	4.992	60680.430	-4937.351	23.774	-117381.917617
224-9	224-10	134-55-07	265-32-41	24.854	60683.681	-4941.140	1.320	-6521.416222
224-10	224-1	180-06-06	265-38-47	9.171	60681.750	-4965.919	-2.627	13044.631329
							倍面積	3343.088613
							面積	1671.544306
							坪數	505.64







\* \* 面積計算 (座標法) \* \* (Work No.127)

地 器械点	番 : 225BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
225-1	225-2	134-48-24	220-48-07	5.016	60773.918	-4934.980	-3.943	19458.801452
225-2	225-3	134-47-02	175-35-09	23.792	60770.121	-4938.258	-27.518	135889.823512
225-3	225-4	179-58-47	175-33-56	36.670	60746.400	-4936.427	-60.281	297571.376920
225-4	225-5	180-03-12	175-37-08	42.819	60709.841	-4933.591	-79.254	391005.721095
225-5	225-6	117-41-18	113-18-26	5.032	60667.147	-4930.321	-44.685	220311.194441
225-6	225-8	117-18-27	50-36-53	43.810	60665.156	-4925.699	25.808	-127121.306462
225-8	225-9	151-28-08	22-05-01	5.006	60692.954	-4891.839	32.438	-158679.513005
225-9	225-10	151-07-44	353-12-45	52.352	60697.593	-4889.957	56.624	-276889.200374
225-10	225-11	179-58-21	353-11-06	8.670	60749.578	-4896.144	60.594	-296676.853847
225-11	225-12	180-05-15	353-16-21	15.128	60758.187	-4897.173	23.633	-115733.386551
225-12	225-13	136-10-24	309-26-45	4.998	60773.211	-4898.945	18.199	-89156.859387
225-13	225-15	136-08-28	265-35-13	30.177	60776.386	-4902.804	0.853	-4183.174195
225-15	225-1	180-24-30	265-59-43	2.094	60774.064	-4932.892	-2.468	12175.670903
							倍面積	7972.294498
							面積	3986.147249
							坪數	1205.80







\* \* 面積計算 (座標法) \* \* (Work No.123)

地 器械点	番 : 226BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
226-1	226-2	133-41-02	219-17-23	5.014	60777.399	-4889.785	-6.463	31602.850882
226-2	226-3	133-54-55	173-12-18	69.550	60773.518	-4892.960	-72.942	356903.442993
226-3	226-4	119-02-33	112-14-51	5.002	60704.457	-4884.731	-70.955	346598.122176
226-4	226-5	118-12-32	50-27-23	6.516	60702.563	-4880.101	2.254	-11001.674333
226-5	226-6	180-12-45	50-40-08	33.815	60706.711	-4875.077	25.581	-124707.034692
226-6	226-7	151-22-11	22-02-19	4.993	60728.144	-4848.921	26.061	-126367.386225
226-7	226-8	151-04-03	353-06-22	18.067	60732.772	-4847.047	22.565	-109375.896116
226-8	226-9	180-05-06	353-11-28	26.283	60750.709	-4849.216	44.035	-213533.667809
226-9	226-10	136-20-38	309-32-06	4.987	60776.807	-4852.332	29.272	-142039.659485
226-10	226-1	136-04-15	265-36-21	33.706	60779.981	-4856.178	0.592	-2875.969007
							倍面積	5203.128380
							面積	2601.564190
							坪數	786.97







\* \* 面積計算 (座標法) \* \* (Work No. 18)

地 器械点	番 : 227BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
227-1	227-2	131-26-42	188-18-10	5.010	60595.398	-5007.996	-9.242	46284.578255
227-2	227-3	132-21-26	140-39-36	17.631	60590.440	-5008.719	-18.594	93129.879720
227-3	227-4	180-04-08	140-43-44	19.741	60576.804	-4997.542	-28.919	144522.663024
227-4	227-5	134-40-48	95-24-32	5.010	60561.522	-4985.046	-15.755	78539.039780
227-5	227-6	135-13-06	50-37-38	43.032	60561.049	-4980.059	26.826	-133593.572067
227-6	227-7	179-59-35	50-37-13	91.072	60588.347	-4946.793	85.079	-420869.340467
227-7	227-8	179-59-47	50-37-00	10.083	60646.128	-4876.399	64.179	-312961.269681
227-8	227-39	180-01-33	50-38-33	38.684	60652.526	-4868.606	30.929	-150583.158116
227-39	227-10	180-00-40	50-39-13	24.772	60677.058	-4838.695	40.238	-194697.399614
227-10	227-11	179-56-08	50-35-21	12.250	60692.764	-4819.538	23.483	-113178.044725
227-11	227-12	180-05-11	50-40-32	14.793	60700.541	-4810.073	17.152	-82502.558588
227-12	227-13	179-57-01	50-37-33	25.135	60709.916	-4798.630	25.320	-121500.651724
227-13	227-14	134-58-33	5-36-06	4.959	60725.861	-4779.200	20.880	-99792.012317
227-14	227-15	135-07-39	320-43-45	32.952	60730.796	-4778.716	30.445	-145488.160202
227-15	227-16	134-59-11	275-42-56	5.001	60756.306	-4799.573	26.008	-124827.146517
227-16	227-17	134-52-15	230-35-11	25.164	60756.804	-4804.550	-15.479	74368.802360
227-17	227-19	180-03-47	230-38-58	14.786	60740.827	-4823.991	-25.352	122300.179132
227-19	227-20	179-58-28	230-37-26	12.245	60731.452	-4835.425	-17.144	82899.199597
227-20	227-41	180-01-08	230-38-34	12.391	60723.683	-4844.891	-15.626	75708.139686
227-41	227-38	180-01-16	230-39-50	12.383	60715.825	-4854.471	-15.707	76250.488636
227-38	227-22	179-58-37	230-38-27	38.686	60707.976	-4864.049	-32.383	157513.942330
227-22	227-23	179-55-26	230-33-53	10.088	60683.442	-4893.961	-30.942	151426.842795
227-23	227-24	180-04-26	230-38-19	15.237	60677.034	-4901.752	-16.071	78775.466073
227-24	227-25	180-05-19	230-43-38	12.046	60667.371	-4913.532	-17.288	84946.386551
227-25	227-27	179-53-46	230-37-24	41.552	60659.746	-4922.857	-33.986	167308.145615
227-27	227-28	180-01-46	230-39-10	22.132	60633.385	-4954.976	-40.393	200144.592622
227-28	227-29	179-56-30	230-35-40	3.949	60619.353	-4972.091	-16.538	82230.082950
227-29	227-30	186-15-52	236-51-32	21.674	60616.847	-4975.142	-14.356	71421.621854
227-30	227-31	180-14-48	237-06-20	4.016	60604.998	-4993.290	-14.030	70057.800971
227-31	227-32	179-35-40	236-42-00	5.708	60602.816	-4996.663	-5.315	26558.154478
227-32	227-1	180-09-28	236-51-28	7.837	60599.682	-5001.434	-7.419	37103.476562
							倍面積	21496.168973
							面積	10748.084486
							坪數	3251.29







\* \* 面積計算 (座標法) \* \* (Work No.480)

地 器械点	番 : 228BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
228-1	228-2	131-45-02	182-24-01	5.000	60576.278	-4936.303	-17.815	87940.894454
228-2	228-3	131-27-04	133-51-05	18.062	60571.283	-4936.513	-17.508	86430.323312
228-3	228-4	180-01-06	133-52-11	13.422	60558.770	-4923.487	-21.815	107406.167199
228-4	228-5	137-32-28	91-24-39	4.978	60549.468	-4913.811	-9.424	46310.203907
228-5	228-7	138-24-35	49-49-14	116.717	60549.346	-4908.835	75.181	-369051.448246
228-7	228-8	93-22-38	323-11-52	27.846	60624.649	-4819.660	97.600	-470400.896960
228-8	228-9	180-14-44	323-26-36	5.169	60646.946	-4836.341	26.449	-127914.081803
228-9	228-10	133-19-45	276-46-21	5.011	60651.098	-4839.420	4.743	-22951.574570
228-10	228-11	133-51-49	230-38-10	35.465	60651.689	-4844.395	-21.902	106103.530273
228-11	228-12	179-57-23	230-35-33	13.096	60629.195	-4871.814	-30.807	150084.548601
228-12	228-13	180-02-01	230-37-34	25.043	60620.882	-4881.932	-24.200	118143.131257
228-13	228-14	180-01-13	230-38-47	10.786	60604.995	-4901.291	-22.726	111387.948188
228-14	228-15	179-59-21	230-38-08	8.784	60598.156	-4909.632	-12.411	60932.125342
228-15	228-16	179-58-29	230-36-37	5.494	60592.585	-4916.423	-9.057	44529.761324
228-16	228-1	180-02-22	230-38-59	20.219	60589.098	-4920.668	-16.306	80237.211212
							倍面積	9187.843493
							面積	4593.921746
							坪數	1389.66







\* \* 面積計算 (座標法) \* \* (Work No.488)

地 器械点	番 : 229BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
229-1	229-2	136-45-39	187-23-39	5.049	60660.039	-4834.239	-38.874	187928.156113	
229-2	229-3	135-45-19	143-08-58	11.870	60655.032	-4834.888	-14.505	70130.888525	
229-3	229-4"	180-06-02	143-15-00	21.227	60645.534	-4827.769	-26.506	127966.938298	
229-4"	229-10	86-34-18	49-49-18	172.249	60628.526	-4815.069	94.121	-453200.316901	
229-10	229-11	100-47-37	330-36-55	4.119	60739.655	-4683.464	114.718	-537279.113025	
229-11	229-12	180-01-03	330-37-58	0.433	60743.244	-4685.485	3.966	-18584.975454	
229-12	229-13	170-01-16	320-39-14	26.014	60743.621	-4685.697	20.495	-96031.441892	
229-13	229-14	135-06-50	275-46-04	5.036	60763.739	-4702.190	20.623	-96974.821846	
229-14	229-15	134-52-11	230-38-15	8.461	60764.245	-4707.201	-4.860	22877.704521	
229-15	229-16	180-00-32	230-38-47	39.726	60758.878	-4713.743	-30.557	144036.412522	
229-16	229-17	180-02-12	230-40-59	14.580	60733.688	-4744.461	-34.429	163345.306636	
229-17	229-18	180-00-15	230-41-14	7.232	60724.450	-4755.741	-13.820	65723.863966	
229-18	229-20	179-58-35	230-39-49	4.398	60719.868	-4761.336	-7.370	35089.594378	
229-20	229-21	179-59-07	230-38-56	13.522	60717.080	-4764.738	-11.362	54136.991862	
229-21	229-22	180-00-53	230-39-49	6.335	60708.506	-4775.194	-12.590	60118.697589	
229-22	229-23	179-53-36	230-33-25	6.321	60704.490	-4780.094	-8.032	38392.139330	
229-23	229-24	179-58-49	230-32-14	6.309	60700.474	-4784.976	-8.026	38401.932516	
229-24	229-26	180-02-27	230-34-41	4.029	60696.465	-4789.846	-6.568	31459.391495	
229-26	229-1	180-03-19	230-38-00	53.395	60693.906	-4792.958	-36.426	174588.207392	
								倍面積	12125.556030
								面積	6062.778015
								坪數	1833.99



230BL



\* \* 面積計算 (座標法) \* \* (Work No.245)

地 器械点	番 : 視準点	230BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
230-1	230-2	134-50-44	222-12-56	4.992	60954.698	-4812.180	-3.869	18616.881229	
230-2	230-3	135-46-41	177-59-37	34.885	60951.001	-4815.534	-38.561	185689.481649	
230-3	230-4	135-10-39	133-10-16	5.002	60916.138	-4814.312	-38.286	184321.099345	
230-4	230-5	135-01-03	88-11-19	5.979	60912.715	-4810.664	-3.233	15554.905834	
230-5	230-6	180-06-09	88-17-28	14.177	60912.904	-4804.688	0.612	-2939.248173	
230-6	230-7	180-04-11	88-21-39	13.807	60913.327	-4790.517	0.818	-3917.274699	
230-7	230-8	179-56-46	88-18-25	24.677	60913.722	-4776.716	1.124	-5369.415490	
230-8	230-9	179-59-55	88-18-20	21.217	60914.451	-4752.049	1.356	-6445.946168	
230-9	230-10	187-10-32	95-28-52	35.646	60915.078	-4730.841	-2.778	13140.189408	
230-10	230-11	126-53-34	42-22-26	4.977	60911.674	-4695.358	0.272	-1276.032545	
230-11	230-12	126-35-41	348-58-07	13.680	60915.350	-4692.004	17.104	-80253.486304	
230-12	230-13	180-08-47	349-06-54	18.861	60928.778	-4694.621	31.949	-149990.609533	
230-13	230-14	144-05-09	313-12-03	4.983	60947.300	-4698.183	21.933	-103046.501952	
230-14	230-15	143-49-24	277-01-27	2.700	60950.711	-4701.816	3.742	-17592.678695	
230-15	230-16	179-24-12	276-25-39	4.001	60951.041	-4704.496	0.778	-3660.443603	
230-16	230-17	179-46-45	276-12-24	4.043	60951.489	-4708.471	0.885	-4167.112568	
230-17	230-18	179-43-53	275-56-17	3.962	60951.926	-4712.491	0.847	-3991.754795	
230-18	230-19	179-23-04	275-19-21	4.005	60952.336	-4716.432	0.781	-3685.326070	
230-19	230-20	179-43-06	275-02-27	4.027	60952.708	-4720.420	0.725	-3423.754777	
230-20	230-21	179-43-22	274-45-49	3.973	60953.062	-4724.431	0.684	-3230.536060	
230-21	230-22	179-38-29	274-24-18	4.008	60953.392	-4728.391	0.638	-3015.697967	
230-22	230-23	179-39-14	274-03-32	4.027	60953.699	-4732.386	0.593	-2805.743381	
230-23	230-24	179-46-17	273-49-49	3.974	60953.984	-4736.404	0.551	-2607.597691	
230-24	230-25	179-31-43	273-21-32	4.007	60954.250	-4740.369	0.500	-2371.419804	
230-25	230-26	179-37-34	272-59-06	4.001	60954.485	-4744.369	0.443	-2102.346249	
230-26	230-27	179-42-41	272-41-47	1.757	60954.693	-4748.364	0.291	-1381.680979	
230-27	230-28	179-53-00	272-34-47	2.244	60954.776	-4750.119	0.184	-872.386955	
230-28	230-29	179-46-32	272-21-19	4.043	60954.877	-4752.361	0.267	-1269.575667	
230-29	230-30	179-28-44	271-50-03	3.965	60955.043	-4756.400	0.293	-1393.776503	
230-30	230-31	179-41-21	271-31-24	4.038	60955.170	-4760.363	0.234	-1115.052153	
230-31	230-32	179-39-55	271-11-19	4.009	60955.277	-4764.400	0.191	-907.630499	
230-32	230-33	179-44-43	270-56-02	3.963	60955.360	-4768.408	0.148	-704.499333	
230-33	230-34	179-36-32	270-32-34	4.004	60955.425	-4772.370	0.103	-489.177966	
230-34	230-35	179-49-52	270-22-26	4.042	60955.463	-4776.374	0.064	-307.063502	
230-35	230-36	179-26-25	269-48-51	3.969	60955.489	-4780.416	0.013	-64.525097	
230-36	230-37	179-34-02	269-22-53	3.999	60955.476	-4784.385	-0.056	268.160945	
230-37	230-38	179-39-20	269-02-13	3.372	60955.433	-4788.383	-0.100	478.147355	
230-38	230-40	179-45-49	268-48-02	4.635	60955.376	-4791.755	-0.154	736.486929	
230-40	230-41	179-39-02	268-27-04	4.009	60955.279	-4796.388	-0.205	985.029476	
230-41	230-42	179-36-00	268-03-04	4.034	60955.171	-4800.395	-0.246	1178.680948	
230-42	230-43	179-36-42	267-39-46	4.015	60955.034	-4804.427	-0.301	1445.799142	
230-43	230-1	179-42-26	267-22-12	3.745	60954.870	-4808.439	-0.336	1613.598068	
								倍面積	9630.165139
								面積	4815.082569
								坪數	1456.56



1



\* \* 面積計算 (座標法) \* \* (Work No.249)

地 器械点	番 : 231BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
231-1	231-2	132-28-27	220-47-16	4.973	60906.729	-4810.020	-4.658	22406.309472
231-2	231-3	132-22-49	173-10-05	55.275	60902.964	-4813.269	-58.648	282287.765283
231-3	231-4	179-59-16	173-09-21	13.624	60848.081	-4806.693	-68.410	328826.149539
231-4	231-5	180-01-18	173-10-39	7.902	60834.554	-4805.070	-21.373	102698.639084
231-5	231-6	180-04-19	173-14-58	5.937	60826.708	-4804.131	-13.742	66017.125722
231-6	231-7	179-53-42	173-08-40	16.236	60820.812	-4803.433	-22.016	105750.630266
231-7	231-8	180-00-11	173-08-51	29.315	60804.692	-4801.495	-45.225	217147.200639
231-8	231-9	118-44-37	111-53-28	4.982	60775.587	-4797.997	-30.963	148559.911411
231-9	231-10	118-46-24	50-39-52	36.161	60773.730	-4793.374	21.064	-100966.303728
231-10	231-11	151-16-02	21-55-54	4.981	60796.651	-4765.405	27.542	-131249.680008
231-11	231-12	151-10-20	353-06-14	7.920	60801.272	-4763.545	12.483	-59464.641374
231-12	231-13	180-03-32	353-09-46	16.228	60809.134	-4764.496	23.975	-114228.350524
231-13	231-14	179-59-31	353-09-17	5.934	60825.247	-4766.428	22.004	-104880.853186
231-14	231-15	180-02-14	353-11-31	7.908	60831.138	-4767.135	13.744	-65518.327956
231-15	231-16	179-58-36	353-10-07	13.625	60838.990	-4768.072	21.380	-101942.705933
231-16	231-17	179-59-49	353-09-56	52.212	60852.519	-4769.693	65.369	-311790.770713
231-17	231-18	137-40-38	310-50-34	4.989	60904.360	-4775.906	55.104	-263169.698899
231-18	231-1	137-28-15	268-18-49	30.353	60907.622	-4779.680	2.369	-11324.711470
							倍面積	9157.687622
							面積	4578.843811
							坪数	1385.10



281



\* \* 面積計算 (座標法) \* \* (Work No.234)

地 器械点	番 : 232BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
232-1	232-2	132-24-59	220-43-56	4.983	60908.005	-4766.593	-4.211	20074.337055
232-2	232-3	132-25-45	173-09-41	67.498	60904.229	-4769.844	-70.794	337675.690994
232-3	232-4	180-00-33	173-10-14	29.295	60837.211	-4761.807	-96.105	457633.613650
232-4	232-5	118-46-46	111-57-00	4.993	60808.124	-4758.323	-30.953	147284.815563
232-5	232-6	118-41-04	50-38-04	35.358	60806.258	-4753.692	20.560	-97735.910969
232-6	232-7	151-17-07	21-55-11	4.971	60828.684	-4726.356	27.038	-127790.465167
232-7	232-8	151-13-59	353-09-10	8.332	60833.296	-4724.501	12.884	-60870.649243
232-8	232-9	180-00-25	353-09-35	53.392	60841.568	-4725.494	61.285	-289600.885792
232-9	232-10	180-03-54	353-13-29	11.124	60894.580	-4731.853	64.059	-303118.163279
232-10	232-11	137-31-17	310-44-46	4.992	60905.627	-4733.166	14.305	-67707.086517
232-11	232-12	137-32-09	268-16-55	14.830	60908.885	-4736.947	2.813	-13326.862782
232-12	232-1	180-02-02	268-18-57	14.828	60908.440	-4751.771	-0.880	4183.860338
							倍面積	6702.293849
							面積	3351.146924
							坪數	1013.72







\* \* 面積計算 (座標法) \* \* (Work No.257)

地番 : 233BL									
器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
233-1	233-2	128-53-01	224-21-54	4.999	60908.341	-4723.530	-2.728	12887.265185	
233-2	233-3	128-45-07	173-07-01	11.980	60904.767	-4727.026	-15.467	73114.073525	
233-3	233-4	180-03-04	173-10-05	11.176	60892.873	-4725.590	-22.990	108641.030829	
233-4	233-5	179-59-14	173-09-19	13.380	60881.777	-4724.261	-24.381	115182.680109	
233-5	233-6	180-00-11	173-09-30	15.015	60868.492	-4722.666	-28.193	133145.452851	
233-6	233-7	180-04-01	173-13-31	13.521	60853.584	-4720.877	-28.334	133762.615803	
233-7	233-8	118-42-51	111-56-22	5.006	60840.158	-4719.282	-15.296	72188.191332	
233-8	233-9	118-39-37	50-35-59	9.666	60838.288	-4714.639	4.265	-20107.374073	
233-9	233-10	180-03-50	50-39-49	34.919	60844.423	-4707.170	28.269	-133069.263826	
233-10	233-11	145-40-14	16-20-03	4.995	60866.557	-4680.162	26.928	-126025.710442	
233-11	233-12	145-32-23	341-52-26	8.085	60871.351	-4678.757	12.477	-58377.948008	
233-12	233-13	180-05-41	341-58-07	24.420	60879.034	-4681.273	30.905	-144673.262123	
233-13	233-14	146-45-19	308-43-26	5.011	60902.255	-4688.832	26.356	-123577.989569	
233-14	233-15	146-44-48	275-28-14	22.080	60905.390	-4692.741	5.240	-24590.156334	
233-15	233-1	180-00-39	275-28-53	8.850	60907.495	-4714.721	2.950	-13910.243214	
							倍面積	4589.362045	
							面積	2294.681022	
							坪數	694.14	






\* \* 面積計算 (座標法) \* \* (Work No.110)

地 器械点	番 : 234BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
234-1	234-2	135-01-39	185-43-43	4.992	60766.341	-4792.903	-12.407	59464.146879
234-2	234-3	134-43-40	140-27-23	5.379	60761.373	-4793.402	-9.115	43693.967394
234-3	234-4	180-14-00	140-41-23	12.833	60757.225	-4789.977	-14.078	67431.381422
234-4	234-5	179-51-51	140-33-14	3.197	60747.296	-4781.847	-12.398	59287.124480
234-5	234-7	180-11-44	140-44-58	11.550	60744.827	-4779.816	-11.413	54552.910573
234-7	234-8	134-36-17	95-21-15	4.966	60735.882	-4772.508	-9.408	44898.916970
234-8	234-9	135-21-56	50-43-11	2.190	60735.419	-4767.563	0.923	-4399.784442
234-9	234-10	179-55-23	50-38-34	37.285	60736.805	-4765.868	25.031	-119292.363709
234-10	234-11	180-00-02	50-38-36	19.027	60760.449	-4737.039	35.710	-169161.184467
234-11	234-12	179-59-26	50-38-02	47.657	60772.516	-4722.327	42.294	-199725.799298
234-12	234-13	180-00-54	50-38-56	9.230	60802.743	-4685.483	36.081	-169055.309867
234-13	234-14	179-59-59	50-38-55	12.625	60808.596	-4678.345	13.858	-64832.057649
234-14	234-15	179-59-06	50-38-01	21.231	60816.601	-4668.582	21.471	-100240.616713
234-15	234-16	135-24-13	6-02-14	4.987	60830.068	-4652.169	18.426	-85720.113030
234-16	234-17	134-41-27	320-43-41	32.939	60835.027	-4651.644	30.460	-141687.870469
234-17	234-18	134-48-49	275-32-30	5.005	60860.527	-4672.495	25.983	-121407.497330
234-18	234-19	135-04-13	230-36-43	18.503	60861.011	-4677.477	-11.258	52658.091691
234-19	234-20	180-02-13	230-38-56	10.720	60849.269	-4691.777	-18.538	86976.644281
234-20	234-21	179-57-10	230-36-06	13.943	60842.473	-4700.066	-15.647	73541.409475
234-21	234-22	180-02-50	230-38-56	47.642	60833.623	-4710.841	-39.059	183999.073165
234-22	234-23	180-00-32	230-39-28	19.003	60803.414	-4747.681	-42.256	200617.196401
234-23	234-24	179-58-32	230-38-00	27.727	60791.367	-4762.378	-29.634	141128.417013
234-24	234-1	180-04-04	230-42-04	11.746	60773.780	-4783.814	-25.026	119720.526054
							倍面積	12447.208823
							面積	6223.604411
							坪數	1882.64







\* \* 面積計算 (座標法) \* \* (Work No.565)

地 器械点	番 : 235BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
235-1	235-2	125-03-26	223-19-15	5.005	60948.923	-4688.235	-3.101	14540.398911
235-2	235-3	125-44-01	169-03-16	37.351	60945.282	-4691.668	-40.313	189135.129456
235-3	235-4	172-54-20	161-57-36	31.871	60908.610	-4684.576	-66.976	313756.409744
235-4	235-5	180-05-45	162-03-21	9.863	60878.306	-4674.706	-39.688	185530.330490
235-5	235-6	158-31-59	140-35-20	33.919	60868.922	-4671.667	-35.590	166262.603615
235-6	235-7	180-13-34	140-48-54	4.979	60842.716	-4650.133	-30.065	139806.910289
235-7	235-8	135-00-36	95-49-30	5.009	60838.857	-4646.987	-4.368	20295.913996
235-8	235-9	134-45-01	50-34-31	16.057	60838.349	-4642.004	9.689	-44975.732396
235-9	235-10	180-03-24	50-37-55	13.728	60848.546	-4629.601	18.905	-87520.711027
235-10	235-11	180-01-47	50-39-42	8.433	60857.253	-4618.988	14.053	-64909.461488
235-11	235-12	180-01-04	50-40-46	8.464	60862.599	-4612.466	10.709	-49393.812319
235-12	235-14	177-03-58	47-44-44	14.780	60867.962	-4605.918	15.302	-70480.094300
235-14	235-15	180-06-00	47-50-44	14.773	60877.901	-4594.978	19.853	-91224.632956
235-15	235-16	180-01-37	47-52-21	0.521	60887.815	-4584.027	10.264	-47050.144170
235-16	235-50	182-52-09	50-44-30	1.741	60888.165	-4583.640	1.451	-6651.413304
235-50	235-17	179-56-37	50-41-07	28.237	60889.266	-4582.293	18.992	-87027.382419
235-17	235-18	118-08-45	348-49-52	10.026	60907.157	-4560.446	27.726	-126443.379704
235-18	235-19	118-08-14	286-58-06	22.066	60916.992	-4562.388	16.275	-74254.929994
235-19	235-20	179-56-44	286-54-50	8.028	60923.432	-4583.494	8.775	-40221.929167
235-20	235-21	181-40-00	288-34-50	9.548	60925.768	-4591.174	5.378	-24691.406157
235-21	235-22	179-51-23	288-26-13	6.165	60928.810	-4600.225	4.992	-22964.913104
235-22	235-24	180-08-32	288-34-45	13.818	60930.760	-4606.073	6.352	-29258.799157
235-24	235-25	175-36-28	284-11-13	3.144	60935.162	-4619.171	5.173	-23895.086565
235-25	235-26	179-50-12	284-01-25	1.550	60935.933	-4622.219	1.146	-5296.974264
235-26	235-27	179-48-11	283-49-36	3.994	60936.308	-4623.722	1.330	-6149.572098
235-27	235-28	179-35-38	283-25-14	3.969	60937.263	-4627.600	1.876	-8679.570098
235-28	235-29	179-44-59	283-10-13	4.043	60938.184	-4631.461	1.842	-8532.461120
235-29	235-30	179-08-14	282-18-27	3.962	60939.105	-4635.397	1.766	-8185.115785
235-30	235-32	180-10-43	282-29-10	6.022	60939.950	-4639.269	2.147	-9958.231180
235-32	235-33	179-30-16	281-59-26	4.002	60941.252	-4645.148	2.133	-9909.762579
235-33	235-34	179-31-06	281-30-32	4.039	60942.083	-4649.063	1.637	-7611.723294
235-34	235-36	179-33-22	281-03-54	4.480	60942.889	-4653.020	1.666	-7749.787764
235-36	235-37	179-43-57	280-47-51	3.475	60943.749	-4657.416	1.511	-7036.482577
235-37	235-38	179-34-11	280-22-02	4.046	60944.400	-4660.830	1.379	-6428.003244
235-38	235-39	179-37-59	280-00-01	3.966	60945.128	-4664.810	1.417	-6609.267782
235-39	235-40	179-50-27	279-50-28	4.009	60945.817	-4668.716	1.374	-6414.200688
235-40	235-41	179-39-42	279-30-10	3.995	60946.502	-4672.666	1.345	-6283.292941
235-41	235-42	179-28-06	278-58-16	4.043	60947.161	-4676.606	1.290	-6033.180451
235-42	235-43	179-36-57	278-35-13	3.964	60947.792	-4680.600	1.222	-5721.678528
235-43	235-1	179-40-36	278-15-49	3.754	60948.384	-4684.520	1.131	-5300.392233
							倍面積	16464.171637
							面積	8232.085818
							坪數	2490.20







\* \* 面積計算 (座標法) \* \* (Work No.501)

地 器械点	番 : 236BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
236-1	236-2	135-08-24	185-50-34	5.065	60772.591	-4697.041	-10.172	47777.851757
236-2	236-3	134-48-47	140-39-21	26.510	60767.552	-4697.557	-25.540	119976.881177
236-3	236-28	210-35-19	171-14-40	4.595	60747.051	-4680.750	-25.043	117221.339882
236-28	236-4	58-51-11	50-05-51	1.658	60742.509	-4680.050	-3.478	16277.527608
236-4	236-8	179-42-51	49-48-42	112.040	60743.573	-4678.779	73.363	-343250.393383
236-8	236-27	90-03-03	319-51-45	11.787	60815.872	-4593.188	81.311	-373476.775490
236-27	236-9	179-57-41	319-49-26	18.456	60824.884	-4600.786	23.113	-106336.839707
236-9	236-10	135-13-26	275-02-52	3.024	60838.985	-4612.693	14.368	-66273.197976
236-10	236-12	135-36-59	230-39-51	21.015	60839.251	-4615.705	-13.054	60255.205812
236-12	236-14	180-02-34	230-42-25	17.562	60825.931	-4631.959	-24.442	113215.978534
236-14	236-16	179-57-51	230-40-16	19.642	60814.809	-4645.551	-23.570	109496.582099
236-16	236-18	179-57-33	230-37-49	38.839	60802.361	-4660.744	-37.085	172841.614707
236-18	236-1	180-04-21	230-42-10	8.105	60777.724	-4690.769	-29.770	139642.140667
							倍面積	7367.915688
							面積	3683.957844
							坪數	1114.39






\* \* 面積計算 (座標法) \* \* (Work No.514)

地 器械点	番 : 237BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
237-1	237-2	135-03-07	185-43-37	3.003	60844.496	-4609.293	-12.986	59854.217804
237-2	237-3	134-05-39	139-49-16	12.323	60841.509	-4609.593	-12.403	57172.622428
237-3	237-4"	179-57-45	139-47-01	17.852	60832.093	-4601.642	-23.047	106054.775829
237-4"	237-5	90-05-33	49-52-34	17.936	60818.462	-4590.116	-2.073	9516.421670
237-5	237-6	180-03-41	49-56-15	22.880	60830.020	-4576.401	26.285	-120289.744059
237-6	237-9	179-48-16	49-44-31	32.048	60844.746	-4558.890	35.436	-161550.994365
237-9	237-13	180-03-45	49-48-16	48.972	60865.457	-4534.433	52.317	-237226.226020
237-13	237-14	57-11-21	286-59-37	8.896	60897.063	-4497.026	34.206	-153827.343825
237-14	237-15	180-03-22	287-02-59	6.345	60899.663	-4505.534	4.461	-20097.040917
237-15	237-16	179-52-29	286-55-28	14.002	60901.524	-4511.600	5.937	-26783.201005
237-16	237-17	151-44-50	258-40-18	10.038	60905.600	-4524.996	2.104	-9521.706625
237-17	237-18	151-55-16	230-35-34	23.974	60903.628	-4534.838	-17.191	77958.528160
237-18	237-19	180-04-36	230-40-10	5.234	60888.409	-4553.362	-18.536	84403.001432
237-19	237-21	179-59-25	230-39-35	12.271	60885.091	-4557.410	-11.096	50568.327828
237-21	237-22	179-56-34	230-36-09	6.055	60877.313	-4566.900	-11.622	53076.624356
237-22	237-23	182-50-10	233-26-19	8.821	60873.469	-4571.580	-9.098	41592.293661
237-23	237-24	180-03-13	233-29-32	5.190	60868.215	-4578.665	-8.342	38196.095971
237-24	237-25	180-04-05	233-33-37	16.034	60865.127	-4582.836	-12.611	57796.048599
237-25	237-26	177-06-42	230-40-19	1.750	60855.603	-4595.735	-10.633	48865.751868
237-26	237-1	180-00-11	230-40-30	15.777	60854.494	-4597.089	-11.107	51059.624715
							倍面積	6818.077507
							面積	3409.038753
							坪数	1031.23







\* \* 面積計算 (座標法) \* \* (Work No.418)

地 器械点	番 : 238BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
238-1	238-2	143-27-05	230-31-14	2.762	60972.434	-4453.262	-2.364	10528.579247
238-2	238-4	177-21-21	227-52-35	14.729	60970.678	-4455.394	-11.636	51841.726283
238-4	238-5	179-49-19	227-41-54	15.314	60960.798	-4466.319	-20.186	90157.685741
238-5	238-6	183-03-00	230-44-54	1.761	60950.491	-4477.645	-11.421	51137.675692
238-6	238-7	179-55-26	230-40-20	28.080	60949.377	-4479.008	-18.910	84697.681092
238-7	238-8	118-58-22	169-38-42	10.063	60931.582	-4500.729	-27.695	124648.571452
238-8	238-9"	117-16-27	106-55-09	23.870	60921.682	-4498.920	-16.846	75788.913526
238-9"	K.113	122-55-16	49-50-25	14.249	60914.736	-4476.083	2.243	-10039.265761
K.113	K.114	223-48-22	93-38-47	24.504	60923.925	-4465.194	7.631	-34074.187149
K.114	K.115	179-57-41	93-36-28	15.476	60922.367	-4440.739	-2.532	11245.267914
K.115	K.116	269-13-25	182-49-53	2.684	60921.393	-4425.294	-3.654	16172.234096
K.116	K.117	89-11-57	92-01-50	8.109	60918.712	-4425.427	-2.968	13134.667813
K.117	K.118	92-10-32	4-12-22	56.185	60918.425	-4417.323	55.746	-246250.023488
K.118	238-13	82-56-34	267-08-56	19.927	60974.459	-4413.202	55.043	-242913.911430
238-13	238-14	138-44-57	225-53-53	3.000	60973.467	-4433.104	-3.079	13650.331230
238-14	238-15	138-25-33	184-19-26	9.347	60971.379	-4435.259	-11.408	50598.761754
238-15	238-16	180-04-04	184-23-30	12.786	60962.059	-4435.964	-22.069	97895.323278
238-16	238-17	180-02-58	184-26-28	9.876	60949.311	-4436.943	-22.595	100252.949432
238-17	238-18	134-47-23	139-13-51	2.830	60939.464	-4437.707	-11.990	53207.555567
238-18	238-36	225-13-27	184-27-18	0.369	60937.321	-4435.860	-2.511	11137.284830
238-36	238-19	179-52-04	184-19-22	4.424	60936.953	-4435.888	-4.779	21199.443108
238-19	238-20	269-12-09	273-31-31	8.002	60932.542	-4436.222	-3.919	17387.030618
238-20	238-21	270-56-30	4-28-01	3.929	60933.034	-4444.209	4.409	-19594.679638
238-21	238-22	179-46-40	4-14-41	0.876	60936.951	-4443.903	4.791	-21289.268258
238-22	238-23	224-55-07	49-09-48	2.819	60937.825	-4443.838	2.717	-12073.778465
238-23	238-35	135-11-21	4-21-09	8.311	60939.668	-4441.705	10.131	-44997.547915
238-35	238-24	180-06-01	4-27-10	10.875	60947.955	-4441.075	19.130	-84956.380063
238-24	238-25	179-58-12	4-25-22	12.147	60958.798	-4440.230	22.953	-101916.263037
238-25	238-26	131-09-18	315-34-40	2.987	60970.908	-4439.294	14.244	-63234.631614
238-26	238-1	131-29-29	267-04-09	11.893	60973.042	-4441.385	1.526	-6775.769391
							倍面積	6565.976468
							面積	3282.988234
							坪數	993.10





平成13年1月26日作成

\* \* 面積計算 (座標法) \* \* (Work No.175)

地 器械点	番 : 239BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
239-1	239-2	108-14-45	158-54-33	2.987	60979.753	-4444.340	-19.140	85065.943999
239-2	239-3	108-11-58	87-06-31	19.759	60976.966	-4443.265	-1.791	7955.735545
239-3	239-4	180-01-29	87-08-00	10.317	60977.963	-4423.532	1.513	-6691.244730
239-4	239-5	185-13-44	92-21-44	15.207	60978.479	-4413.228	-0.111	488.854110
239-5	239-6	180-01-14	92-22-58	9.464	60977.852	-4398.033	-1.020	4487.020248
239-6	239-7"	107-23-22	19-46-20	3.018	60977.458	-4388.577	2.447	-10737.406519
239-7"	239-9"	107-40-28	307-26-48	29.652	60980.298	-4387.556	20.869	-91564.698463
239-9"	239-10	138-16-02	265-42-50	11.662	60998.327	-4411.097	17.157	-75683.120056
239-10	239-11	145-10-23	230-53-13	2.139	60997.456	-4422.727	-2.221	9824.239824
239-11	239-1	179-46-35	230-39-48	25.799	60996.106	-4424.387	-17.703	78324.130574
							倍面積	1469.454532
							面積	734.727266
							坪數	222.25